

The mentioned option is in Jira Administration Manage apps Xray -> Manage Test Statuses:

ATLASSIAN MARKETPLACE

Find new apps

Manage apps

XPORTER

Global Settings

Project Settings

Integrations

Templates

Scheduled Reports

Permission Schemes

File Servers

Post Function Authentication

Xporter Audit Log

Process Manager

Export and Import

License Management

Documentation

XRAY

Miscellaneous

Custom Fields

Issue Type Mapping

Recent Changes

Test Statuses

Manage custom Test Run statuses for Xray

Name	Description	Final	Color	Requirement Status	Operations
PASS	The test run has passed	<input checked="" type="checkbox"/>	<div></div>	OK	
TODD	The test run has not started	<input type="checkbox"/>	<div></div>	NOTRUN	
EXECUTING	The test run is currently being executed	<input type="checkbox"/>	<div></div>	NOTRUN	
FAIL	The test run has failed	<input checked="" type="checkbox"/>	<div></div>	NOK	
ABORTED	The test run was aborted	<input checked="" type="checkbox"/>	<div></div>	NOTRUN	
BLOCKED		<input type="checkbox"/>	<div></div>	NOTRUN	Edit Delete
PENDING		<input type="checkbox"/>	<div></div>	UNKNOWN	Edit Delete
FAIL_DISCARDABLE	FAIL_DISCARDABLE	<input type="checkbox"/>	<div></div>	UNKNOWN	Edit Delete
FAILING_BUT_OK	this is failing but we can go to production	<input type="checkbox"/>	<div></div>	OK	Edit Delete

Create

Preferences

☐ Final statuses have precedence over non-final statuses

When this option is enabled, the latest Test Issue Status is calculated based on the latest Test Run with a final status. Otherwise, this calculation will always consider the latest created Test Run even if the status is non-final.

Save

Link for related documentation

Final statuses have precedence over non-final statuses