

[Xray] How to create another Test Status

When another Test Status is needed like e.g. Cancelled Status.

If you are an administrator you can create custom Test Run statuses. Each status can have a name, description, marked final and have a specific color. New Test Run statuses can be created and all existing custom statuses can be modified.

With this new status, you are able to assign it to a test.

Step-by-step guide

To create a new custom status,

1. go to Jira Settings >> Apps
2. Xray >> Test Statuses
3. Then create another one filling the fields needed.

FAILED	The test run has failed	<input checked="" type="checkbox"/>	<div></div>	<div>NOK</div>	
SUPSTATUS	Testing a new Status	<input checked="" type="checkbox"/>	<div></div>	<div>OK</div>	Edit Delete
Cancelled		<input checked="" type="checkbox"/>	<div></div>	<div>NOTRUN</div>	Edit Delete

Add New Test Status

Name*

Description

Is Final*

☐

Color*

Test Coverage Status*

NOTRUN

This is Test Coverage Status that will be used in the test coverage calculation for Test Runs with this status.

Add

Then set your test with Cancelled status and in the Overall Test Result you'll now see your tests with Cancelled Status. An example below:

Overall Test Results: AMGT



PASSED (0) TO DO (2) EXECUTING (0)
FAILED (0) N/A (0) SUPSTATUS (0)
Cancelled (1)

Total Tests: 3



Native Test Run statuses can't be modified nor deleted.

Related articles

[Global Settings: Test Statues](#)