

Test

In very simple terms, a Test is a sequence of steps coupled with conditions or variables, test inputs and an expected result. It is intended to establish the quality, performance or reliability of a piece of system, i.e., test target. Usually, every requirement or objective the test target is expected to achieve needs at least one Test. The success of the Test is determined by comparing expected and actual results.

- [Test Types](#)
 - [Automated](#)
 - [Cucumber](#)
 - [Generic](#)
 - [Manual](#)
- [Actions](#)
 - [Create](#)
 - [Using the top "Create" button](#)
 - [From the requirement issue screen](#)
 - [Edit](#)
 - [Using the Edit Issue dialog box](#)
 - [Inline Editing Xray Tests](#)
 - [Changing the Type of a Test](#)
 - [Link Test to requirement\(s\)](#)
 - [From the Test issue screen](#)
 - [From the requirement issue screen](#)
 - [Clone](#)
 - [Configure Test Run Columns](#)
 - [Configure Test Set Columns](#)
 - [Restoring Columns to Default Configuration](#)
 - [Change Columns Order](#)
 - [Configure Test Plan Columns](#)
 - [Restoring Columns to Default Configuration](#)
 - [Change the Order of Columns](#)
 - [Create Pre-Condition](#)
 - [Associate Pre-Conditions](#)
 - [Remove Pre-Conditions](#)
 - [Reorder Pre-Conditions](#)
 - [Drag-and-Drop](#)
 - [Change Rank Action](#)
 - [Export to Cucumber](#)
 - [Export Test to XML](#)
 - [Export Test Runs to CSV](#)
 - [Export Test as Text](#)
 - [From the Test issue view screen](#)
 - [Import Steps](#)
 - [From Test](#)
 - [From CSV](#)
 - [From JSON](#)
 - [From Clipboard](#)
 - [Export Steps](#)

Test Types

Tests in Xray can be of two types: automated or manual.

- [Automated](#)
- [Manual](#)

Automated

Automated Tests are executed through an external tool which controls the execution of tests and the comparison of actual outcomes to predicted outcomes. They can automate some repetitive tasks in a formalized testing process already in place, or add additional testing that would be difficult to perform manually. The following automated Test types are available:

- [Cucumber](#)
- [Generic](#)

In Jira's administration, you may add other values for the "Test Type" custom field (see list below). For example, you may want to differentiate automated tests that may exist simultaneously in a project.

However, internally they will and must be handled as one of the two default Test Types for automated tests: "Cucumber" or "Generic".

Test Type custom field possible values	Internally will be handled as Test Type...
--	--

"Cucumber", "Automated[Cucumber]", "Gherkin", "Behave", "SpecFlow", "Behat"	Cucumber
"Generic", "Automated[Generic]"	Generic

Note: "Test Type" custom field values not shown above are not supported.

Cucumber

Cucumber is a tool that executes plain-text functional descriptions as automated tests. The language that Cucumber understands is called **Gherkin**, which is a business-readable, domain-specific language that describes the software's behavior without detailing how that behavior is implemented. It is line-oriented language and uses indentation to define structure. Line endings terminate statements (e.g., steps). Either spaces or tabs may be used for indentation (but spaces are more portable). Most lines start with a keyword.

For more information on the Cucumber Basics, please consult the Wiki and Tutorials at: <http://cucumber.io>

Fields

Cucumber Tests are divided in two **Scenario Types**:

- **Scenario**, a set of instructions exclusively composed by constant values, which, when executed by a tool, will only give a static result (e.g., 2 + 3 = 5)
- **Scenario Outline**, a generic set of instructions containing variables, which, when executed by a tool, will prompt varied results according to the specified input.

- The behavior to be reproduced by the Cucumber tool is entered in the **Steps** field.

Create Issue

Configure Fields

Project* Demo Project (DEMO)

Issue Type* Test ?

General

Test Details

Test Sets

Pre-Conditions

Test Plans

Link Issues

Test Type

Cucumber

Choose the Test Type

Cucumber Type

Scenario Outline

The Cucumber Scenario Type

Cucumber Scenario

Given

I have entered <input_1> into the calculator

And

I have entered <input_2> into the calculator

When

I press <button>

Then

the result should be <output> on the screen

Examples

input_1	input_2	button	output
20	30	add	50
2	5	add	7
0	40	add	40

Enter the Cucumber Scenario clauses in Gherkin

Create another

Create

Cancel

Generic

A Generic Test is an automated agnostic Test that is executed by an external tool. Execution results will then be imported back to Jira. An example might be a JUnit test that is used for quality assurance.

Fields

The only Field that is related to a Generic Test is its **Definition**. Here, the automated external test may be defined or referenced through an open text field.

Create Issue

Configure Fields ▾

Project*

Demo Project (DEMO) ▾

Issue Type*

Test ▾

?

General

Test Details

Test Sets

Pre-Conditions

Test Plans

Link Issues

Test Type

Generic ▾

Choose the Test Type

Generic Test Definition

Enter the definition for the generic Test

☐ Create another

Create

Cancel

The **Generic Test Definition** field supports the [Jira markup wiki language](#).

Manual

Manual Tests are user-assisted tests, listing an assortment of guidelines the user must follow, and the results such behavior is expected to accomplish. If the actual test result matches the expected test result, the test is considered as passed; otherwise, it is marked as failed.

Fields

Manual Tests are segmented in **Manual Steps**. Each **Manual Step** is composed of 4 fields (**Step**, **Data**, **Expected Result** and **Attachments**) with Step being the only mandatory one.

- **Step** - The action to be reproduced by the tester
- **Data** - Any data the related step requests (e.g., login credentials) to be used by the tester
- **Expected Result** - The behavior the step should accomplish
- **Attachments** - External files that provide additional information related with the corresponding **Manual Step**. Attachments can only be added or removed in the Test Issue view page.

Create Issue

Configure Fields

Project* Demo Project (DEMO)

Issue Type* Test ?

General

Test Details

Test Sets

Pre-Conditions

Test Plans

Link Issues

Test Type

Manual

Choose the Test Type

Steps

	Step	Data	Expected Result	
1	I choose the operation of the calculator "Subtraction"		The operation must appear selected	
2	I enter the input into the calculator	I1: 5 I2: 2		
3	I press the "Calculate" button		The result "3" should be displayed in the screen, on the right of the "=" sign	
				Add

☐ Create another

Create

Cancel

The **Step**, **Data** and **Expected Result** fields support the [Jira markup wiki language](#).

Actions

- [Create](#)
- [Edit](#)
- [Clone](#)
- [Export to Cucumber](#)

Create

Using the top "Create" button"

In order to create a new Test Issue,

Step 1: Click the **Create Issue** at the top of the screen to open the **Create Issue** dialog box / page.

JIRA Dashboards ▾ Projects ▾ Issues ▾ Tests ▾ **Create issue** Quick Search ? ⚙️ 👤 ▾

FILTERS << Search Save as Export ▾ Tools ▾

Find filters

My Open Issues
Reported by Me
Recently Viewed
All Issues

FAVORITE FILTERS
You don't have any favorite filters.

Calculator ▾ Test ▾ Status: All ▾ Assignee: All ▾ Contains text More ▾ 🔍 Advanced

1-5 of 5 🔍


T	Key	Summary	Assignee	Reporter	P	Status	Resolution	Created	Updated	Due
×	CALC-16	Multiple Operations	Administrator	Administrator	↑	Open	Unresolved	26/Nov/13	26/Nov/13	⚙️
×	CALC-12	Multiply two numbers	Administrator	Administrator	↑	Open	Unresolved	26/Nov/13	26/Nov/13	
×	CALC-10	Divide two numbers	Administrator	Administrator	↑	Open	Unresolved	26/Nov/13	26/Nov/13	
×	CALC-2	Subtract two numbers	Administrator	Administrator	↑	Open	Unresolved	26/Nov/13	26/Nov/13	
×	CALC-1	Add two numbers	Administrator	Administrator	↑	Open	Unresolved	26/Nov/13	26/Nov/13	


1-5 of 5 🔍

Step 2: Select the **Project** and on **Issue Type**, select Test.

Step 3: Under the **General** tab, type a **Summary** for the test and fill all appropriate fields — at least, the mandatory ones marked with an asterisk.

Create Issue ⚙️ Configure Fields ▾






Project*  Demo Project (DEMO) ▾


Issue Type*  Test ▾ ?


General Test Details Test Sets Pre-Conditions Test Plans Link Issues


Summary*

Description

Style ▾ B I U A ▾ A ▾      + ▾ ⌵

 ?

Reporter*  Nuno Santos
Start typing to get a list of possible matches.

Assignee  Automatic ▾
[Assign to me](#)

Fix Version/s **None**

☐ Create another **Create** Cancel

Step 4: On the Test Details tab, select the **Test Type** and complete all appropriate fields;

Step 4a: If you are writing a Manual Test:

- Select the **Test Type** as Manual.
- After filling out the Manual **Steps** fields, press the **Add** button to jump to the next Manual Step.
- Use the **Pencil** button to edit a previously entered Manual Step, and press the **Update** button when done.
- Use the **Bin** button to delete a previous entered Manual Step.
- To change a Manual Step position in the Test, drag the left area of the row and drop it to the desired place.

Create Issue

Configure Fields

Project*

Demo Project (DEMO)

Issue Type*

Test

?

General

Test Details

Test Sets

Pre-Conditions

Test Plans

Link Issues

Test Type

Manual

Choose the Test Type

Steps

	Step	Data	Expected Result
<div></div>	1	I choose the operation of the calculator "Subtraction"	The operation must appear selected
		I enter the input into the calculator	<div>I1: 5 I2: 2</div>

Add

Create another

Create

Cancel

Step 4b: If you are writing a Cucumber Test:

- Select the **Test Type** as **Cucumber**.
- On **Cucumber Type**, select either **Scenario** or **Scenario Outline** as test type.
- On **Cucumber Scenario**, enter the Cucumber Scenario clauses in Gherkin.

Create Issue

Configure Fields

Project* Demo Project (DEMO)

Issue Type* Test ?

General

Test Details

Test Sets

Pre-Conditions

Test Plans

Link Issues

Test Type

Cucumber

Choose the Test Type

Cucumber Type

Scenario Outline

The Cucumber Scenario Type

Cucumber Scenario

Given

I have entered <input_1> into the calculator

And

I have entered <input_2> into the calculator

When

I press <button>

Then

the result should be <output> on the screen

Examples

input_1	input_2	button	output
20	30	add	50
2	5	add	7
0	40	add	40

Enter the Cucumber Scenario clauses in Gherkin

Create another

Create

Cancel

Step 4c: If you are writing a **Generic Test**:

- Select the **Test Type** as Generic.
- On **Generic Test Definition**, enter the definition for the automated generic Test.

Step 2: Select the **Project** and on **Issue Type** make sure you have Test selected.

Step 3: Under the **General** tab, type a **Summary** for the test and fill all appropriate fields — at least, the mandatory ones marked with an asterisk.

Create Issue Configure Fields

Project* Demo Project (DEMO)

Issue Type* Test ?

General Test Details Test Sets Pre-Conditions Test Plans Link Issues

Summary*

Description Style B I U A ³A +

?

Reporter* Nuno Santos
Start typing to get a list of possible matches.

Assignee Automatic
[Assign to me](#)

Fix Version/s None

☐ Create another Create Cancel

Step 4: On the Test Details tab, select the **Test Type** and complete all appropriate fields;

Step 4a: If you are writing a **Manual** Test:

- Select the **Test Type** as Manual.
- After filling out the Manual **Steps** fields, press the **Add** button to jump to the next Manual Step.
- Use the **Pencil** button to edit a previously entered Manual Step, and press the **Update** button when done.
- Use the **Bin** button to delete a previous entered Manual Step.
- To change a Manual Step position in the Test, drag the left area of the row and drop it to the desired place.

Create Issue

Configure Fields

Project* Demo Project (DEMO)

Issue Type* Test ?

General

Test Details

Test Sets

Pre-Conditions

Test Plans

Link Issues

Test Type

Manual

Choose the Test Type

Steps

	Step	Data	Expected Result
	1 I choose the operation of the calculator "Subtraction"		The operation must appear selected
	I enter the input into the calculator	I1: 5 I2: 2	

Create another

Create

Cancel

Step 4b: If you are writing a **Cucumber** Test:

- Select the **Test Type** as Cucumber.
- On **Cucumber Type**, select either **Scenario** or **Scenario Outline** as test type.
- On **Cucumber Scenario**, enter the Cucumber Scenario clauses in Gherkin.

Create Issue

Configure Fields

Project* Demo Project (DEMO)

Issue Type* Test ?

General

Test Details

Test Sets

Pre-Conditions

Test Plans

Link Issues

Test Type

Cucumber

Choose the Test Type

Cucumber Type

Scenario Outline

The Cucumber Scenario Type

Cucumber Scenario

Given

I have entered <input_1> into the calculator

And

I have entered <input_2> into the calculator

When

I press <button>

Then

the result should be <output> on the screen

Examples

input_1	input_2	button	output
20	30	add	50
2	5	add	7
0	40	add	40

Enter the Cucumber Scenario clauses in Gherkin

Create another

Create

Cancel

Step 4c: If you are writing a **Generic Test**:

- Select the **Test Type** as Generic.
- On **Generic Test Definition**, enter the definition for the automated generic Test.

Create Issue

Configure Fields

Project*

Demo Project (DEMO)

Issue Type*

Test

?

General

Test Details

Test Sets

Pre-Conditions

Test Plans

Link Issues

Test Type

Generic

Choose the Test Type

Generic Test Definition

Enter the definition for the generic Test

☐ Create another

Create

Cancel

Optional:

- Click on the Test Sets tab to associate the current issue with Test Sets.
- Click on the Pre-Conditions tab to associate the current issue with Pre-Conditions.
- Click on the Test Plans tab to associate the current issue with Test Plans.
- Click on the Link Issues tab to link with other issues and specify the nature of the association.
- To create a series of similar tests – within the same **Project** – check the **Create another** box at the bottom of the dialog.

Step 5: When you are satisfied with the content of your test, click the **Create** button.

Step 5a: If you checked the **Create another** box, a new **Create Issue** dialog appears. This issue is automatically pre-populated with your previous test details, while leaving the **Summary** field blank.

Edit

Editing an existing Test can be done in one of two ways:

- [Using the Edit Issue dialog box](#)
- [Using the Inline Edit for JIRA Plugin](#)

Using the Edit Issue dialog box

The Edit Issue dialog box is similar to the Create Issue dialog box, and can be accessed through the following steps:

Step 1: Click the **Edit** button (at the top-left of the 'view issue' page) to open the **Edit Issue** dialog box.



Demo Project / DEMO-1

Subtract two numbers



Edit

Comment

Assign

More ▾

Start Progress

Resolve Issue

Close Issue

Admin ▾

Details

Type:

Test

Status:

OPEN (View Workflow)

Priority:

Medium

Resolution:

Unresolved

Labels:

None

Description

Click to add description



Test Details

Type:

Manual

Manual Steps:

+ Import Steps ▾

Step	Data	Expected Result	Attachments
1 I choose the operation of the calculator "Subtraction"		The operation must appear selected	+ ...
2 I enter the input into the calculator	I1: 5 I2: 2		+ ...
3 I press the "Calculate" button		The result "3" should be displayed in the screen, on the right of the "=" sign	+ ...

+ ▾

Step 2: Modify your Test's details in the appropriate fields of the **Edit Issue** dialog box General tab.

Edit Issue : DEMO-1

Configure Fields

General
Test Details
Test Sets
Pre-Conditions
Test Plans
Link Issues

Summary*

Subtract two numbers

Description

Style
B
I
U
A
A
Link
U
List
List
Emoji
+

?

Reporter*

Nuno Santos

Start typing to get a list of possible matches.

Assignee

Unassigned

Assign to me

Fix Version/s
None

Priority

Medium
?

Component/s
None

Environment

Style
B
I
U
A
A
Link
U
List
List
Emoji
+

?

UpdateCancel

Step 3: Click on the Test Details tab to edit the Test Type and any complementary fields.

Step 3a: If you are editing a **Manual** Test:

- To input a new Manual **Steps** field, use the empty areas at the bottom and click the **Add** button.
- Use the **Pencil** button to edit a previously entered Manual Step, and click the **Update** button when done.
- Use the **Bin** button to delete a previously entered Manual Step.
- To change a Manual Step position in the Test, drag the left area on the that row and drop it to the desired place.

Edit Issue : DEMO-1

Configure Fields

General
Test Details
Test Sets
Pre-Conditions
Test Plans
Link Issues

Test Type
Manual
Choose the Test Type

Steps

	Step	Data	Expected Result	Attachments
1	I choose the operation of the calculator "Subtraction"		The operation must appear selected	<div> <div></div> <div></div> </div>
2	I enter the input into the calculator	I1: 5 I2: 2		<div> <div></div> <div></div> </div>
3	I press the "Calculate" button		The result "3" should be displayed in the screen, on	<div> <div>Update</div> <div>Cancel</div> </div>
				<div> <div>Add</div> </div>

Comment

Style
B
I
U
A
A
Link
Image
List
List
Emoji
+

Viewable by All Users

Update

Cancel

Step 3b: If you are editing a **Cucumber** Test:

- To change test type on **Cucumber Type**, select either **Scenario** or **Scenario Outline**.
- In the **Steps** field, you can edit a previously entered or create a new Cucumber Scenario clauses in Gherkin.

Edit Issue : DEMO-2

Configure Fields

General
Test Details
Test Sets
Pre-Conditions
Test Plans
Link Issues

Test Type
Cucumber

Choose the Test Type

Cucumber Type
Scenario Outline

The Cucumber Scenario Type

Cucumber Scenario

Given I have entered <input_1> into the calculator
And I have entered <input_2> into the calculator
When I press <button>
Then the result should be <output> on the screen

Examples

input_1	input_2	button	output
20	30	add	50
2	5	add	7
0	40	add	40

Enter the Cucumber Scenario clauses in Gherkin

Comment

Style
B
I
U
A
A
Link
Image
List
List
Emoji
+

Update
Cancel

Step 3c: If you are editing a **Generic** Test:

-In the **Steps** field, you can edit a previously entered or create a new Definition for the automated generic Test.

Calculator / CALC-1
Add two numbers

Edit Comment Assign More Start Progress Resolve Issue Workflow Export

Details

Type: Test Status: Open (View Workflow)
 Priority: Major Resolution: Unresolved
 Affects Version/s: None Fix Version/s: None
 Labels: None

Description

This tests the addition of 2 numbers.

Test Details

Type: Automated[Cucumber]
 Cucumber Type: Scenario Outline
 Steps:
 Given I have entered <input_1> into the calculator
 And I have entered <input_2> into the calculator
 When I press <button>
 Then the result should be <output> on the screen

Examples:

input_1	input_2	button	output
20	30	add	50
2	5	add	7
0	40	add	40

Xporter for JIRA

Template: Xray_PT_Template
 Output format: PDF
 Export

People

Assignee: Administrator
 Reporter: Administrator
 Votes: 0 Vote for this issue
 Watchers: 1 Stop watching this issue

Dates

Created: 26/Nov/13 9:40 AM
 Updated: 26/Nov/13 2:17 PM

Step 1c: If you are inline editing a **Generic** Test:

- You can hover over the actual **Test Type**, click it, and change it to another type available on the select box.
- You can hover over the **Definition** field, click it, and edit its contents.

Calculator / CALC-25
Operations inside round brackets have priority

Edit Comment Assign More Start Progress Resolve Issue Workflow Export

Details

Type: Test Status: Open (View Workflow)
 Priority: Major Resolution: Unresolved
 Affects Version/s: None Fix Version/s: None
 Labels: None

Description

Click to add description

Test Details

Type: Automated[Generic]
 Definition: <https://code.myorganization.com/projects/math/qualitytests/TestScientificMode.java>

Pre-Condition

This test is not associated with Pre-Condition yet.

Associate Pre-Condition

Xporter for JIRA

Template: Xray_PT_Template
 Output format: PDF
 Export

People

Assignee: Administrator
 Reporter: Administrator
 Votes: 0 Vote for this issue
 Watchers: 1 Stop watching this issue

Dates

Created: Yesterday 10:30 AM
 Updated: a minute ago

Notes: On Jira versions greater or equal to 7.3.0, the Definition field supports Jira's Rich Text Editor. To enable the Rich Text Editor, you have to set the renderer of the definition custom field to **Wiki Style Renderer**. It is also possible to use Rich Text Editor on Jira versions greater than 7.2.0 by enabling the experimental Rich Text Editor in Jira configurations, but this feature is not totally supported by Xray.

Manual Test Steps Table

In addition to inline editable fields, Xray provides a Restful table for inline editing manual Test steps directly from the Test view issue screen.

From this table you can:

Add Steps: After entering the Test step details (**Step**, **Data** and **Expected Result** fields) using the bottom table row text boxes, click on the **Plus** icon for creating a new step. The new step will be added in the last position in the steps table.

Remove Steps: The last column for each step contains a **Bin** button for removing steps. After clicking the button, you will be prompted with a confirmation message to delete the step. This operation cannot be undone.

Edit Steps: When hovering over **Step**, **Data** and **Expected Result** fields, they get highlighted and if you click them, the step row visualization will change to edit mode. From here, you can edit the fields and click on the Update button that appears in the last column to save changes or you can cancel the changes by clicking on the Cancel button. Either way, the row will be back in View mode.

Move Steps: You can move a Test step Up or Down in the Test steps table in one of two ways:

- Click on the drag area in the first column of each step and drag the step to the desired position.
- Click on the **actions** menu and choosing the **"Move To.."** option. This method allows you to directly move a step to a specific position.

Add Attachments: While in View or Edit modes, you can add attachments to a step using the **Plus** sign appearing in the **Attachments** column. After clicking the button, you will be prompted with a dialog to choose the attachments to add.

Remove Attachments: While in View or Edit modes, you can remove attachments of Test steps using the **Bin** button that appears when hovering over existing attachments. After clicking the button, you will be prompted with a confirmation message to remove the attachment or not.

Copy Step Fields: You can copy the **Step**, **Data** and **Expected Result** fields to the clipboard by hovering over these fields and choosing the Copy icon next to each highlighted field. If the copy is successful, a green border will appear momentarily around the **Copy** icon.

Expand Fields: If the text boxes are too small to show all the information, you can expand the **Step**, **Data** and **Expected Result** fields by clicking the **Expand** icon next to each highlighted field. An inline dialog, with a bigger area, will be opened with the contents of the field and a wiki notation toolbar to assist you in writing your information. This operation is available in both View and Edit modes for manual Test steps.

Clone Steps: To clone an existing Test step, click on the **actions** menu and choose the **"Clone"** option. A confirmation message will appear. Once you confirm, a new step will be created in the last position, containing all information of the cloned step (Step, Data, Expected Result and Attachments).

Calculator / CAL-2
Subtract two numbers






Edit Comment Assign More Start Progress Resolve Issue Close Issue Admin

Details
Type: Test Status: OPEN (View Workflow)
Priority: Medium Resolution: Unresolved
Labels: None

Description
Click to add description

Test Details
Type: Manual


Manual Steps:

Step	Data	Expected Result	Attachments
1 I choose the operation of the calculator "Subtraction"		The operation must appear selected.	 
2 I enter the input into the calculator	I1: 5 I2: 2		
3 I press the "Calculate" button		The result "3" should be displayed in the screen, on the right of the "=" sign.	
			

Xporter for JIRA
Template: reqv2
Output format: DOCX
Export

People
Assignee: Unassigned
Reporter: Diamantino Pereira Campos
Voters: 1
Watchers: 1 Stop watching this issue

Dates
Created: 5 minutes ago
Updated: 1 minute ago



Calculator / CAL-2

Subtract two numbers

Edit

Comment

Assign

More

Start Progress

Resolve Issue

Close Issue

Admin

Type: Test

Priority: Medium

Labels: None

Status: OPEN (View Workflow)

Resolution: Unresolved

Xporter for JIRA

Template: reqv2

Output format: DOCX

Export

People

Assignee: Unassigned

Reporter: Diamantino Pereira Campos

Votes: 0

Watchers: 1 Stop watching this issue

Dates

Created: 8 minutes ago

Updated: Just now

Description

Click to add description

Test Details

Type: Manual

Manual Steps:

Step

Data

Expected Result

Attachments

1 I choose the operation of the calculator "Subtraction"

The operation must appear selected.

glsignore_global.txt

2 I enter the input into the calculator

I1: 5
I2: 2

3 I press the "Calculate" button

The result "3" should be displayed in the screen, on the right of the "=" sign.



Edit Permissions

You can only inline edit Xray fields if you have permission to edit the Test issue.

Changing the Type of a Test

In the [Global Preferences](#), Xray allows you to configure if a test definition is deleted or not.

If enabled, the previous Info details will be deleted.

Change test type to Cucumber



The current type info details will be deleted. Do you want to continue?

Yes

Cancel

Otherwise, the Info details will not be deleted, and it'll be possible to undo the Test Type change operation and keep the previous information.

Pre-Conditions Type mismatch



Changing the Test Type will remove the Pre-Conditions associated with this Test due to type mismatch.

Yes

Cancel

Additionally, in both cases, because each pre-condition must be of the same Type of the Test, any associated Pre-Conditions will be lost.

Link Test to requirement(s)

Covering some requirement issue with an existing Test can either be done from the Test issue screen or from the requirement issue screen.

From the Test issue screen

To link some existing Test case to some requirement directly from the Test issue screen, you just need to create a "tests" link between it and the requirement

Step 1: Click on **More** and then **Link**



Calculator / CALC-2631

Manual Test As a user, I can calculate the sum of two numbers

Edit

Comment

Assign

More

Start Progress

Resolve Issue

Close Issue

Admin

Details

Type: Test

Priority: Major

Affects Version/s: None

Component/s: None

Labels: None

TestRunStatus: v3.0 - PASS

Test Repository Path: /NOS

Description

Click to add description

Test Details

Type: Manual

Manual Steps:

Step	Description	Expected Result	Attachments
1	press 1	should appear on screen	

Log work

Agile Board

Rank to Top

Rank to Bottom

Attach files

Voters

Stop watching

Watchers

Create sub-task

Convert to sub-task

Move

Link

Clone

Labels

Delete

Reset TestRunStatus

Export Test to XML

Status: OPEN (View Workflow)

Resolution: Unresolved

Fix Version/s: v3.0

Export Steps

Import Steps

Step 2: Make sure that the created link is "tests" (i.e. the Test covers the given issues)

Link

JIRA Issue

[Confluence Page](#)

[Web Link](#)

Select a JIRA issue to link this issue to

This issue

tests

Issue

CALC-2630

Comment

History Search (Showing 1 of 1 matching issues)

CALC-2630 - As a user, I can calculate the sum of two nu...

Current Search (Showing 1 of 1 matching issues)

CALC-2630 - As a user, I can calculate the sum of two nu...

CALC-2630 (Enter issue key)

Viewable by All Users

Link

Cancel


Step 3: Enter one, or more, issue key(s) of the requirement you wish to validate

Step 4: Click on "Link"

From the requirement issue screen

To link some existing Test case to some requirement directly from the requirement issue screen, we can do it using two different shortcuts as detailed in the first step below.

Step 1a: Using the "+" icon on the Test Coverage panel - Click the **Edit** button (at the top-left of the 'view issue' page) to open the **Edit Issue** dialog box.

 Calculator / CALC-2630

As a user, I can calculate the sum of two numbers

Edit

Comment

Assign

More

Start Progress

Resolve Issue

Close Issue

Admin

Details

Type: Story

Priority: Major

Affects Version/s: None

Component/s: None

Labels: None

Requirement Status: v3.0 - OK

Defects Count : 1

Status: OPEN (View Workflow)

Resolution: Unresolved

Fix Version/s: v3.0

Description

Click to add description


Test Coverage

Create new Test

Create new Sub Test Execution...

Link Test to Requirement...

Step 1b: Using the standard issue link creation dialog - Click on **More** and then **Link**

 Calculator / CALC-2630

As a user, I can calculate the sum of two numbers

Edit

Comment

Assign

More

Start Progress

Resolve Issue

Close Issue

Admin

Details

Type: Story

Priority: Major

Affects Version/s: None

Component/s: None

Labels: None

Requirement Status: v3.0

Defects Count : 1

Status: OPEN (View Workflow)

Resolution: Unresolved

Fix Version/s: v3.0

Description

Click to add description

Test Coverage

Create new Test

Create new

Log work

Agile Board

Rank to Top

Rank to Bottom

Attach files

Voters

Stop watching

Watchers

Create sub-task

Convert to sub-task

Move

Link

Clone

Labels

Delete

Reset Requirement Status

Step 2: Make sure that the created link is "tested by" (i.e. the requirement will be tested by the given issues)

Link

JIRA Issue

Confluence Page

Web Link

Select a JIRA issue to link this issue to

This issue

tested by

Issue

CALC-2631

Comment

History Search (Showing 1 of 1 matching issues)

CALC-2631 - Manual Test As a user, I can calculate the su...

CALC-2631 (Enter issue key)

Viewable by All Users

Link

Cancel

Step 3: Enter one, or more, issue key(s) of the Test cases that validate your requirement.



Please note

You may also specify Test Set issue keys; in this case, the link will be created between the requirement and the Test Set.


When you do this, you'll have a dynamic coverage of the requirement based on the Tests belonging to the Test Set. That mean that you can then add or remove Tests to/from the Test Set and they will be covering the requirement or not depending on being or not on the Test Set.

Step 4: Click on "Link"

Clone

Cloning a Test issue creates a new Test with all the information of the cloned Test, except its executions. Therefore, the cloned issue will not be associated with any Test Execution issue.

Step 1: Select **More > Clone**. The **Clone Issue** screen will appear.



Step 2: You can edit the clone Test's **Summary** if you wish.

- If the test contains links to other issue(s), you can select whether or not to include the links in the new clone test.
- If the test contains sub-tasks, you can select whether or not to create the sub-tasks in the new clone test.
- If the test contains attachments, you can select whether or not to include the attachments in the new clone test.

Step 3: Click **Create**.

The 'Clone' dialog box is shown with a title bar 'Clone'. It contains a text input field for the summary with the placeholder text 'Enter the summary of the clone issue ...'. Below this, the 'Summary' field is populated with 'CLONE - Add two numbers'. There is a 'Clone Links' checkbox which is currently unchecked. At the bottom right, there are 'Create' and 'Cancel' buttons.

Configure Test Run Columns

More info in [Test Runs](#).

Configure Test Set Columns

Xray provides the ability to configure columns for the Test Sets table. This configuration is specific to each user and can be restored to the default configuration defined in the [Default columns layout](#) page in Xray app administration.

To configure columns for the Test Sets table,

Step 1: Open the Test issue.

Step 2: Click on **Columns**, select the dropdown that appears in the Test Sets section, above the table in the top right corner. A list of the current configure columns and all available columns appears.

Step 3: Add or remove columns by clicking the checkboxes next to each field.

Step 4: Click the **Done** button when finished or **Cancel** to abort this operation. The table refreshes with the configured columns.

Restoring Columns to Default Configuration

To restore columns in the Test Sets table to the default configuration,

Step 1: Open the Test issue.

Step 2: Click on the **Columns** select dropdown that appears in the Test Sets section, above the table in the top right corner. A list of the current configure columns and all available columns appears.

Step 3: Click the **Restore Columns** link above the columns list. The table refreshes with the default configured columns.


Change Columns Order

To reorder columns in the Test Sets table,

Step 1: Open the Test issue.

Step 2: Hover over the desired column header.

Step 3: Click on the column header and drag it to the desired position.



Configure Test Plan Columns

Xray provides the ability to configure columns for the Test Plans table. This configuration is specific to each user and can be restored to the default configuration defined in the [Default columns layout](#) page in Xray app administration.

To configure columns for the Test Plans table,

Step 1: Open the Test issue.

Step 2: Click on **Columns**, select the dropdown that appears in the Test Plans section, above the table in the top right corner. A list of the current configure columns and all available columns appears.

Step 3: Add or remove columns by clicking the checkboxes next to each field.

Step 4: Click the **Done** button when finished or **Cancel** to abort this operation. The table refreshes with the configured columns.

Restoring Columns to Default Configuration

To restore columns in the Test Plans table to the default configuration,

Step 1: Open the Test issue.

Step 2: Click on **Columns**, select the dropdown that appears in the Test Plans section, above the table in the top right corner. A list of the current configure columns and all available columns appears.

Step 3: Click the **Restore Columns** link above the columns list. The table refreshes with the default configured columns.


Change the Order of Columns

To reorder columns in the Test Plans table,

Step 1: Open the Test issue.

Step 2: Hover over the desired column header.

Step 3: Click on the column header and drag it to the desired position.



Create Pre-Condition

To create a Pre-Condition directly associated to the current Test from the Test issue view screen:

Step 1: Open the **Test** issue view screen you wish to create a **Pre-Condition** with.

Step 2: Click the **Create Pre-Condition** button (under the **Pre-Condition** section on the view page) to open the **Create Issue** dialog box.

Calculator / CALC-12
Multiply two numbers

Edit Comment Assign More Start Progress Resolve Issue Close Issue Admin

Details

Type: Test
Priority: Major
Affects Version/s: None
Component/s: None
Labels: math multiplication numbers
TestRunStatus: v3.0 - 1000

Status: OPEN (View Workflow)
Resolution: Unresolved
Fix Version/s: v2.0

Description
This tests the multiplication of two numbers.

Test Details
Type: Manual

Manual Steps:

Step	Data	Expected Result	Attachments
1	I choose the operation of the calculator "Multiplication"	The operation must appear selected.	+
2	The operation must appear selected.	11:27 12:9	+
3	I press the "Calculate" button	The result "3" should be displayed in the screen, on the right of the "=" sign.	+

Pre-Conditions
This test is not associated with Pre-Conditions yet.

Create Pre-Condition Associate Pre-Conditions

People
Assignee: Administrator
Reporter: Administrator
Votes: 0
Watchers: Stop watching this issue

Dates
Created: 25/Nov/13 11:01 AM
Updated: Just now

Agile
View on Board

HipChat discussions
Do you want to discuss this issue? Connect to HipChat
Connect Dismiss

Step 3: Type a **Summary** for the Pre-Condition and complete all appropriate fields — at least, the required ones marked by an asterisk. This issue is automatically pre-populated with your previous Test issue **Fix Version/s**.

Create Issue Configure Fields

Project * Calculator (CALC)

Issue Type * Pre-Condition

General **Pre-Condition Details** Tests

Summary *

Description *

Reporter * Administrator

Fix Version/s * v2.0

Component/s

Environment

For example operating system, software platform and/or hardware specifications (include as appropriate for the project)

Create another Create Cancel

Step 4: On the Pre-Condition Details tab, complete all appropriate fields. This issue is automatically pre-populated with your previous **Test type**.

Create Issue

Configure Fields

Project

Calculator (CALC)

Issue Type

Pre-Condition

General

Pre-Condition Details

Tests

Pre-Condition Type

Manual

Choose the Pre-Condition Type. It must match the Test Type to which this Pre-Condition is associated

Conditions

Enter the Pre-Conditions to be executed before the Test.

Create another

Create

Cancel

Step 5: Optional. Click on the Tests tab to edit Test associations to associate more Tests. This issue is automatically pre-populated with your previous **Test key**.

Create Issue

Configure Fields

Project

Calculator (CALC)

Issue Type

Pre-Condition

General

Pre-Condition Details

Tests

Tests

CALC-12 x

Start typing to get a list of possible matches or press down to select from a list of existing Tests to associate with this Pre-Condition

Create another

Create

Cancel

Step 6: Click **Create**.

Associate Pre-Conditions

To associate Tests with a Pre-Condition from the Test issue view screen:

Step 1: Open the **Test** issue view screen you wish to associate a **Pre-Condition** with.

Step 2: Click the **Associate Pre-Condition** button (under the **Pre-Condition** section on the view page) to open the **Associate Test with Pre-Condition** dialog box.

Calculator / CALC-12
Multiply two numbers

Edit Comment Assign More Start Progress Resolve Issue Close Issue Admin

Details

Type: Test
Priority: Major
Affects Version/s: None
Component/s: None
Labels: math multiplication numbers
TestRunStatus: v3.0 - 1000

Status: OPEN (View Workflow)
Resolution: Unresolved
Fix Version/s: v2.0

People

Assignee: Administrator
Reporter: Administrator
Votes: 0
Watchers: Stop watching this issue

Dates

Created: 25/Nov/13 11:01 AM
Updated: Just now

Agile

View on Board

HipChat discussions

Do you want to discuss this issue? Connect to HipChat.
Connect Dismiss

Description

This tests the multiplication of two numbers.

Test Details

Type: Manual

Manual Steps:

Step	Data	Expected Result	Attachments
1	I choose the operation of the calculator "Multiplication"	The operation must appear selected.	+ ...
2	The operation must appear selected.	11: 27 12: 9	+ ...
3	I press the "Calculate" button	The result "3" should be displayed in the screen, on the right of the "=" sign.	+ ...

Pre-Conditions

This test is not associated with Pre-Conditions yet.

Create Pre-Condition Associate Pre-Conditions

Step 3: Select or search the **Pre-Condition** issues to be associated with the Test:

Select Pre-Condition Issues - In order to select the **Pre-Conditions** to be associated, you can:

- Input the desired Pre-Condition **Issue Key** on the **Pre-Conditions** field.
- Click on the **Down Arrow** on the Pre-Conditions field and select the Test Set from its **History Search** list.
- Click on the **+** button which will prompt an **Issue Selector** Pop-Up.
- Click on the **Search** tab to use the **Find Jira issues** browser.

Calculator / CALC-1
Multiply two numbers

Associate Test CALC-1 with Pre-Condition

Select Search

Pre-Condition


Start typing to get a list of possible matches or press down to select from a list of existing Pre-Condition to associate with this Test

Add selected Cancel

Execute In

Search Pre-Condition Issues - In order to search for Pre-Conditions to be associated you can, under the **Search** tab:

- Browse for the desired Pre-Condition **Project** or terms it **Contains**.
- Click on the **More** button to add more browse fields such as **Label**, **Fix Version**, **Saved Filter** and **Workflow Status**.
- Click on the **Magnifier** button after filling the browse fields to get a list of matching entries.
- Click on the **Advanced** button to perform a JQL search.



Step 4: Click **Add**.

Pre-Conditions

[Associate Pre-Conditions](#)

Show 10 entries Search Columns ▼

	Key	Summary	
1	DEMO-419	PC1	...
2	DEMO-371	Open the calculator	...
3	DEMO-341	Open the calculator	...

Showing 1 to 3 of 3 entries First Previous 1 Next Last

Remove Pre-Conditions

To remove a Pre-Condition association from the Test issue view screen:

Step 1: Open the Test you wish to remove the Pre-Condition association.

Step 2: On the Pre-Conditions table, hover over the desired Pre-Condition row and click on the **Trash** button that appears in the end of the row. You will be prompted with a confirmation dialog.

Reorder Pre-Conditions

Pre-Conditions within a Test issue can be reordered. There are two ways to change the order of Pre-Conditions:

Drag-and-Drop

To reorder Pre-Conditions,

Step 1: Open the Test issue.

Step 2: Hover over the desired Pre-Condition row (under the **Pre-Condition** section on the view page) and the drag handle column.

Step 3: Click the drag handle and move the Pre-Condition up or down in the current page.

Change Rank Action

This action allows users to change the Rank of a Pre-Condition between pages.

To change the rank of a Pre-Condition through the action:


Step 1: Open the Test issue.

Step 2: Hover over the desired Pre-Condition (under the **Pre-Condition** section on the view page).

Step 3: Click the gear that appears in the last column. The actions menu should pop up with the available actions.

Step 4: Click the **Move To** action. The change rank dialog appears.

Step 5: Enter the desired index number (1-based) and click **OK**.



Export to Cucumber

Cucumber Tests in Jira can be exported to feature files ready to be executed in Cucumber. The generated feature files follow the rules defined in [Export Cucumber Features](#) and take into account the context of the Jira Test issue.

A single Cucumber **feature** file should be generated and prompted for download, unless the target Test is associated with multiple **Requirements**, which, in that case, will prompt a **FeatureBundle** zip file containing a single Cucumber feature file for every Requirement associated with the target Test.

To export a Cucumber Test issue to feature files,

Step 1: Open the Cucumber Test issue view page.

Step 2: Select **More > Export to Cucumber**. The file will be downloaded to the browser.

The screenshot shows the JIRA issue view for 'Add two numbers' (CALC-1). The 'More' dropdown menu is open, and 'Export to Cucumber' is highlighted. The menu also includes options like 'Log Work', 'Attach Files', 'Attach Screenshot', 'Voters', 'Stop Watching', 'Watchers', 'Create Sub-Task', 'Convert to Sub-Task', 'Move', 'Link', 'Clone', 'Labels', 'Delete', 'Permission Helper', and 'Notification Helper'. The issue details show it is 'Open' with 'Unresolved' status and 'None' fix version. The 'Xporter for JIRA' section shows 'Template: Xray_PT_Template' and 'Output format: PDF'. The 'People' section shows 'Assignee: Administrator' and 'Reporter: Administrator'. The 'Dates' section shows 'Created: 26/Nov/13 9:40 AM' and 'Updated: 26/Nov/13 2:17 PM'.

Export Test to XML

Xray Test issues can be exported to XML. This export differs from the Jira default action for exporting to XML. Rather than exporting all fields, the Xray export action will only export to XML the most relevant fields for Tests, such as the Test definition fields, Pre-Conditions and some issue-tracking information.

To export a Test issue to XML,

Step 1: Open the Test issue view page.

Step 2: Select **More > Export Test to XML**. The resulting XML file will be downloaded to the browser.

The screenshot shows the JIRA issue view for 'Add two numbers' (CALC-1). The 'More' dropdown menu is open, and 'Export Test to XML' is highlighted. The menu also includes options like 'Log Work', 'Attach Files', 'Attach Screenshot', 'Voters', 'Stop Watching', 'Watchers', 'Create Sub-Task', 'Convert to Sub-Task', 'Move', 'Link', 'Clone', 'Labels', 'Delete', 'Permission Helper', and 'Notification Helper'. The issue details show it is 'Unresolved' with 'None' fix version. The 'Xporter for JIRA' section shows 'Template: Sample Template' and 'Output format: DOCX (Word)'. The 'People' section shows 'Assignee: Administrator' and 'Reporter: Administrator'. The 'Dates' section shows 'Created: 26/Nov/13 9:40 AM' and 'Updated: 30/Apr/14 11:59 AM'.

Export Test Runs to CSV

Xray Test Runs can be exported to CSV. Xray export action will export to CSV the most relevant fields for Test Runs such as:

- Test Key
- Test Execution Key
- Executed By
- Assignee
- Start

- Finish
- Defects issue keys (list separated by ",")
- Attachment JIRA links (list separated by ",")
- Comment
- Status

To export a Test Run to CSV,

Step 1: Open the Test issue view page.

Step 2: Select **More > Export Test Runs to CSV**. The resulting CSV file will be downloaded to the browser.

Calculator / CALC-61

Test Scientific Mode

Edit Comment Assign More Start Progress Resolve Issue Close Issue Admin

Details

Type: Status: **OPEN** (View Workflow)

Priority: Resolution: Unresolved

Affects Version/s: Voters Fix Version/s: None

Labels: Stop Watching

Watchers

Description

Create Sub-Task

Convert to Sub-Task

Test Details

Move

Link

Clone

Labels on.com/projects/math/qualitytests/TestScientificMode.java

Delete

Pre-Condition

Export Test to XML

Export Test Runs to CSV

Export Test as Text

Associate Pre-Condition

Export Test as Text

Automated Generic Test issues can be exported to a plain text file. Only the Test Definition field will be included in the plain text file. This action can be useful when executing a Generic Test outside of Jira.

To export an Automated Generic Test definition to plain text,

Step 1: Open the Automated Generic Test issue view page.

Step 2: Select **More > Export Test as Text**. The resulting plain text file will be downloaded to the browser.

Calculator / CALC-61

Test Scientific Mode

Edit
Comment
Assign
More

Start Progress
Resolve Issue
Workflow

Export

Details
Type:
Priority:
Affects Version/s:
Labels:
Description
Click to add description
Test Details
Type:
Definition:
Pre-Condition
This test is not as

Log Work
Attach Files
Attach Screenshot
Voters
Stop Watching
Watchers
Create Sub-Task
Convert to Sub-Task
Move
Link
Clone
Labels
Delete
Export Test to XML
Export Test as Text
Permission Helper
Notification Helper

Status:
Resolution:
Fix Version/s:

Open (View Workflow)
Unresolved
None

Xporter for JIRA
Template:
Output format:
Export

People
Assignee:
Reporter:
Votes:
Watchers:

Administrator
Administrator
Vote for this issue
Stop watching this issue

Dates
Created:
Updated:

27 minutes ago
27 minutes ago

Associate Pre-Condition

From the Test issue view screen

Import Steps

Test Steps can be imported from external sources such as:

- Test
- CSV
- JSON
- Clipboard

Test Details

Type:
Manual

Manual Steps:

Step	Data	Expected Result	Attach
1	I choose the operation of the calculator "Subtraction"	The operation must appear selected.	<div> + Import Steps From test... From csv... From json... From clipboard... </div>
2	I enter the input into the calculator	I1: 5 I2: 2	+ ...

You can configure which columns you want to import, including if you want to override the steps already present in the Test.

From Test

The import from tests dialog allows you to choose which steps you wants to clone from a given test and a checkbox to choose if you want to override the steps already present in the Test.

Import Steps - Test

Test Issue SCROOG-1 - T1

<input type="checkbox"/>	Rank	Step	Data	Expected Result	#Attachments
<input checked="" type="checkbox"/>	1	25. Qui cupiditate autem reiciendis est, lorem asperiores consequuntur et alias.	25. Aliquid fugiat incididunt esse, tempora omnis voluptate sapiente harum cupidatat architecto aut voluptas aliquam dolore alias irure et blanditiis culpa.	25. Illo reprehenderit, nulla tenetur magna voluptatem accusamus nostrud labore laborum. Est, amet, nihil.	-
<input type="checkbox"/>	2	01. Irure delectus, dicta iste dolorem sint in eveniet, voluptas omnis est, culpa in et enim.	01. Aute cum maiores in incididunt consectetur amet, in eum est optio, lorem commodo pariatur? Quidem possimus, dolorum molestias quo et.	01. Velit voluptatem. Elit, perferendis veniam, anim atque hic fugiat quod dolorem nihil omnis consectetur sapiente autem.	-
<input checked="" type="checkbox"/>	3	Assumenda autem qui pariatur? Eos voluptas omnis minim non totam saepe blanditiis.	Sit, quos tempor alias incididunt aliquid duis velit officia qui.	Id quis ipsa, veniam, vel repudiandae saepe irure sint, qui delectus, ut laudantium, dolore voluptates magnam reprehenderit	-

☐ Reset Current Test Steps
 Import Cancel

From CSV

The import steps from the CSV dialog allows you to choose the file that you wants to import the steps from, the delimiter that is used in the CSV, a dropdown to specify which column layout the steps present in the file have, a checkbox to specify if the file has header or not, and a checkbox to allow you to choose if you wants to override the steps already present in the Test.

Import Steps - CSV

Escolher ficheiro Nenhum ficheiro selecionado

The maximum file upload size is 10,00 MB.

CSV Delimiter

Column Layout: Step Data Result

Select which fields you wish to import, the field steps are always imported.

Contains Header ☐

When this option is selected the header is not included in the list of steps to import.

☐ Reset Current Test Steps
 Import Cancel

From JSON

The import from JSON dialog allows you to specify which file you wants to import the steps from and provides a checkbox if you want to override the steps already present in the Test.

Import Steps - JSON

Escolher ficheiro

Nenhum ficheiro selecionado

The maximum file upload size is 10,00 MB.

☐ Override Steps

Import

Cancel

The JSON file should be an array of step objects. The objects should have the field **step** and can optionally have the fields **data** and **result**. Below is an example of a valid file:

Example Json

```
[
  {
    "step": "Step 1",
    "data": "Data for Step 1",
    "result": "Result for Steps 1"
  },
  {
    "step": "Step 3",
    "data": "Data for Step 3"
  },
  {
    "step": "Step 4",
    "result": "Result for Step 4"
  },
  {
    "step": "Step 2"
  }
]
```

From Clipboard

The import from clipboard allows you to copy the steps from Excel or CSV and paste them in the dialog. You can choose if you want to use the default Excel delimiter or use a custom one, if you want to copy steps from CSV. You can choose which column layout the steps in the file have and provides a checkbox if you want to override the steps already present in the Test.

Steps

Copy and paste the excel or csv steps here

CSV Delimiter

☒ Excel Default

Column Layout:

▼

Select what fields you which to import, the field steps is always imported.

☐ Override Steps

Import

Cancel

After the steps are pasted in the dialog, it will display the previous version of the steps in the same dialog.

Steps

Step	Data	Expected Result
Step 1	Data for step 1	Result for Step 1
Step 2		Result for Step 2
Step 3	Data for Step 3	
Step 4		

Copy and paste the excel or csv steps here

CSV Delimiter ☒ Excel Default

Column Layout:

Select what fields you which to import, the field steps is always imported.

☐ Override Steps

Import Cancel

Export Steps

Manual Test Steps can be exported to CSV by clicking the “Export Steps” button in the Test Details section of the Test.

Test Details

Type: **Manual**

Manual Steps:

			+ Export Steps + Import Steps
			To CSV... Attachments
Step	Data	Expected Result	To CSV + ...
1	Choose the "Addition" operation of the calculator.	The operation must appear selected.	+ ...
2	Enter the input into the calculator I1: 5 I2: 2		+ ...
3	Click the "=" button of the calculator.	The calculator must display 7 as the result.	+ ...

+

The following dialog will pop up.

Export CAL-1 Steps to csv

CSV Delimiter

Attachment links ☐

By selecting this option the csv file will include the JIRA links to attachments

Export Cancel

The CSV delimiter can be changed and optionally, the attachment links can also be included.

The result will be a CSV file containing the [Step](#), [Data](#), [Expected Result](#) columns and, if the option is selected, the [Attachments](#) column that contains the attachments links.