


# Cloud The Different Types of Statuses and how they connect

1

## Subtle differences of statuses

- Reported statuses for Test Run Steps and, implicitly, Test Runs are static; they are not dependent on any other variables or analysis criteria
- The status of a Test or the coverage status of a "requirement" depends on how you analyze them (thus, implicitly on the Test Runs considered for that scope)



2

## Status of a Test Run

The state or result that was reported against a Test Run

- Represents the status of the Test in the context of some Test Execution

Can be set explicitly/inline or automatically, based on the step level results (i.e. statuses)

You can generally visualize it in:

Execution screen itself ("execution status")

The screenshot shows the execution screen interface. At the top, there's an 'Execution Status' bar with a green 'PASSED' indicator and a progress bar. Below it, 'Started On: 9/Sep/2020 01:57 PM' and 'Finished On: 9/Sep/2020 01:57 PM' are displayed. On the right, 'Assignee: Unassigned', 'Executed By: Luis Rib', and 'Test Environments: -' are listed. The main area contains three panels: 'Comment' with a 'Preview comment' button and a 'Click to add comment' icon; 'Execution Defects (0)' with a 'No defects yet...' message and a plus icon; and 'Execution Evidence (0)' with a 'No evidence yet...' message and a plus icon.

Test Runs panel (in Test issue screen, Test Execution issue screen)

## My Test Execution

Attach Create subtask Link issue Tests

### Description

Add a description...

### Tests

Create Test

+ Add

### Overall Execution Status

TOTAL TESTS: 1

1 PASSED

Rank	Key	Summary	Test Type	Status	Actions
1	EPJ-40	My test	Generic	PASSED	

Prev 1 Next

Total 1 issues

### Traceability report

#### Traceability Report

Analysis & Scope

Filters

Scope: Latest Final Status

Project: Example Project

Show Test Runs

QUICK FILTERS:

OK (1)

NOK (0)

NOTRUN (0)

UNKNOWN (0)

UNCOVERED (39)

REQUIREMENTS

TESTS

TESTRUNS

DEFECTS

EPJ-44

TO DO

My story

OK

EPJ-40

TO DO

My test

PASSED

EPJ-43

ID View Details

Fix Version/s: -  
Finished On: Yesterday 01:57 PM  
Executed By: Luis Ribeiro  
Test Environments: -

PASSED

EPJ-41

ID View Details

Fix Version/s: -  
Finished On: -  
Executed By: -  
Test Environments: -

TO DO

## 3

### Status of a Test

The status of a Test is defined by how a given Test is "currently" performing in some scope/context

*Was it executed? Successfully? In which version?*

- Whenever speaking about the "status of a Test" we need to give it some additional context (e.g. "In which version?") since it depends on "where" and how you want to analyze it.
- Depends on the latest consolidated results obtained for that Test, within some scope
  - Provides real-time info on the "status" of coverable issues (e.g. requirements, user stories, epics), for some context; thus, it has no relation whatsoever with the workflow status
- The same Test can be PASS for some context, FAIL for another one and even NOTRUN for another, for example

## Status of a Test – example with no environments

*The Test foo...*

Status	Condition
... is PASS on v3.0	If the latest Test Run for that Test, in version 3.0, was PASS
... is PASS on v4.0	If the latest Test Run for that Test, in version v4.0, was PASS
... is FAIL on v4.0	If the latest Test Run for that Test, in version v4.0, was FAIL



Test Run executed in version X means that the Test Run is part of a Test Execution assigned to version X

## Status of a Test – example with runs in many environments

*The Test foo...*

Status	Condition
... is FAIL on v4.0 in environment X	<ul style="list-style-type: none"><li>• If the latest Test Run for that Test, in version v4.0 in environment X, was FAIL</li></ul>
... is PASS on v3.0	<ul style="list-style-type: none"><li>• If, for all environments with Test Runs (for that Test) executed in v3.0, the latest Test Run was PASS</li></ul>
... is FAIL on v4.0	<ul style="list-style-type: none"><li>• If, in any environment with Test Runs (for that Test) executed in v3.0, the latest Test Run was FAIL</li></ul>



- Test Run executed in version X means that the Test Run is part of a Test Execution assigned to version X
- Test Run executed in version X and environment X, means that the Test Run is part of a Test Execution assigned to version X and Test Environment "X"



Statuses can be customized, please reach out your Jira administrator if you need to perform changes.

## 4

## Status of a coverable issue (e.g. requirement)



The project and the issue types that you want to be taken as requirements need to be configured by [Configuring a Jira project to be used as a Requirements project](#) and [Issue Type Mapping](#).

The status of a requirement is defined by how a given issue "currently is" from a quality standpoint, in some scope/context

- The status of a requirement tells you information about its current state, from a quality perspective

*Is it covered with test cases? If so, has it been validated successfully? In which version?*

- Whenever speaking about the "status of a requirement" we need to give it some additional context (e.g. "In which version?") since it depends on "where" and how you want to analyze it
  - Depends on the latest consolidated results obtained for the Tests that cover Test, within some context; thus, it's not the workflow status
- The same "requirement" can be OK for some context, NOK for another one and even NOTRUN for another, for example

## Coverage Analysis – Brief examples

"This requirement for the sensor is ..."

Status	Why
...UNCOVERED	This requirement has no linked Tests
... is OK on v3.0	All Tests related with that requirement are PASSING for v3.0
... is OK on v4.0	All Tests related with that requirement are PASSING for v4.0
... is NOK on v3.0	Some Test(s) related with that requirement are FAILING for v3.0
... is NOK on v4.0 in configuration X	Some Test(s) related with that requirement are FAILING for v4.0 in configuration X



Status can be customized, please reach out your Jira administrator if you need to perform changes.

5

## Real status of requirements with in-context information

Demonstration / DEMO-167

**As a user, I can calculate the sum of two numbers**

Edit Comment Assign To Do In Progress Done Admin

Type: Story Status: TO DO (View workflow)  
Priority: Medium Resolution: Unresolved  
Affects Version/s: None Fix Version/s: Version 3.0  
Component/s: None  
Labels: None

**Description**  
As a user, I can calculate the sum of two numbers

**Test Coverage**  
Calculate the Test Coverage for the following scopes.  
Latest Version Test Plan  
Test Environment  
All Environments  
☒ Final statuses have precedence over non-final.

Create new Sub Test Execution Create new Test

NOK

Status	Key	Summary	Test Status
↑ TO DO	DEMO-168	Manual Test As a user, I can calculate the sum of two nu...	PASSED
↑ TO DO	DEMO-169	Cucumber Test As a user, I can calculate the sum of two ...	PASSED
↑ TO DO	DEMO-170	Generic Test As a user, I can calculate the sum of two nu...	FAILED

Looking to the picture above we can view a the given spoken tests that we have spoken:

- Test Status
- The Requirement coverage under a specific context
- The overall requirement coverage.

