

Export Execution Results - REST

Export Execution Results

Execution results can be exported from Jira through a REST request.

Return the result of the test runs from one of the following options:

- Test Execution matched by "**testExecKey**"
- Tests in Test Plan "**testPlanKey**"
- Test Executions in Saved Filter "**savedFilterId**"

Note that this endpoint may be paginated.

Request

QUERY PARAMETERS

parameter	type	description
testExecKey	String	the test execution to export the test runs
testKey	String	A test in particular that is executed on the test execution. This field is optional and if you indicate this value then you only will get tests result from the run of this particular test
testPlanKey	String	A test plan that contains the tests which's test runs will be exported
savedFilterId	String	The id of a saved filter of test executions to export the test runs
includeTest Fields	String	(Optional) The field ids of the Test fields that will be included in the response (comma separated values)
limit	Integer	(Optional) Limits the number of results per page. Should be greater or equal to 0 and lower or equal to the maximum set in the Global Configuration.
page	Integer	(Optional) Number of the page to be returned. Should be greater or equal to 1.



Example Request

```
curl -u user:password http://yourserver/rest/raven/1.0/testruns?testExecKey=DEMO-67

curl -u user:password http://yourserver/rest/raven/1.0/testruns?testExecKey=TESTEXEC-46&testKey=TEST-45

curl -u user:password http://yourserver/rest/raven/1.0/testruns?testPlanKey=TESTPLAN-87

curl -u user:password http://yourserver/rest/raven/1.0/testruns?savedFilterId=1376

curl -u user:password http://yourserver/rest/raven/1.0/testruns?testExecKey=TESTEXEC-46&testKey=TEST-45&includeTestFields=summary,customfield_1000
```

Responses

200 OK : application/octet-stream : Successful.

Example Output

```
[
  {
    "testKey": "CALC-126",
    "status": "FAIL",
    "type": "Cucumber",
    "start": "2017-05-03T16:49:38+01:00",
    "finish": "2017-05-03T16:49:38+01:00",
    "executedBy": "admin",
    "defects": [ "http://yourjirainstance/browse/DEFECT-47" ],
    "evidences": [
      {
        "filename": "evidenfile.json",
```

```

        "contentType": "application/json",
        "data": "http://yourjirainstance/plugins/servlet/raven/attachment/278/evidenfile.json"
    }
],
"results": [
    {
        "name": "HTC One (4.3)",
        "status": "FAIL",
        "duration": 2714468,
        "examples": [
            "PASS",
            "FAIL"
        ],
        "detailExamples": [
            {
                "rank": 1,
                "status": "PASS",
                "duration": 339752,
                "steps": [
                    {
                        "type": "background",
                        "keyword": "Given ",
                        "rank": 1,
                        "name": "a calculator I just turned on",
                        "duration": 36740,
                        "status": "PASS"
                    },
                    {
                        "type": "hook",
                        "keyword": "Before",
                        "rank": 2,
                        "name": "FactorialCalculator.setUp()",
                        "duration": 33185,
                        "status": "PASS"
                    },
                    {
                        "type": "hook",
                        "keyword": "After",
                        "rank": 3,
                        "name": "FactorialCalculator.tearDown()",
                        "duration": 13432,
                        "status": "PASS"
                    },
                    {
                        "type": "scenario",
                        "keyword": "Given ",
                        "rank": 4,
                        "name": "I have entered 3 into the calculator",
                        "duration": 76247,
                        "status": "PASS"
                    },
                    {
                        "type": "scenario",
                        "keyword": "When ",
                        "rank": 5,
                        "name": "I press factorial",
                        "duration": 80198,
                        "status": "PASS"
                    },
                    {
                        "type": "scenario",
                        "keyword": "Then ",
                        "rank": 6,
                        "name": "the result should be 6 on the screen",
                        "duration": 99950,
                        "status": "PASS"
                    }
                ]
            },
            {
                "rank": 2,

```

```

    "status": "FAIL",
    "duration": 2374716,
    "steps": [
      {
        "type": "background",
        "keyword": "Given ",
        "rank": 7,
        "name": "a calculator I just turned on",
        "duration": 26074,
        "status": "PASS"
      },
      {
        "type": "hook",
        "keyword": "Before",
        "rank": 8,
        "name": "FactorialCalculator.setUp()",
        "duration": 27654,
        "status": "PASS"
      },
      {
        "type": "hook",
        "keyword": "After",
        "rank": 9,
        "name": "FactorialCalculator.tearDown()",
        "duration": 27654,
        "status": "PASS"
      },
      {
        "type": "scenario",
        "keyword": "Given ",
        "rank": 10,
        "name": "I have entered 4 into the calculator",
        "duration": 89284,
        "status": "PASS"
      },
      {
        "type": "scenario",
        "keyword": "When ",
        "rank": 11,
        "name": "I press factorial",
        "duration": 111012,
        "status": "PASS"
      },
      {
        "type": "scenario",
        "keyword": "Then ",
        "rank": 12,
        "name": "the result should be 65 on the screen",
        "duration": 2093038,
        "errorMessage": "java.lang.AssertionError: \nExpected: is <65L>\n      but: was <24L>\r\n\tat
org.hamcrest.MatcherAssert.assertThat(MatcherAssert.java:20)\r\n\tat org.junit.Assert.assertThat(Assert.java:
956)\r\n\tat org.junit.Assert.assertThat(Assert.java:923)\r\n\tat com.xpandit.automation.cucumber.
FactorialCalculator.theResultShouldBeOutputOnTheScreen(FactorialCalculator.java:47)\r\n\tat .Then the result
should be 65 on the screen(com/xpandit/automation/cucumber/2_factorial_error.feature:11)",
        "status": "FAIL"
      }
    ]
  }
}
],
"assignee": "admin",
"testEnvironments": [
  "Android",
  "iOS"
]
}
]

```

Example Output with includedTestFields

```
[
  {
    "id": 152,
    "testExecKey": "CALC-193",
    "testKey": "CALC-170",
    "status": "FAIL",
    "type": "MANUAL",
    "start": "2016-01-14T12:10:58Z",
    "finish": "2016-01-14T12:11:17Z",
    "executedBy": "John.Doe",
    "defects": [],
    "evidences": [],
    "steps": [
      {
        "status": "PASS",
        "defects": [],
        "evidences": []
      },
      {
        "status": "PASS",
        "defects": [],
        "evidences": []
      },
      {
        "status": "FAIL",
        "defects": [],
        "evidences": []
      }
    ],
    "assignee": "admin",
    "testEnvironments": [
      "ios"
    ],
    "testIssueFields": {
      "summary": "Export single issue",
      "description": "Test export functionality",
      "customfield_10000": {
        "self": "http://localhost:8080/rest/api/2/customFieldOption/10000",
        "value": "Manual",
        "id": "10000"
      },
      "priority": {
        "self": "http://localhost:8080/rest/api/2/priority/3",
        "iconUrl": "http://localhost:8080/images/icons/priorities/major.svg",
        "name": "Major",
        "id": "3"
      }
    }
  }
]
```

400 BAD_REQUEST : **text/plain** : Please check Jira log.

401 UNAUTHORIZED : **text/plain** : The Xray license is not valid.

500 INTERNAL_SERVER_ERROR : **text/plain** : An internal error occurred when generating the *output* file.



The Cucumber Scenarios Example/Result details (i.e., **Hooks**, **Backgrounds** and **Steps**) are only available for executions done with Xray v2.2.0 and above.

Return the result of the test runs from the Test Execution matched by "**testExecKey**". Note that this endpoint may be paginated.

Request

QUERY PARAMETERS

parameter	type	description
testExecKey	String	the test execution to export the test runs
testKey	String	A test in particular that is executed on the test execution. This field is optional and if you indicate this value then you only will get tests result from the run of this particular test
limit	Integer	(Optional) Limits the number of results per page. Should be greater or equal to 0 and lower or equal to the maximum set in the Global Configuration.
page	Integer	(Optional) Number of the page to be returned. Should be greater or equal to 1.



Example Request

```
curl -u user:password http://yourserver/rest/raven/1.0/execution/result?testExecKey=DEMO-67
```

```
curl -u user:password http://yourserver/rest/raven/1.0/execution/result?testExecKey=TESTEXEC-46&testKey=TEST-45
```

Responses

200 OK : **application/octet-stream** : Successful.

Example Output

```
[
  {
    "testKey": "CALC-126",
    "status": "FAIL",
    "type": "Cucumber",
    "start": "2017-05-03T16:49:38+01:00",
    "finish": "2017-05-03T16:49:38+01:00",
    "executedBy": "admin",
    "defects": [ "http://yourjirainstance/browse/DEFECT-47" ],
    "evidences": [
      {
        "filename": "evidenfile.json",
        "contentType": "application/json",
        "data": "http://yourjirainstance/plugins/servlet/raven/attachment/278/evidenfile.json"
      }
    ],
    "results": [
      {
        "name": "HTC One (4.3)",
        "status": "FAIL",
        "duration": 2714468,
        "examples": [
          "PASS",
          "FAIL"
        ],
        "detailExamples": [
          {
            "rank": 1,
            "status": "PASS",
```

```

"duration": 339752,
"steps": [
  {
    "type": "background",
    "keyword": "Given ",
    "rank": 1,
    "name": "a calculator I just turned on",
    "duration": 36740,
    "status": "PASS"
  },
  {
    "type": "hook",
    "keyword": "Before",
    "rank": 2,
    "name": "FactorialCalculator.setUp()",
    "duration": 33185,
    "status": "PASS"
  },
  {
    "type": "hook",
    "keyword": "After",
    "rank": 3,
    "name": "FactorialCalculator.tearDown()",
    "duration": 13432,
    "status": "PASS"
  },
  {
    "type": "scenario",
    "keyword": "Given ",
    "rank": 4,
    "name": "I have entered 3 into the calculator",
    "duration": 76247,
    "status": "PASS"
  },
  {
    "type": "scenario",
    "keyword": "When ",
    "rank": 5,
    "name": "I press factorial",
    "duration": 80198,
    "status": "PASS"
  },
  {
    "type": "scenario",
    "keyword": "Then ",
    "rank": 6,
    "name": "the result should be 6 on the screen",
    "duration": 99950,
    "status": "PASS"
  }
]
},
{
  "rank": 2,
  "status": "FAIL",
  "duration": 2374716,
  "steps": [
    {
      "type": "background",
      "keyword": "Given ",
      "rank": 7,
      "name": "a calculator I just turned on",
      "duration": 26074,
      "status": "PASS"
    },
    {
      "type": "hook",
      "keyword": "Before",
      "rank": 8,
      "name": "FactorialCalculator.setUp()",
      "duration": 27654,

```

```

        "status": "PASS"
    },
    {
        "type": "hook",
        "keyword": "After",
        "rank": 9,
        "name": "FactorialCalculator.tearDown()",
        "duration": 27654,
        "status": "PASS"
    },
    {
        "type": "scenario",
        "keyword": "Given ",
        "rank": 10,
        "name": "I have entered 4 into the calculator",
        "duration": 89284,
        "status": "PASS"
    },
    {
        "type": "scenario",
        "keyword": "When ",
        "rank": 11,
        "name": "I press factorial",
        "duration": 111012,
        "status": "PASS"
    },
    {
        "type": "scenario",
        "keyword": "Then ",
        "rank": 12,
        "name": "the result should be 65 on the screen",
        "duration": 2093038,
        "errorMessage": "java.lang.AssertionError: \nExpected: is <65L>\n      but: was <24L>\r\n\tat org.hamcrest.MatcherAssert.assertThat(MatcherAssert.java:20)\r\n\tat org.junit.Assert.assertThat(Assert.java:956)\r\n\tat org.junit.Assert.assertThat(Assert.java:923)\r\n\tat com.xpandit.automation.cucumber.FactorialCalculator.theResultShouldBeOutputOnTheScreen(FactorialCalculator.java:47)\r\n\tat .Then the result should be 65 on the screen(com/xpandit/automation/cucumber/2_factorial_error.feature:11)",
        "status": "FAIL"
    }
  ]
}
],
"assignee": "admin",
"testEnvironments": [
  "Android",
  "iOS"
]
}
]

```

400 BAD_REQUEST : **text/plain** : Please check Jira log.

401 UNAUTHORIZED : **text/plain** : The Xray license is not valid.

500 INTERNAL SERVER ERROR : **text/plain** : An internal error occurred when generating the *output* file.



The Cucumber Scenarios Example/Result details (i.e., **Hooks**, **Backgrounds** and **Steps**) are only available for executions done with Xray v2.2.0 and above.