

Testing using NUnit in C#

Overview

In this tutorial, we will create an NUnit Test class with multiple Test Cases, implemented in C#.



Please check a more recent and up-to-date example

Please check [Testing using Selenium WebDriver and NUnit in C#](#), which provides a updated example for the more recent versions of NUnit along with Selenium WebDriver.

Description

The test case validates a Calculator class and exploits some NUnit features such as the ability of validating the same Test against multiple input values, and also the possibility of linking Tests with requirements in Jira using NUnit's Test attributes.

Calculator.cs

```
namespace x
{
    public class Calculator
    {
        // Square function
        public static int Square(int num)
        {
            return num*num;
        }
        // Add two integers and returns the sum
        public static int Add(int num1, int num2 )
        {
            return num1 + num2;
        }
        // Add two integers and returns the sum
        public static double Add(double num1, double num2 )
        {
            return num1 + num2;
        }
        // Multiply two integers and returns the result
        public static int Multiply(int num1, int num2 )
        {
            return num1 * num2;
        }
        public static int Divide(int num1, int num2 )
        {
            return num1 / num2;
        }
        // Subtracts small number from big number
        public static int Subtract(int num1, int num2 )
        {
            if ( num1 > num2 )
            {
                return num1 - num2;
            }
            return num2 - num1;
        }
    }
}
```

CalculatorTest.cs

```
using NUnit.Framework;
namespace x
{
    [TestFixture]
    public class CalculatorTests
    {
        [Test, Property("Requirement", "CALC-1")]
        [TestCase(1, 1, 2)]
        [TestCase(-1, -1, -2)]
        [TestCase(100, 5, 105)]
        public void CanAddNumbers(int a, int b, int expected)
        {
            Assert.That(Calculator.Add(a, b), Is.EqualTo(expected));
        }

        [TestCase(1, 1, 0)]
        [TestCase(-1, -1, 0)]
        [TestCase(100, 5, 95)]
        public void CanSubtract(int x, int y, int expected)
        {
            Assert.That(Calculator.Subtract(x, y), Is.EqualTo(expected));
        }

        [TestCase(1, 1, 1)]
        [TestCase(-1, -1, 1)]
        [TestCase(100, 5, 500)]
        public void CanMultiply(int x, int y, int expected)
        {
            Assert.That(Calculator.Multiply(x, y), Is.EqualTo(expected));
        }

        [TestCase(1, 1, 1)]
        [TestCase(-1, -1, 1)]
        [TestCase(100, 5, 20)]
        public void CanDivide(int x, int y, int expected)
        {
            Assert.That(Calculator.Divide(x, y), Is.EqualTo(expected));
        }
    }
}
```

project.json

```
{
  "version": "1.0.0-*",
  "buildOptions": {
    "debugType": "portable",
    "emitEntryPoint": true
  },
  "dependencies": {
    "NUnit": "3.5.0",
    "dotnet-test-nunit": "3.4.0-beta-2"
  },
  "testRunner": "nunit",
  "frameworks": {
    "netcoreapp1.1": {
      "dependencies": {
        "Microsoft.NETCore.App": {
          "type": "platform",
          "version": "1.1.0"
        }
      }
    },
    "imports": "dnxcore50"
  }
}
```

After successfully running the Test Case and generating the NUnit XML report (e.g., [TestResult.xml](#)), it can be imported to Xray (either by the REST API or through the **Import Execution Results** action within the Test Execution).

Overall Execution Status



4 PASS 1 FAIL

TOTAL TESTS: 5

FILTERS

Test Set	Assignee	Status	Component	Search
All	All			Contains text <input type="button" value="Clear"/>

Show 10 entries

Columns

Key	Summary	Test Type	#Req	#Def	Test Sets	Assignee	Status	
1	CALC-135 CanMultiply	Generic	0	0		lime@rootfest.net	PASS	<input type="button" value="Play"/> ...
2	CALC-134 CanDivide	Generic	0	0		lime@rootfest.net	PASS	<input type="button" value="Play"/> ...
3	CALC-137 SubtractTest	Generic	0	0		lime@rootfest.net	FAIL	<input type="button" value="Play"/> ...
4	CALC-136 CanAddNumbers	Generic	1	0		lime@rootfest.net	PASS	<input type="button" value="Play"/> ...
5	CALC-138 CanSubtract	Generic	0	0		lime@rootfest.net	PASS	<input type="button" value="Play"/> ...

NUnit's Test Case is mapped to a Generic Test in Jira, and the **Generic Test Definition** field contains the namespace, the name of the class, and the method name that implements the Test case.

The Execution Details of the Generic Test contains information about the context, which in this case corresponds to the Test case method, along with the different input values that were validated.

Execution Details

Test Description

Test Issue Links (1)

tests ■ CALC-1 As a user, I can calculate the sum of 2 numbers ↑ OPEN

Test Details

Test Type: Generic
Definition: x.CalculatorTests.CanAddNumbers

Results

Context	Error Message	Duration	Status
TestCase 1005 - CanAddNumbers(1,1,2)		1 millisecc	PASS
TestCase 1006 - CanAddNumbers(-1,-1,-2)		0 millisecc	PASS
TestCase 1007 - CanAddNumbers(100,5,105)		0 millisecc	PASS

It can also be seen that the Test "CanAddNumbers" was automatically linked to the sum requirement (i.e., the user story "CALC-1").

References

- <https://github.com/nunit/docs/wiki>