

# Test Case Designer



- [Overview](#)
  - [Features](#)
  - [Access Test Case Designer](#)
  - [Initial Setup](#)
  - [Terms & Concepts](#)
    - [Test Model](#)
    - [Parameters](#)
    - [Rules](#)
    - [Scenarios](#)
    - [Scripts](#)

## Overview

Xray Test Case Designer is a revolutionary test design optimization tool that will increase the effectiveness of your testing

It is used by teams in the early stages of the testing processes (and by teams when they're creating scenario-based requirements). Benefitting from Intelligent Augmentation algorithms, Xray Test Case Designer test sets have been repeatedly proven to find more defects (and find them more efficiently) than hand-selected test sets.

To do so, it carefully constructs combinations of test conditions to achieve as much coverage as possible in as few tests as possible using applied statistics-based optimization methods that have been refined over more than 40 years.

This is the core feature of Xray Test Case Designer, and to achieve that it focuses on these areas:

- Systematically avoiding wasteful repetition.
- Systematically covering not only all user-specified requirements, but also 100% of all of the application's critical interactions.
- doing so in the lowest mathematically possible number of tests.

GENERATE EXACTLY THE RIGHT TESTS  
VERY QUICKLY AND SYSTEMATICALLY

— THEN —

**EXECUTE** EXACTLY THE RIGHT TESTS  
TO UNCOVER MORE DEFECTS EARLIER

EXECUTE **EXACTLY** THE RIGHT TESTS  
TO AVOID ALL WASTEFUL REPETITION

EXECUTE EXACTLY **THE** RIGHT TESTS  
TO OPTIMIZE LEARNINGS EVERY STEP


EXECUTE EXACTLY THE **RIGHT** TESTS  
TO COVER ALL CRITICAL INTERACTIONS

EXECUTE EXACTLY THE RIGHT **TESTS**  
WITH PRECISE TEST COVERAGE REPORTS

With Xray Test Case Designer, you'll test much faster. You'll also achieve objectively much better testing. Let's begin by discussing three key ways Xray Test Case Designer will save you and your colleagues time before we explain how scenarios you'll generate using the tool are far more thorough than the ones selected by hand.

#### **Design Faster**

Generate test models in seconds at the push of a button




Generating tests models in Xray Test Case Designer is a fundamentally different process than selecting and documenting individual tests by hand, one by one. Generating optimized scenarios using Xray Test Case Designer requires that a thoughtful designer starts by identifying inputs and variation ideas and entering those into the tool.

Once identified, you'll be able to generate entire sets of extremely thorough and extremely efficient scenarios in seconds and adjust them as necessary.

### Approve Faster

Clearly communicate testing coverage for faster approvals



Each time you generate a set of scenarios, Xray Test Case Designer automatically creates insightful interaction coverage reports that make it clear exactly what (and what is not) covered after any scenario you choose. These visualizations facilitate clear and efficient communication between stakeholders. With Xray Test Case Designer's coverage graphs in hand, you will immediately have clear, actionable, and fact-based answers to the questions posed above and the related questions of "How many tests are enough?"

### Automate Faster

Quickly transform optimised scenarios into automated tests



If a large percentage of your automated tests today are individually written using hard-coded variables, the SDET's, Developers, and/or automation engineers responsible for scripting and maintaining those would love our tool.

Xray Test Case Designer enables accelerated, **optimised in-sprint automation** because you can:

- Rapidly create clear, consistent steps that leverage Behavior Driven Development principles – the largest benefit is the one-to-many relationship between Xray Test Case Designer scripts and the data scenarios.
- Export one Scenario block into multiple skeletal scripts based on the language of your choosing.
- Maintain and reuse the script components much faster thanks to the model-based approach.


### Eliminate wasteful redundancy

Stop hand-selecting redundant tests.  
[blocked URL](#)

The most common type of wasteful repetition is that certain system paths and certain combinations of test inputs get tested again and again in test after test.

Based on our experience analyzing thousands of hand-selected test sets, even when those sets achieve "requirements coverage," they consistently fail to thoroughly test critical system interactions.

Eliminate Gaps



Xray Test Case Designer uses sophisticated test generation algorithms powered by Intelligent Augmentation to systematically eliminate these coverage gaps. Whether a system under test has 50 critical interactions or 50,000 critical interactions, Xray Test Case Designer will keep track of 100% of them and ensure your tests cover all of them (and do so in the fewest possible scenarios).

Maximize variation and thoroughness

The majority of software defects are triggered by simple interactions within a system.

[blocked URL](#)

Every test you generate with Xray Test Case Designer is optimized to achieve maximum coverage, allowing teams to achieve greater coverage in fewer overall tests.

Xray Test Case Designer will guarantee that 100% of those system interactions are covered in as few tests as possible.

Features

|  | Supported? |
|--|------------|
| Create, view, edit, copy Test Models     | ✓          |
| Test Model revisions                     | ✓          |
| Import Test Models from Excel            | ✓          |
| Import Test Models from mind maps (OPML) | ✓          |
| Share Test Models                        | ✓          |
| Export Test Models                       |            |

|   |   |
|---|---|
| <b>Parameters</b>                           |   |
| Create, view, edit Parameters               | ✓ |
| Order Parameters                            | ✓ |
| Add Value Expansions                        | ✓ |
| Bulk update                                 | ✓ |
| <b>Rules</b>                                |   |
| Constraints definition                      | ✓ |
| Invalid constraints                         | ✓ |
| Bound constraints                           | ✓ |
| Forced Interactions definition              | ✓ |
| Import Forced Interactions                  | ✓ |
| <b>Scenarios</b>                            |   |
| Standard and optimized scenarios generation | ✓ |
| Multi way interactions                      | ✓ |
| Mixed-strength interactions                 | ✓ |
| Scenario Freeze option                      | ✓ |
| Export Scenarios                            | ✓ |
| <b>Scripts</b>                              |   |
| Manual Tests                                | ✓ |
| Native support for BDD (Gherkin/Cucumber)   | ✓ |
| <b>Analysis</b>                             |   |
| Coverage Matrix                             | ✓ |
| Coverage Graph                              | ✓ |
| <b>Review</b>                               |   |
| Notes                                       | ✓ |
| Mind Map View                               | ✓ |
| Scorecard                                   | ✓ |

## Access Test Case Designer



Xray Test Case Designer is a feature included in Xray Enterprise offer, to access this feature you need to make sure that:

- Xray Enterprise Requires an active [Xray license](#)
- Xray Enterprise active [license](#)

When a valid Xray Enterprise license is detected, a new Xray Enterprise configuration option will be made available to setup your Test Case Designer instance

# Initial Setup

1

## Access the new "Xray Enterprise" global option

Jira Software

Your work

Projects

Filters

Dashboards

Teams

Plans

Apps

Create

Apps

ATLASSIAN MARKETPLACE

Find new apps

Manage apps

App requests

Promotions

OAuth credentials

XRAY

Miscellaneous

Test Types

Test Environments

Parameter Value Lists

BDD Step Libraries

Document Generator

Test Statuses

Test Step Statuses

Cucumber

Test Run Archiving

Xray Enterprise

API Keys

Backup and Storage

Health Check

Miscellaneous

The Miscellaneous Configurations for Xray

Test Run Options

☒ Display Manual Test Results table in short view

When this option is enabled, the cells of the Manual Tests Results table will be displayed in short view mode. If this mode is enabled, the rows will have a limited height allo

☒ Can Edit Test Run Date

When this option is enabled, the user can edit the Started On date in the Test Execution Details page.

☒ Fail All Steps

When this option is enabled, whenever the status of a Test Run is changed to FAIL, all the Test Steps Statuses will also be updated to FAIL.

☒ Inline Execute Tests

When this option is enabled, Test Runs can be executed inline, directly from the Test Execution and Test issue view pages. This option is only available if the final Test Run

☐ Send email notifications to Test Run assignee

When this option is enabled, whenever a test run is either created or assigned, its assignee will receive an email notification.

☒ Track Time

When this option is enabled, the Time Tracker module is displayed.

☐ Set the value of the Time Tracker

When this option is enabled, the user can set the timer value of the Time Tracker.

Defect Links

☒ Link Defects with Test

When this option is enabled, the defects created in the context of a test run are automatically linked with the respective Test issue.

☒ Link Defects with Test Execution

When this option is enabled, the defects created in the context of a test run are automatically linked with the respective Test Execution issue.

☐ Link Defects with Covered Issues

When this option is enabled, the defects created in the context of a test run are automatically linked with the respective Covered Issues being tested.

Disallow executions of Tests with workflow statuses

Select...

Choose the workflow statuses in which the Tests are not allowed to be executed.

Disallow executions with workflow statuses

Select...

Choose the workflow statuses in which the Test Execution issues will not allow executing Tests.

Document Generator

☒ Enable Document Generator

When this option is enabled, Jira users will be able to generate documents based on the templates installed. Disabling this option will remove Doc. Generator action from a

Save

2

Provide the specific URL that Xray provided you (If you don't have this URL please contact support)

**Xray Enterprise Settings**

This page contains settings related with Xray Enterprise.

**Test Case Designer**

Custom URL  Clear

Defines the Test Case Designer link on the main project menu.

Save

3

The Test Case Designer menu option is now available on your Xray enabled projects

**Xray Project**  
Software project

**PLANNING**

- Xray Project Board
- Timeline
- Kanban board**
- Reports

**DEVELOPMENT**

- Issues
- Components
- Releases
- Project pages
- Testing Board
- Test Case Designer**
- Add shortcut
- Project settings

Projects / Xray Project / Xray Project

**Kanban board**

Search this board

Only My Issues Recently Updated

**TO DO 58**

- As a user, I want to talk directly with a live agent to resolve my issues in real-time
- As a user, I can search documentation through the in-app chat to resolve my questions and unders Xray works
- As user, I interact with a bot that will try to resolve my issues without the need to wait for a live age
- Test As a user, I want to talk directly with a live agent to resolve my issues in real-time
- Test As a user, I can search documentation through the in-app chat to resolve my questions and ur how Xray works
- Test As user, I interact with a bot that will try to resolve my issues without the need to wait for a live

# Terms & Concepts

## Test Model

A Test Model is an abstraction of a focused use case that we aim to test. This model is made around a specific scope (e.g., "book a flight") that can be exercised in different ways, depending on a combination of input parameters (e.g., "origin, destination, number of seats, date"). To find bugs related with the input parameters and increase the related coverage, an optimised set test cases (manual or automated) can be derived from it. More [info on Test Models here](#).

## Parameters

The parameters are used to define the variables, and the related possible values, that are applicable to the Test Model. Usually these refer to the input variables.

Parameters, together with the restrictions specified using Rules, will be used to derive the combination of parameter/values.

More [info on Parameters here](#).



Test parameterization is a powerful practice that allows the same test to be executed multiple times with different parameters. Parameters are similar to input values (variables) that can change with each execution.

## Rules

While Parameters are used to enumerate, in general, the variables in our Test Model and the values they can have, Rules allow us to apply some restrictions as we may not be interested in having all the combinations of these variables.

Rules can be used to define what parameter values can never be tested together, as they either don't make sense in reality (e.g., Windows + Safari) or because they may not be representative/relevant.

In the other hand, Rules can also be used to enforce scenarios where parameter values can only be tested together.

More [info on Rules here](#).

## Scenarios

Scenarios are the generated combination of input parameter values, where each row represents a combination of parameters (and their values) to be used in a test.

We can think of Scenarios as an optimized dataset that will be used to iterate our Test Model multiple times, and thus test it under slightly different circumstances.

Not all combinations of parameter/values are created. Test Case Designer uses coverage optimization algorithms (pairwise, n-wise) to achieve a high level of coverage with in few tests. This can be adjusted to achieve a greater coverage if needed. More [info on Scenarios here](#).

## Scripts

While Scenarios focus on data that will be used for our tests, Scripts provide the actual context so that testers know how/where to apply it.

Scripts have the detailed steps with actions and expectations for our test scenarios.

Scripts can be either manual test scripts or automated test scripts.

For manual test scripts, detailed steps and expected results can be specified, where parameters may be mentioned. These will be replaced by the respective values whenever generating the tests later on.

For automated test scripts, Gherkin (e.g., Cucumber) Scenario or Scenario Outline can be specified or even Robot Framework test cases. Similarly to manual test scripts, parameters can be mentioned in the specification, so they can be replaced later on by proper values. More [info on Scripts here](#).