# **Requirements and Defects**

- Definition
- Sub-Requirements
- Associating a Requirement
  - From the Requirement issue view screen
  - From the Test issue view screen
  - From the Test Set issue view screen
- Associating a Defect
  - From the Defect issue view screen
  - From the Test issue view screen

## Definition

Requirements and Defects are two concepts commonly related to Tests.

A Requirement represents a singular documented physical and functional need that a particular product or process must be able to perform. They are also an important input into the verification process, since tests should trace back to specific requirements, showing what elements and functions are necessary for the particular project.

A Defect represents a condition in a software product which does not meet a software requirement (as stated in the requirement specifications) or enduser expectations (which may not be specified but are reasonable). It can be displayed as an error, flaw, failure, or fault in a computer program or system that produces an incorrect or unexpected result, or causes it to behave in unintended ways.

These two concepts can be mapped to different issue types in organizations.



Often, a Defect issue type is also used as a Requirement. To assert that a Defect does not occur again, it can be also considered for testing. Xray allows the same issue type to be mapped as a Requirement and a Defect. So, a Defect can also be associated with Test issues and be considered for Requirement Coverage charts and Custom Fields.

Requirements and Defect issues can be associated with **Tests** and **Test Set** issues with the Jira default linking mechanism. There are specific issue link types for associating these issue types:

- Requirement R "is tested by" test T (or test set TS)
- Test T (or test set TS) "tests" requirement R
- Defect D "is created by" test T
- Defect D "is tested by" test T (or test set TS)
- Test T "created" defect D
- Test T (or test set TS) "tests" defect D



#### **Sub-Requirements**

A requirement can be associated with sub-requirements, resulting in a hierarchy of requirement issues. "Epic" requirements can thus be decomposed into smaller requirements, each associated with specific tests. This decomposition of requirements facilitates the management of epic requirements and makes their coverage analysis easier.

The requirement > sub-requirement (i.e., parent > child) relation can be defined in the "Issue Type Mapping" configuration section of Xray. Sub-Requirements can be associated with requirements using the Jira linking mechanism or using "Sub-Task" requirement issues.

Below are the different ways Xray considers issues as sub-requirements of a given "requirement".



For more information on Requirement Status and coverage, please go to the Requirements Coverage Analysis page.

## Associating a Requirement

There are several ways to associate a Requirement issue with a Test issue.

#### From the Requirement issue view screen

Step 1: Open the Requirement you wish to associate a Test with. In the given example, New Feature issue types are mapped as Requirements.

ÖJIRA Dashb	oards - Projects - Issues	- Tests - Create issue			Q Quick S	Search 🕐 - 🏚 -
Calculato Paren	r / CALC-19 theses priority					1 of 4 🔺 💌 Return to Search
🖋 Edit 🛛 🖓 C	omment Assign More -	Start Progress Resolve Issue	Workflow -			प्रि Export 👻
Details	Log Work				Xporter for JIRA	
Type: Priority:	Attach Files Attach Screenshot	Status: Resolution:	- Open (View Workflow)		Template: Output	Raven_PT_Templa • PDF •
Affects Version/s Labels:	Voters Stop Watching Watchers	Fix Version/s:	V1.0		Export	
Description In order to avoid When a calculation	Create Sub-Task Convert to Sub-Task	ntheses those operations have prior	rity over the remaining ones		People Assignee:	Administrator
Issue Links	Move Link	Þ		+	Reporter: Votes:	Administrator O Vote for this issue
tests	Clone Link Labels	this issue to another issue or item	<b>^</b>	*	Watchers:	Stop watching this issue
	Delete	ict two numbers	↑	*	Dates	
	Where is my field? Permission Helper	e two numbers ply two numbers	<del>۲</del> ۲	->n ->h	Created: Updated:	26/Nov/13 2:15 PM 26/Nov/13 2:17 PM
	Notification Helper	ble Operations	1	→ <b>h</b>		

Step 3: On the This issue field, select the tested by option.

Step 4: In order to select the Tests or Test Sets to be associated, you can:

- Input the desired Test/Test Set Issue Key on the Issue field;
  Click on the Down Arrow on the Issue field and select the Test from its History Search list;
  Click on the search for an issue link to use the Find Jira issues browser;

Step	5:	Click	Link
------	----	-------	------

JIRA Issue	Select a JIRA issue to link this issue to	
Web Link		
	This issue tested by	
	Issue	-
	or search for an issue	
	Begin typing to find recently viewed issues	
	Comment	
		1
	Viewable by All Users	

### From the Test issue view screen

#### Step 1: Open the Test you wish to associate a Requirement with.

Step 2: Select More > Link. The Link screen will appear.

ÖJIRA Dashb	ooards - Projects - Issues	- Tests - Create issue		Q Quick	Search ② - 🌣 - 👤 -
Calculato Divide	e two numbers				3 of 5 ▲▼ Return to Search
🖉 Edit 🛛 🖓 C	comment Assign More -	Start Progress Resolve Issue	Workflow -		l⊊l Export ◄
Details Type:	Log Work Attach Files Attach Screenshot	Status:		Xporter for JIRA Template:	Raven_PT_Templa
Priority: Affects Version/s Labels:	Voters Stop Watching	Fix Version/s:	Unresolved None	output format: Export	PDF 💌
Description This tests the div	Create Sub-Task Convert to Sub-Task	-		People Assignee:	Administrator
Test Details	Move Link Clone	5		Reporter: Votes: Watchers:	Administrator  Vote for this issue  Stop watching this issue
Cucumber Type:	Labels	his issue to another issue or item			
Steps:	Delete Export to Cucumber	d <input_1> into the calcula <input_2> into the calculato</input_2></input_1>	tor r	Created:	26/Nov/13 10:49 AM
	Where is my field? Permission Helper Notification Helper	uld be <output> on the scree ut_2   button   output     divide   2  </output>	n	upaaled.	20/NUV/13 2.10 PM

Step 3: On the This issue field, select the tests option.

Step 4: In order to select the  $\ensuremath{\textbf{Requirements}}$  to be associated, you can:

- Input the desired Requirement Issue Key on the Issue field;
  Click on the Down Arrow on the Issue field and select the Requirement from its History Search list;
  Click on the search for an issue link to use the Find Jira issues browser;

Step 5: Click Link.

Link	
JIRA Issue Web Link	Select a JIRA issue to link this issue to
	This issue tests
	Issue
	or search for an issue
	Begin typing to find recently viewed issues
	Comment
	■ ⑦ ■ Viewable by All Users
	Link Cancel

### From the Test Set issue view screen

Step 1: Open the Test Set you wish to associate a Requirement with.

P Edit 🖓 Co	omment	Assign M	More -	Start Progress	Resolve Issue	Close Issue	Admin -					
etails	Log Work											
ype: Priority:	Attach Files Attach Screenshot Voters Stop Watching Watchers			Status: Resolution: Fix Version/s:		tatus: tesolution:	OPEN (View Workflo Unresolved		ow)			
Affects Version/s: .abels:						v2.0						
scription	Create Sub Convert to	-Task Sub-Task										
ete	Move											
515	Link											
	Clone Labels								Create	Test	Add Tests	1
🖳 Show 🔤	Delete									Search		
	Export to C	ucumber										
1	CALC-2	Su	ubtract two	numbers								
iii 2	CALC-1	Ac	id two nur	nbers								

All Comments Work Log History Activity

Step 3: On the This issue field, select the tests option.

Step 4: In order to select the Requirements to be associated, you can:

- Input the desired Requirement Issue Key on the Issue field;
  Click on the Down Arrow on the Issue field and select the Requirement from its History Search list;
- Click on the search for an issue link to use the Find Jira issues browser;

Step 5: Click Link.

Veb Link	Select a JIRA issue to link this issue to	
	This issue tests	
	Issue	-
	or search for an issue	
	Begin typing to find recently viewed issues	
	Comment	

## Associating a Defect

There are two ways to associate a Defect issue with a Test issue.

### From the Defect issue view screen

Step 1: Open the Defect you wish to associate a Test with.

ÖJIRA Dashb	oards - Projects - Issues	Tests      Create issue	🔍 Quick Search 🛛 🕐 - 🔹 -
Calculato Failed	r / CALC-20		1 of 3 🔺 💌 Return to Search
<pre>✔ Edit</pre> <pre></pre>	omment Assign More -	Start Progress Resolve Issue Workflow *	l <mark>↓</mark> l Export ≁
Details	Log Work		Xporter for JIRA
Type: Priority:	Attach Files Attach Screenshot	Status: A Open (View Workflow) Resolution: Unresolved	Template: Raven_PT_Templa   Output PDF
Affects Version/s Labels:	Voters Stop Watching	Fix Version/s: None	format: Export
Description	Watchers	-	People
Click to add desc	Create Sub-Task Convert to Sub-Task		Assignee: Administrator
Issue Links	Move Link		Reporter:         Administrator           +         Votes:         0 Vote for this issue
created by	Clone Labels	ste 25 Manual	Watchers:
Activity	Delete	-	Dates
All Comm	Where is my field? Permission Helper Notification Helper	Activity Source Reviews	Created:         26/Nov/13 4:39 PM           Updated:         29/Nov/13 4:15 PM

Step 3: On the This issue field, select either the created by or the tested by option.

Step 4: In order to select the Tests to be associated, you can:

- Input the desired Test Issue Key on the Issue field;
  Click on the Down Arrow on the Issue field and select the Test from its History Search list;
- Click on the search for an issue link to use the Find Jira issues browser;

#### Step 5: Click Link.

Link	
JIRA Issue Web Link	Select a JIRA issue to link this issue to
	This issue created by
	Issue
	or search for an issue
	Begin typing to find recently viewed issues
	Comment
	■ ⑦ ■ Viewable by All Users
	Link Cancel

### From the Test issue view screen

Step 1: Open the Test you wish to associate a Defect with.

ÖJIRA Dashb	oards - Projects - Issues	Tests - Create issue	🔍 Quick Search 🔹 🖓 🗸 🔹 👤 🗧
Calculato Divide	r / CALC-10 e two numbers		3 of 5 ▲▼ Return to Search
🖉 Edit 🛛 🖓 C	omment Assign More -	Start Progress Resolve Issue Workflow -	l⊋ Export ◄
Details Type: Priority:	Log Work Attach Files Attach Screenshot	Status: Open (View Workflow) Resolution:	Xporter for JIRA Template: Raven_PT_Template
Affects Version/s Labels:	Voters Stop Watching Watchers	Fix Version/s: None	tormat:
Description This tests the div	Create Sub-Task Convert to Sub-Task		Assignee: Administrator
Test Details	Link Clone Labola	s issue to another issue or item	Votes: <ul> <li>Vote for this issue</li> </ul> Watchers: <ul> <li>Stop watching this issue</li> </ul>
Steps:	Delete Export to Cucumber	d <input_1> into the calculator <input_2> into the calculator n&gt;</input_2></input_1>	Dates Created: 26/Nov/13 10:49 AM Updated: 26/Nov/13 2:16 PM
	Where is my field? Permission Helper Notification Helper	uld be <output> on the screen ut_2   button   output     divide   2     divide   4  </output>	

 $\label{eq:step 3: On the This issue field, select the created or tests option.$ 

Step 4: In order to select the Defects to be associated, you can:

- Input the desired Defect Issue Key on the Issue field;
- Click on the Down Arrow on the Issue field and select the Defect from its History Search list;
  Click on the search for an issue link to use the Find Jira issues browser;

## Step 5: Click Link.

Link	
JIRA Issue Web Link	Select a JIRA issue to link this issue to This issue Created
	Issue  or search for an issue Begin typing to find recently viewed issues Comment
	Link Cancel