# **Global Settings: Test Environments**

- Single operations
  - ° Create a global Test Environment
  - Modify a global Test Environment
  - Delete a global Test Environment
- Bulk operations
  - Select Test Environments
    - Delete global Test Environments

As an Xray administrator, you can create global Test Environments that are available to all projects.

#### **Global Test Environments**

					Create Environment
	~			10 🗸	Search
	Name 🗘	Description \$	URL		Actions
	Android	Android			
	iOS	Apple iOS			•••
Prev	1 Next				

#### Please note

Test Environments are always managed at project level. This means that you need to add explicitly the subset of global Test Environments that should be available in each project, by going into the project settings.

Please see Project Settings: Test Environments.

### Single operations

#### Create a global Test Environment

To create a new local Test Environment, click on Create Environment, fill out the following fields and then press Save:

- Name: the name for the Test Environment (a string of 2 up to 18 non-space characters)
- Description: the description for the Test Environment
- URL: the URL of the Test Environment

Name *	 	
Chrome		
Description		
JRL		

# Modify a global Test Environment

Some fields of an existing Test Environment can be modified (except the name). You just to need to:

1. Click Edit on the table entry corresponding to the Test Environment.

	×			10	~		Edit	
	Name ÷	Description	URL			۲	Delete	IS
0	Android	Android					•••	
	iOS	Apple iOS					•••	

Prev 1 Next

2. Change the values inline and Save them when you're done.

Edit Test Environment	
Name *	
Android	
Description	
Android	
URL	
	Save Cancel

### Delete a global Test Environment

Global Test Environments can be deleted from Xray. To delete an existing Test Environment:

1. Click **Delete** on the table entry corresponding to the Test Environment.

	~			10 🗸	🖌 Edit
	Name 🕆	Description =	URL		👕 Delete
	Android	Android			•••
	iOS	Apple iOS			•••
Prev	1 Next				

2. Confirm by clicking Delete.



# **Bulk operations**

### Select Test Environments

Bulk selection of Test Environments can be achieved either from the top picker or by individually checking the Test Environments within the table.

					Create Environment
	~			10 🗸	Search
	Name :	Description 0	URL		Actions
	iOS	Apple iOS			•••
	Android	Google's Android			•••
Prev	1 Next				
	✓ (3) Selected ✓				
А	Ш				
С	urrent Page				
N	one 💡				
	IE				
	iOS				
P	rev 1 Next				

When Test Environments are selected, a list of available bulk actions can be found near the bulk selection icon.



### Delete global Test Environments

Multiple global Test Environments may be deleted as follows:

- 1. Select one or more Test Environments, either by using the bulk action icon or by individually checking the Test Environments within the table. 2. In the button that shows the number of selected Test Environments, click **Delete.**

	✓ ✓ (1) Selected ✓			10 🗸	Search
	Name - Delete	Description	URL		Actions
	o ios	Apple iOS			
	Prev <b>1</b> Next				
3.	Confirm by clicking <b>Delete</b> .				
	Delete 1 Test Environm	ents			
	Are you sure you want to delete 1	Test Environments?			
		Delete	Cancel		

#### (i) Please note

Global Test Environments can only be removed if they are not being used by any project. They have to be removed from the projects first, and then they can be deleted globally from Xray.