# **Test Coverage Report**

Calculates the test coverage status for a list of coverable issues for the selected version or Test Plan, and/or Test Environment. The statuses are presented in a normalized horizontal stacked bar chart and evaluate the completeness of each issue.



#### Please note

∕!\

To use this report, you must have some Issue Types configured as coverable issue types, in the project settings. More info in Project Settings: Test Coverage

In order to analyze the current status of your release, or even past releases, you need to evaluate the status of the requirements and other covered issues, taking into account the respective results.

You might want to analyze just the requirements implemented in a given version, or you may want to analyze requirements from earlier versions based on your regression testing.

The Test Coverage report provides the means to analyze your requirements statuses in real-time.

How to use

- Source data/Filters
- Analysis & Scope
- Group By
- ° View
- Example
- Share

## How to use

This report is accessible either from the Xray icon on the left sidebar of the project or from the standard **Reports** icon, which includes other kind of reports besides Xray.

At the top of the report, you have some options that need to be configured.

- Analysis & Scope: how to analyze the issues (more info on Coverage Analysis);
- Group By: how to visually group the coverable issues (e.g. by priority, by component);
- View: flat or hierarchical;
- Filters: the source data for the report (e.g. the requirements or other covered issues) and how to evaluate the status for each one of the item being shown.

#### Test Coverage Report 0



### Source data/Filters

The source data for the report (e.g., the requirements or other covered issues) can be defined under Filters, which available at the top.

ers			
roject: Book Store 🗸			
Basic Advanced			
Project		Assignee	
Book Store	⊙ ∨	Type to search	~
Component		Fix versions	
Select	~	Select	~
Resolution		Status	
Select	~	Select	~
Saved Filter		Contains	
Select	~		
More 🗸			
Clear Reset to default			Apply Cancel

Source "requirement"/coverable issues can be directly provided using a Basic or Advanced filter:

• Advanced: a JQL query to filter the coverable issues.

Share

- Basic:

  - Project: project;
    Assignee: the issue's assignee;
    Component: the component assigned to the issue;
    Fix Versions: versions assigned to the issue;
    Resolution: the workflow resolution;
    Status: the workflow status;

  - Saved Filter: a saved filter;
  - Contains: the full issue key or part of the summary.

To add more fields to the filter you can click the "More" button.

	~		
Basic Advance	Filters		
Project	Search		
Book Store	<ul> <li>Assignee</li> </ul>	A	~
Component	Components		
Select	<ul> <li>Fix versions</li> </ul>		~
Resolution	Resolution		
Select	Status		~
Saved Filter	Drainat		
Select			
More 🗸	Saved Filter	Set Cancel	
p <b>ject:</b> Book Store	·		
Basic Advanced	1	Accimon	
Basic Advanced Project Book Store		Assignee Type to search	× _
Basic Advanced Project Book Store Component	3	Assignee Type to search Fix versions	~
Basic Advanced Project Book Store Component Select	3 ⊗ ~	Assignee Type to search Fix versions Select	× ×
Basic Advanced Project Book Store Component Select Resolution	3 ⊗ ∿	Assignee Type to search Fix versions Select Status	<ul> <li>▲</li> <li>▲</li> <li>▲</li> </ul>
Basic Advanced Project Book Store Component Select Resolution Select	l ⊗ ~	Assignee Type to search Fix versions Select Status Select	· · · · · · · · · · · · · · · · · · ·
Basic Advanced Project Book Store Component Select Resolution Select Saved Filter	l ⊗ ~	Assignee Type to search Fix versions Select Status Select Contains	
Basic Advanced Project Book Store Component Select Resolution Select Saved Filter Select		Assignee Type to search Fix versions Select Status Select Contains	
Basic Advanced Project Book Store Component Select Resolution Select Saved Filter Select Begin Date Time Frame Time Frame	a ⊗ ✓ Fixed	Assignee Type to search Fix versions Select Status Select Contains	
Basic Advanced Project Book Store Component Select Select Saved Filter Select Begin Date Time Frame Time Frame Select	a ⊗ ~ Fixed	Assignee Type to search Fix versions Select Select Contains	
Basic Advanced Project Book Store Component Select Resolution Select Select Begin Date Time Frame Time Frame Select	a Solution Fixed	Assignee Type to search Fix versions Select Status Contains	

If you want, you can reset the filters that are displayed back to the default filters, or you can clear all the filter values.

rs			
roject: Book Store 🗸			
Basic Advanced			
Project		Assignee	
Book Store	0 ¥	Type to search	~
BOOK SLOTE	<u> </u>	Type to search	
Component		Status	
Account ×	⊗ ∨	To Do ×	⊗ ∨
Fix versions		Resolution	
2.0 ×	⊗ ∨	Select	~
Saved Filter		Contains	
Select	~		
More 🗸			
Clear Reset to default			Apply Cancel
Clear Reset to default			Apply Cancel
Clear Reset to default			Apply Cancel
Clear Reset to default			Apply Cancel
Clear Reset to default			Apply Cancel
Clear Reset to default rs roject: Book Store  Basic Advanced			Apply Cancel
Clear Reset to default rs roject: Book Store  Basic Advanced Project		Assignee	Apply Cancel
Clear Reset to default  rs  rs  roject: Book Store  Project  Rook Store		Assignee	Apply Cancel
Clear Reset to default   rs   roject: Book Store   Project   Book Store	⊗ ~	<b>Assignee</b> Type to search	Apply Cancel
Clear Reset to default  rs roject: Book Store  Project Book Store Component	⊗ ∽	Assignee Type to search Status	Apply Cancel
Clear Reset to default   rs   roject: Book Store   Project   Book Store   Component   Select	⊗ ~	Assignee Type to search Status Select	Apply Cancel
Clear Reset to default   rs   roject: Book Store     Basic Advanced   Project   Book Store   Component   Select   Fix versions	⊗ ∨	Assignee Type to search Status Select Resolution	Apply Cancel
Clear Reset to default   rs   roject: Book Store     Basic Advanced     Project   Book Store   Component   Select   Fix versions   Select	<ul> <li>×</li> <li>×</li> <li>×</li> </ul>	Assignee Type to search Status Select Resolution Select	Apply Cancel
Clear Reset to default   rs   rs ••••••••••••••••••••••••••••••••••••	<ul> <li>×</li> <li>×</li> <li>×</li> </ul>	Assignee Type to search Status Select Resolution Select Contains	Apply Cancel
Clear Reset to default   rs   roject: Book Store     Basic Advanced     Project   Book Store   Component   Select   Select   Saved Filter   Select	<ul> <li>×</li> <li>×</li> <li>×</li> <li>×</li> <li>×</li> </ul>	Assignee Type to search Status Select Resolution Select Contains	Apply Cancel
Clear Reset to default   roject: Book Store   Basic Advanced   Project   Book Store   Book Store   Select   Select   Saved Filter   Select	<ul> <li>×</li> <li>×</li> <li>×</li> <li>×</li> <li>×</li> </ul>	Assignee Type to search Status Select Resolution Select Contains	Apply Cancel
Clear Reset to default   rs   rs   roject: Book Store     Basic   Advanced   Project   Book Store   Select   Select   Saved Filter   Select	<ul> <li>×</li> <li>×</li> <li>×</li> <li>×</li> </ul>	Assignee Type to search Status Select Resolution Select Contains	Apply Cancel
Clear Reset to default   rs   oject: Book Store     Basic Advanced   Project   Book Store     Book Store     Select     Select     Select     Select     More	<ul> <li>×</li> <li>×</li> <li>×</li> <li>×</li> </ul>	Assignee Type to search Status Select Resolution Select Contains	Apply       Cancel         Image: Concel       Image: Concel         Image: Concel <td< td=""></td<>
Clear Reset to default   rs   rs     roject: Book Store     Basic     Advanced     Project   Book Store   Component   Select   Select   Saved Filter   Select     More	<ul> <li>×</li> <li>×</li> <li>×</li> <li>×</li> </ul>	Assignee Type to search Status Select Resolution Select	Apply Cancel

# Analysis & Scope

On the left side, you can define the <u>analysis strategy</u>, i.e., the way you want to analyze the selected/filtered requirements. You can choose to analyze by La test, Version or Test Plan, and then complement it with a Test Environment.

If you choose analysis by:

- Latest, then the latest results from Test Executions are taken into account;
- Version, then the latest results from Test Executions for the specified version are taken into account;
- Test Plan, then only Test Executions (and related results) associated with the given Test Plan are considered during the calculation of the requirement status.

If you specify the Test Environment, then only the executions that ran in the specified environment are considered.

Analysis & Scope	9		Group By	
Scope: Late	st <b>Final Stat</b>	us 🗸	Priority	~
Calculate 1	the Test Cove	erage for the	following scop	oes.
Latest	Version	Test Plan		
Test Enviror	nment			
All Envir	onments		~	
V Fin	al statuses h	ave preceden	ce over non-f	inal.
Clear			Apply	Cancel

### Learn more

Please read Coverage Analysis for a more detailed explanation of how to perform coverage analysis.

### Group By

You can visually group the requirements by Priority, Component or other fields, so you can analyze requirements from different perspectives.





### Tips

For more information, please see the Coverage Analysis.

### View

You can see a flattened list of coverable issues or just the top-level ones (e.g., the top-level parent requirements).

For example, if you're using Epics and Stories and you choose the "Flat" view, then Epics and related/linked Stories appear in the report, independent of whether the source data includes the sub-issues or not. If you choose the "Hierarchical" view, then only the Epics would be shown.

- Hierarchical only the parent coverable issues will be presented in the chart. Child issues can still be visualized in the overall details table;
- Flat the parent/child relationship between coverable issues is not considered. All parent and child issues will be considered for the chart.



# Example

Each bar on the chart represents a group of Requirements with a different *value* provided by the grouping field. Stacked within each bar are the Requirements grouped by coverage status: **OK**, **NOK**, **NOT RUN**, **UNKNOWN & UNCOVERED**.

Because this is a normalized chart, the bars are always 100% wide.

The Overall Coverage requirements chart is interactive. Hovering over each bar shows a small popup with the information on the specific series (Status, Grouping Field and Percentage). You can deactivate a particular series by clicking it in the series legend.



The chart also supports drill-down. When a section is selected, a table appears below the chart with the Requirement issues.

For each Requirement issue, the table shows the following indicators:

- Total Tests: total number of linked tests;
- PASSED: total number of tests passing (i.e., the ones whose status is mapped to the Test Coverage status "OK");
   FAILED: total number of tests failing (i.e., the ones whose status is mapped to the Test Coverage status "NOK");
- Other: total number of tests whose current status is mapped to the Test Coverage statuses "Not Run" or "Unknown";

It also contains a column with a progress bar that shows the completeness of each issue.

Some values may provide a link, so you can be redirected to the respective entities corresponding to the number shown.

#### Requirements with Component/s "None" and Status "NOK"

View Issues						Search
Key	Summary	Total Tests	Passed	Failed	Other	Completeness
STORE-12	As a visitor, I can view all the books in my sho	1	0	1	0	0%
STORE-11	As a visitor, I can remove books from my shop	1	0	1	0	0%
STORE-9	As a visitor, I can manage my Shopping Basket	3	1	2	0	33.3%

# Share

To share the report click the **Share** button and then click the copy icon to copy the link to clipboard after this you can send the link to other users who can then view the report with the same filters. This link will be deleted if it's not used for more than 6 months.

Analysis & Scope Group By View Filters Scope: Latest Final Status  Component/s Filat Filat Filat Filat Scope Share	nalysis & Scope Group By View Filters Scope: Latest Final Status  Component/s Flat Flat Flat Share Report	nalysis & Scope Scope: Latest Final Status  Component/s Flat Flat Froject: Book Store Component/s Share Component/s flat flat flat flat flat flat flat flat	Analysis & Scope Scope: Latest Final Status  Group By View Filt Filt Froject: Book Store  Fore Component/s Filt Froject: Book Store  Filt Froject: Book Store  Filt Froject: Book Store Filt Filt Froject: Book Store Filt Filt Filt Filt Filt Froject: Book Store Filt Filt Froject: Book Store Filt Filt Filt Filt Filt Froject: Book Store Filt Filt Filt Filt Filt Filt Filt Filt	Analysis & Scope Scope: Latest Final Status  Group By Component/s Flat Flat Flat Flat Scope: Latest Final Status Flat Flat Flat Flat Flat Flat Flat Flat	est Coverage Report	0				
nalysis & Scope Group By View Filters Scope: Latest Final Status  Component/s	Analysis & Scope Group By View Filters Scope: Latest Final Status  Component/s Filat Filat Filers Forject: Book Store Share Component/s Filers Filer	alaysis & Scope Scope: Latest Final Status  Group By View Filt  Filt Filt Filt Filt Scope: Latest Final Status Filt Filt Filt Filt Filt Filt Filt Filt	alaysis & Scope Scope: Latest Final Status v Component/s Flat v Flat v Fl	alaysis & Scope Scope: Latest Final Status  Component/s Flat Flat Flat Froject: Book Store Share Share Report /plugins/servlet/ac, This link will become invalid after not being used for 6 months.						
Scope: Latest Final Status v Component/s v Flat v Project: Book Store v	Scope: Latest Final Status  Component/s Flat Flat Project: Book Store Share Share Report (alumine (any lat (as	Scope: Latest Final Status  Component/s Flat Flat Project: Book Store  Share Share Report /plugins/servlet/ac,	Scope: Latest Final Status  Component/s Flat Flat Project: Book Store  Share Share Report /plugins/servlet/ac, This link will become invalid after not being used for 6 months.	Scope: Latest Final Status  Component/s Flat Flat Flat Froject: Book Store  Share  Share Report /plugins/servlet/ac, This link will become invalid after not being used for 6 months.	nalysis & Scope	Group By	View	Filters		
Share	Share Report	Share Report	Share Report /plugins/servlet/ac, This link will become invalid after not being used for 6 months.	Share Report This link will become invalid after not being used for 6 months.	Scope: Latest Final Status 🗸	Component/s	✓ Flat ✓	Project: Book Store	~	
Share	Share Report	Share Report	Share Report /plugins/servlet/ac, This link will become invalid after not being used for 6 months.	Share Report /plugins/servlet/ac, This link will become invalid after not being used for 6 months.						
Circle Circle	Share Report	Share Report /plugins/servlet/ac,	Share Report /plugins/servlet/ac,	Share Report This link will become invalid after not being used for 6 months.				Share		
	Share Report	Share Report /plugins/servlet/ac,	Share Report /plugins/servlet/ac, This link will become invalid after not being used for 6 months.	Share Report /plugins/servlet/ac, This link will become invalid after not being used for 6 months.				<b>Ondro</b>		
This link will become invalid after not being used for 6 months.	This link will become invalid after not being used for 6 months.	Close	Close							