

Xray 3.4.0 Release Notes

18 June 2019

The Xray team is proud to announce the release of **Xray 3.4.0**.

The main goal for this version is to provide a set of features and improvements to support the basics of [Risk-Based Testing](#). This testing strategy allows organizations to focus their testing and prioritize existing tests based on the assessed risk level, which depends on the likelihood and impact of failure.

As part of our continuous improvement, more performance improvements have also been included in this version.

Discover the key features below. 😊

- [Upgrading Xray to 3.4.x](#)
 - [Upgrading from versions < 3.2.0](#)
 - [Upgrading from versions >= 3.2.x](#)
- [Downgrading from Xray 3.4.x](#)
 - [Overall Coverage Gadget](#)
- [Release highlights](#)
 - [Risk-Based Testing](#)
 - [Revamped Xray Issue Picker Dialog](#)
 - [Configurable filters](#)
 - [Configurable and Sortable Columns](#)
 - [Sort and Rerank the Test Runs table within a Test Execution](#)
 - [Sort](#)
 - [Rerank](#)
 - [Assign Test Runs based on Test user fields](#)
 - [Share built-in reports](#)
 - [Performance improvements](#)
- [And more...](#)
- [Just one more, yet important, thing...](#)
- [New Features and Bug Fixes in this release](#)

[Download the latest version](#)

Upgrading Xray to 3.4.x

Upgrading from versions < 3.2.0

If you are upgrading from a version lower than 3.2, this implies that an upgrade task will run to pre-calculate historical data. This action is a one time action and it will run in the background so that Xray is still available during the upgrade. A **re-index** operation of your Jira instance is required so that the internal data becomes searchable and usable by Xray.



Please be aware that this upgrade task will run [immediately](#) after updating Xray. As this operation can take some time and use a considerable amount of server resources, we suggest scheduling the upgrade of Xray outside of business hours. It is always possible to cancel the recalculation operation in the Xray configuration section [Custom Fields Maintenance](#).

Upgrading from versions >= 3.2.x

If you are upgrading from v3.2.x or v3.3.x to v3.4.y, you must recalculate data in the Xray configuration section [Custom Fields](#). This recalculation is necessary because of the huge improvement in the amount of data that Xray needs to add to the table and to Lucene indexes.



As this operation can take some time and use a considerable amount of server resources, we suggest scheduling the upgrade of Xray, and also the recalculation of the custom fields, outside of business hours.

Downgrading from Xray 3.4.x

Downgrading from Xray 3.4.x to a version less than 3.2.0 implies that you must perform a re-index afterwards. This is because from Xray 3.2.0 onwards, the content and format of what Xray indexes has changed.

Overall Coverage Gadget

Some configuration parameters for this gadget were modified as a result of supporting multiple projects whenever using a saved filter as source. It is possible that some users will get errors on the gadget after downgrading from 3.4.x. If this happens, please edit the configuration to ensure the gadget is properly configured.

Release highlights

Risk-Based Testing

Xray v3.4 adds a set of features that enable the basics of [Risk-Based Testing \(RBT\)](#); more about these enabling features ahead.

As always, we made it flexible enough so you can implement RBT the way you want. Thus, you may need to set up some custom fields related to RBT. For this, you may use Jira built-in capabilities or use a customization app to help you. If you're using a "compatible" [Risk Management](#) related app, you may also take advantage of it.

To make it simpler, we've included detailed setup instructions in our documentation.

Learn more [here](#).

Revamped Xray Issue Picker Dialog 😊

The issue picker dialog used to associate the different Xray issue types (e.g. add Tests to a Test Execution) has been revamped to provide a better user experience. Very handy improvements were also implemented, some of which enable [Risk Based Testing](#) by providing capabilities such as sorting and filtering by any custom field of Test issues.

This dialog is now divided into three tabs:

- **Select**, allows users to select issues directly from their history search (issues that have been accessed recently)
- **Search**, allows users to search for issues using Jira and Xray custom filters
- **JQL**, using JQL, users can query issues in Jira

Configurable filters

You can now add any filters available in Jira to filter issues. Some default filters are provided by default. Additional filters can be configured just by adding new filters from any available filter in Jira as well as internal Xray filters.

Configurable and Sortable Columns

The results table now provides the ability for users to configure which columns they want to see, as well as sorting the table using any visible column.

Learn more [here](#).

Add Tests to Test Execution BOOK-84

AssigneeIssue Assignee

SelectSearchJQL

Filter(s) -

Search

Project

Book Store (BOOK) x

Test Type

Choose the Test Type

Contains text

Component

Account x

Component

Summary

Status

Priority

Resolution

Creator

Affects Version

Fix Version

Key

Summary

Test Type

Risk

BOOK-17	Test a logged in visitor can edit the default address	Cucumber	17
BOOK-14	Test visitors can Login to Book Store Website	Cucumber	15
BOOK-16	Test a logged in visitor can edit the account details	Cucumber	14
BOOK-15	Test logged in visitors can Logout from their account	Cucumber	12
BOOK-18	Test a visitor can change his locale	Cucumber	4

First

Previous

1

Next

Last

Clear

Search

Hide Tests in non-executable Statuses

Add selected

Add all (5)

Cancel

Sort and Rerank the Test Runs table within a Test Execution

Tests

+ Add

Overall Execution Status

13 PASS 1 FAIL

Total Tests: 14

FILTERS

Test Set

Assignee

Status

Component

Search

AllAllAllComponentContains textX Clear

Apply Rank

Show 10 entriesColumns

	Rank	Key	Summary	Test Type	#Req	#Def	Test Sets	Assignee	Risk	Status	
<input type="checkbox"/>	7	BOOK-20	Test Checkout with incorrect delivery details	Cucumber	1	0		Xpand IT Admin	22	PASS	<input type="button" value="▶"/> ...
<input type="checkbox"/>	9	BOOK-23	Test visitors can add books to their shopping basket	Cucumber	2	1		Xpand IT Admin	21	FAIL	<input type="button" value="▶"/> ...
<input type="checkbox"/>	11	BOOK-25	Test a visitor can view all the books in his shopping basket	Cucumber	2	0		Xpand IT Admin	21	PASS	<input type="button" value="▶"/> ...
<input type="checkbox"/>	6	BOOK-19	Test a visitor can Checkout items in his basket	Cucumber	1	0		Xpand IT Admin	20	PASS	<input type="button" value="▶"/> ...
<input type="checkbox"/>	10	BOOK-24	Test visitors can remove books from their shopping basket	Cucumber	2	0		Xpand IT Admin	19	PASS	<input type="button" value="▶"/> ...
<input type="checkbox"/>	4	BOOK-17	Test a logged in visitor can edit the default address	Cucumber	2	0	BOOK-29	Xpand IT Admin	17	PASS	<input type="button" value="▶"/> ...
<input type="checkbox"/>	1	BOOK-14	Test visitors can Login to Book Store Website	Cucumber	2	0	BOOK-29	Xpand IT Admin	15	PASS	<input type="button" value="▶"/> ...
<input type="checkbox"/>	3	BOOK-16	Test a logged in visitor can edit the account details	Cucumber	2	0	BOOK-29	Xpand IT Admin	14	PASS	<input type="button" value="▶"/> ...
<input type="checkbox"/>	2	BOOK-15	Test logged in visitors can Logout from their account	Cucumber	2	0	BOOK-29	Xpand IT Admin	12	PASS	<input type="button" value="▶"/> ...

Sort

It is now possible to sort the Test Runs table within a Test Execution.

As a result of being able to sort the table, the drag-n-drop Rerank operation might be disabled.

Users can only rerank Test Runs using drag-n-drop if the table is sorted by the original "rank" in ascending direction. Otherwise, the drag-n-drop option to rerank will be disabled.

Rerank

Besides adding the ability to sort Test Runs, it is now possible to **rerank** all Test Runs based on the current sort applied in the table. A button will appear on the datatable actions bar whenever the current sort applied is different from the default (based on the rank column, ASC).

Clicking on the "Apply Rank" button will apply the current sort as the new rank for the Test Runs.

This feature can be used in conjunction with the table sort above, to change the default rank for all Test Runs, perhaps based on a specific field on the Test cases (e.g. Risk, Priority, Components).

Learn more [here](#).

Assign Test Runs based on Test user fields

If you're assigning individual Test Runs within Test Execution issues, then you can find this feature very handy. 🍌

Starting from this version, it is now possible to assign Test Runs based on any user type field present on the Test cases.

For instance, you'll be able to assign Test Runs to the Test issue assignee. This allows users that normally execute a specific Test case (that are assigned to the Test case), to be the default assignee on Test Runs within a Test Execution just by choosing the option **Test Assignee**.

This option is available when:

- Assigning individual Test Runs
- Bulk assigning Test Runs
- Adding Tests to the Test Execution (within the Xray issue picker dialog)

Add Tests to Test Execution BOOK-84

Assignee: Issue Assignee

Select Search JQL

Filter(s)

Project: Book Store (BOOK)

Test Type: Choose the Test Type

Rank	Key	Summary	Test Type	#Req
<input checked="" type="checkbox"/>	7	BOOK-20	Test Checkout with incorrect delivery details	Cucumber 1
<input checked="" type="checkbox"/>	9	BOOK-23	Test visitors can add books to their shopping basket	Cucumber 2
<input checked="" type="checkbox"/>	11	BOOK-25	Test a visitor can view all the books in his shopping basket	Cucumber 2
<input type="checkbox"/>	6	BOOK-19	Test a visitor can Checkout items in his basket	Cucumber 1
<input type="checkbox"/>	10	BOOK-24	Test visitors can remove books from their shopping basket	Cucumber 2
<input type="checkbox"/>	4	BOOK-17	Test a logged in visitor can edit the default address	Cucumber 2

Assign Test Runs

Assignee: Issue Assignee

Suggestions:

- Unassigned
- Test Assignee**
- Test Reporter

Start Typing for Users

All Users:

- Administrator - admin@xpa...
- Applicant - applicant@xpan...
- Bruno Conde - bruno.c...
- Petr Gonzalez - gonzal...
- Petr Rodriguez - rodril...


Assign Cancel

Share built-in reports

Do you need to share an Xray built-in report with a friend and they can't seem to replicate exactly the same parameters, so they end up with different results?

Worry no more. Now you can directly share the report that you are seeing because the parameters are now present on the URL.

Learn more [here](#).



Performance improvements



As part of our continuous performance improvements, we've improved how the status coverage is pre-calculated which should provide noticeable performance improvements inherently affecting most operations that trigger this calculation.

Improving performance is an ongoing effort, so expect additional enhancements to come ahead.

We also made an extensive document with [Usage tips to improve performance](#), containing setup and usage best practices; please take a look at it.

And more...

Gadgets	REST API	Execution
<ul style="list-style-type: none">The Overall Requirement Coverage Gadget now supports multiple projects when using a saved filter as source. The Gadget configuration parameters have also been simplified.	<ul style="list-style-type: none">When importing Gherkin feature files using Xray REST API, the descriptions on the features will be also imported to the Requirement issue description.	<ul style="list-style-type: none">Only the Test Run assignee can execute the Test Run. This feature can be enabled/disabled on Xray configuration.

Just one more, yet important, thing...

Documentation is always important and sometimes you may miss it. We added a set of relevant articles to our already extensive documentation.

As this release provides a set of features that enable the basics of Risk-Based Testing, we've added a few related articles.

On another topic, many teams are eager to adopt Agile and Agile Testing, we've specifically made some dedicated content for them, giving some background information on the earlier topics and providing concrete examples so you can get started or even become more agile.











Finally, as teams grow they face additional challenges, including the demand for great performance. Performance is dependent on many different factors, starting with proper Jira setup, deployment type and also with Xray setup and usage patterns. Therefore, we created an article with a collection of setup, configuration and usage tips, to ensure you have the greatest performance on your deployment.

Here's a sum up of all the relevant articles that we've added:

- [Performing Risk-Based Testing \(RBT\) with Xray](#)
 - [Risk-Based Testing](#)
 - [Risk Management](#)
- [Agile software development](#)
 - [Using Xray in an Agile context](#)
 - [Leveraging Agility in Agile teams](#)
 - [Agile values and principles with Xray](#)
 - [Agile Testing](#)
- [Usage tips to improve performance](#)

New Features and Bug Fixes in this release

Key	Summary	T	Created	P	Status	Resolution
XRAY-2450	Support risk based testing	+	Feb 06, 2018		SHIPPED	Done
XRAY-1690	Create a always visible button on Requirement Test Coverage, for linking tests to requirement	+	May 19, 2017		SHIPPED	Done
XRAY-3476	As a user, on the filters section of the Test Plan and Test Exec view page, when using a Test Set filter, I would like to see the full Summary of each Test Set	+	Dec 05, 2018		SHIPPED	Done
XRAY-2420	As a user, I can bulk assign Test Runs of a Test Execution based on a field of the Test Issue	📌	Jan 30, 2018	🔴	CLOSED	Done
XRAY-2121	As a user, I can share built-in reports using an unique URL	📌	Oct 12, 2017	🔴	CLOSED	Done
XRAY-2728	As admin, I can restrict execution of tests only to the test run assignee	📌	May 02, 2018	🔴	CLOSED	Done
XRAY-2647	As a user, I can re-rank the Tests in a Test Execution using the current selected sorting	📌	Apr 04, 2018	🔴	CLOSED	Done
XRAY-128	As a user, I can sort the Tests table in the Test Execution view issue page	📌	Aug 08, 2014	🔴	CLOSED	Done
XRAY-3740	As system, I provide a revamped UI for the Xray issue picker dialog	📌	Feb 18, 2019	🔴	CLOSED	Done
XRAY-3016	As a user, the Xray issue picker dialog layout should provide configurable columns	📌	Jul 26, 2018	🔴	CLOSED	Done
XRAY-2939	As a user, I want to be able to link an existing testcase to an requirement using a more explicit action	📌	Jul 17, 2018	🔴	CLOSED	Done
XRAY-3369	As a system, Xray must be able to import Gherkin descriptions through its REST API	📌	Nov 05, 2018	🔴	CLOSED	Done
XRAY-3299	As a user, I can choose how to assign the Test Runs whenever adding Tests/Test Sets to a Test Execution	📌	Oct 16, 2018	🔴	CLOSED	Done
XRAY-3297	As a user, I can add additional filters for native and custom fields on the Xray issue picker dialog	📌	Oct 16, 2018	🔴	CLOSED	Done
XRAY-2680	TestNG result import should be able to ignore "configuration" methods	⬆	Apr 11, 2018	🔴	CLOSED	Done

XRAY-1614	Xray's activity feed should be improved		Apr 20, 2017		CLOSED	Done
XRAY-3773	When installing Xray, the default strategy for the custom fields should be "No Version"		Feb 27, 2019		CLOSED	Done
XRAY-3765	As a user, I'm able to use the Overall Requirements Coverage Gadget cross project		Feb 26, 2019		CLOSED	Done
XRAY-3284	As a user, I can use an enhanced dialog to properly select Tests based on configurable criteria		Oct 12, 2018		CLOSED	Done
XRAY-2738	Gadget saved filter configuration is not correctly loaded when the user language is not English		May 04, 2018		CLOSED	Done

Showing 20 out of 51 issues