Working with Test Environments

(i)

"Test Environment" is a concept introduced in Xray v2.

Here is a short video that explains Test Environments and how you can use them.

- What is a Test Environment
- Benefits of using Test Environments
- Test Environments in Xray at a glance
- How it works
- How to use
- Using multiple environments at the same time
 - How to use • Example
- Advanced
- Test Environments and the TestRunStatus custom field
- Tips and Recommendations
 - Do's
 - Don'ts

What is a Test Environment

Generically speaking, a test environment is an environment that contains all necessary elements, including the SUT, so you can perform testing on it.

Depending on your context, a test environment may represent:

- a testing stage (e.g. "development", "staging", "preproduction", "production")
- a device model or device operating system (e.g. "Android", "iOS")
 an operating system (e.g. "Windows", "macOS", "Linux")
 browser (e.g. "Edge", "Chrome", "Firefox")

Thus, semantics of what a "Test Environment" represents depends on your specific context.

Please note (i)

> In Xray, Test Environments are focused on the execution aspect, providing the means to schedule tests and analyze their results in different environments.

Thus, they're explicitly associated with Test Execution issues.

Benefits of using Test Environments

- avoid duplication of Tests, whenever you have to run the same test on different environments
- ability to track the latest status of tests on different environments .
- ability to track coverage on each environment
- ability to track overall coverage, considering the coverage/results on each environment
- ability to perform reporting, including traceability, per each environment or globally (i.e. considering all results on all different environments)

Test Environments in Xray at a glance

The current status of a Test is generally calculated by looking at the Test's last execution (more detail here). However, this does not work well if you execute the same Test in two different test environments (e.g., devices) and you want the two results to be consolidated.

Within a Test Execution, you may specify the Test Environment(s) where the tests will be executed in the respective attribute. A Test Environment is similar to a label, but Xray has special logic to deal with it.

If you use Test Environments, you may reuse the same Test for multiple test environments and create Test Executions for each one. If you don't use Test Environments and you want to track tests for multiple environments (e.g., devices), then the only way to do it is to create multiple tests, one per each test environment.

Let's say that you have executions for two Test Environments: "Android" and "iOS". The test is considered as PASS only if the latest executions for Android and iOS are both PASS; otherwise, it will be FAIL.



Note: If you don't use Test Environments, then only the latest result matters for assessing the current status of the Test.

How it works

Let's say we have a Test being executed two times. We will start by creating Test Executions TE1 and TE2.

TE2 will be executed after TE1, so TE1 is considered older.

Below are example scenarios and shows how the overall, consolidated status of the Test is calculated in each case.

If you have a mix of Test Executions (i.e., with and without Test Environment as in scenario D), it will be treated the same way as scenarios A, B, and C.

Scenario	Test Environment (s) of TE 1	Test Environment (s) of TE 2	Test run status	Test run status	Calculated value for the overall, consolidated status of the Test (i.e. for the "All Environments")	Other
				IN TE2		
A	Android	iOS	PASS	PASS	PASS	The test will be considered to be PASS in both Android and iOS environments.
В	iOS	iOS	PASS	FAIL	FAIL	The test will be considered to be FAIL in iOS.
С	iOS	iOS	FAIL	PASS	PASS	The test will be considered to be FAIL in iOS.
D	iOS	-	FAIL	PASS	FAIL	The test will be considered to be FAIL in iOS and PASS for the empty environment.
Е	-	-	PASS	FAIL	FAIL	The test will be considered to be FAIL for the empty environment.
F	-	-	FAIL	PASS	PASS	The test will be considered to be PASS for the empty environment.

Please note

The empty Test Environment is treated similarly to any other environment having a well-defined name.

How to use

Whenever creating a Test Execution, you must set the Test Environment in which the execution will be executed. You can use this field as a simple label: just add the environment or reuse a previously created one.

Please see some important Tips and Recommendations ahead.

Create new te	est execution to run CALC-5269	
Project [*]	Second Se	
Summary*	Ad-hoc execution for CALC-5269	
Assignee	Administrator	
	Choose a user to assign the Test Execution	
Priority	O Blocker -	
	Start typing to get a list of possible matches or press down to select.	
Fix Version/s	v3.0 ×	
	Start typing to get a list of possible matches or press down to select.	
Sprint		
	Start typing to get a list of possible matches or press down to select.	
Test Environments	android ×	J
	Start typing to get a list of possible matches of press down to select. Each environment where the Test is to be executed	
Revision]
	The system revision for the test execution	
	Execute Immediately	
	Create Car	ıcel

Test Execution for "android" Test Environment

Create new te	est execution to run CALC-5269	
Project [*]	€ Calculator ▼	
Summary*	Ad-hoc execution for CALC-5269	
Assignee	Administrator	•
	Choose a user to assign the Test Execution	
Priority	O Blocker	-
	Start typing to get a list of possible matches or press down to select.	
Fix Version/s	v3.0 ×	-
	Start typing to get a list of possible matches or press down to select.	
Sprint		•
	Start typing to get a list of possible matches or press down to select.	
Test Environments	ios ×	Ŧ
	Start typing to get a list of possible matches or press down to select. Each environment where the Test is to be executed	
Revision		
	The system revision for the test execution	
	Execute Immediately	
	Create	Cancel

Test Execution for "ios" Test Environment

Tracking the results on different environments

The Test Environments column is shown in your Test Runs table so you can distinguish each execution of the Test between the different environments. This information can be seen in the Test issue screen (see next screenshot) or in other places that show a list of Test Runs (e.g. Test Plan issue screen).

Test Runs												
											Execute	In 👻
Project			Version (prodependent)	oject	Status			Start	End			
All Projec	cts	•	Select a pro	oject to enable			•	DD-MM-YYYY HH:MM	DD-MN	I-YYYY HH:MM	X Clear	
									Show	10 🕈 entries	Colum	ns 🕶
♦ Key	♦ Fix Version/s	¢	Revision	♦ Executed By	♦ Started	♦ Finished	4	Test Environments	efects			
CALC- 5271	v3.0			Administrator	Today 6:01 PM	Today 6:02 PM	(ios		PASS		
CALC- 5270	v3.0			Administrator	Today 6:01 PM	Today 6:01 PM	(android		FAIL		
Showing 1	to 2 of 2 entrie	es								First Pre	evious 1	Next Last

The same test has been executed in both Test Environments (a Test Execution per Test Environment).

Analyzing the impact of the results on different environments

Results obtained for Test Environments will impact coverage.

Considering the previous screenshot, the "Requirement Status" custom field for the Test issue will show **NOK** because the Test has failed for one of the environments. This information is <u>independent</u> of the environment picker below within the "Test Coverage" section, which in turn is used to calculate the coverage on request for the selected scope, showing it on the right side along with the corresponding test results.

	S a use	^{ALC-5268} r, I car	n calcu	late the	e sum of	2 number	S			
/ Edit	Comme	ent As	sign Mor	e 🕶 Sta	art Progress	Resolve Issue	Close Iss	ue Ad	lmin 👻	
Details										
Type:		Story				Status:		OPEN	(View Workflow)	
Priority:		ጵ Major				Resolution	:	Unreso	blved	
Affects Ver	sion/s:	None				Fix Version	n/s:	v3.0		
Componen	it/s:	None								
Labels:		None								
Requireme	ent Status:		NOK							
Description Click to add	d description									
Version •	None - I	atest exec	ution	All Env	vironments -	C	reate Test NOK	Creat	e Sub-Test Execution	+ Link +
ź	Filter(s)									
li≣get ▼									Show 10 🕈 entries	Columns -
♦ P	Priority 💧 S	tatus 🔶 I	Resolution	🔺 Key	Summary		т	est Runs	Test Status	
	OF	PEN UI	nresolved	CALC- 5269	Test As a us sum of 2 nur	er, I can calculate t mbers	he 🚦	٥	FAIL	

If you want to analyze the coverage for the requirement (e.g. "story") and show the latest results on that environment, just use the picker on the "Test Coverage" section. As seen ahead, this will produce different results because different results were obtained in different environments.

Edit Comm	ent Assign	More -	Start Progress	Resolve Issue	Close Issue	Admin 👻	
alls	Charac			Otation			
/pe:	Story			Status:		OPEN (View Workflow)	
fority:	× Major			Resolution:			
omponent/s:	None			FIX Version	//5.	v3.0	
abels:	None						
equirement Status:		NOK					
scription							
lick to add descriptio	n						
t Coverere							
t Coverage				_			
				Cr	eate Test	Create Sub-Test Execution	+ Link
√ersion - None -	latest execution	▼ ar	ndroid -		NOK		
Tilter(s)							
						Show 10 🕈 entries	Columns •
Priority Priority Calculator /	Status Resol	lution Ke lived CAL 5269	ey Summary C- Test As a us sum of 2 nu	y ser, I can calculate th imbers	Test ne II	FAIL	
Priority	Status Resol PEN Unresol C-5268 I can cale	lution A Ke lved CAL 5269 Culate th	ey Summary C- De Sum of 2 nu ne sum of 2	y ser, I can calculate th Imbers 2 numbers	Test ne ≣D	Test Status	
Priority Priority Calculator / CAl As a user,	Status Resol PEN Unresol C-5268 I can cale t Assign I	Iution Kee Ived CAL 5269 Culate th More -	ey Summary C-Test As a us sum of 2 nu he sum of 2	v ser, I can calculate th mbers 2 numbers Resolve Issue C	Test	Admin -	
 Priority Priority Calculator / CAl Calculator / CAl As a user, dit Comment 	Status Resol PPEN Unresol CC-5268 I CAN CAIC t Assign 1	Iution Kee Vived CAL 5269 Culate th More -	ey Summary CC-Test As a us sum of 2 nu he sum of 2 Start Progress	v ser, I can calculate th mbers 2 numbers Resolve Issue C	Test	Admin -	
Priority Priority Calculator / CAl As a user, dit Commen s :	Status Resol PPEN Unresol CC-5268 I Can calc t Assign I	Iution Ke Ived CAL 5269 Culate ti	ey Summary C-Test As a us sum of 2 nu he sum of 2 Start Progress	v ser, I can calculate th mbers 2 numbers Resolve Issue Status:	Test ne II Close Issue	Admin -	
Priority Priority Calculator / CAl Calculator / CAl As a user, dit Commen s : ity:	Status ♦ Resol PPEN Unresol CC-5268 I Can calc t Assign I Story ↑ Major	Iution Ke Ived CAL 5269 Culate tl More -	ey Summary C-Test As a us sum of 2 nu ne sum of 2 Start Progress	xer, I can calculate th mbers 2 numbers Resolve Issue C Status: Resolution:	Test ne E Close Issue	Admin ~ (View Workflow) resolved	
Priority Priority Calculator / CA Calculator / CA As a user, dit Commen s : tity: ts Version/s:	Status ♥ Resol PPEN Unresol C-5268 I Can calo t Assign I Story ☆ Major None	Iution Ke Ived CAL 5269 Culate th More -	ey Summary C-Test As a us sum of 2 nu ne sum of 2 Start Progress	x ser, I can calculate th mbers 2 numbers Resolve Issue C Status: Resolution: Fix Version/s:	Test ne ED Close Issue Ur : v3	Admin ~ PEN (View Workflow) resolved .0	
Priority Pr	Status ♥ Resol PPEN Unresol CC-5268 I CAN CAIC t Assign 1 Story	lution Ke lved CAL 5266 Culate tl More -	ey Summary C-Test As a us sum of 2 nu ne sum of 2 Start Progress	x ser, I can calculate the ser in the ser is a calculate the series of t	Test ne E Close Issue Un : v3	Admin - PEN (View Workflow) resolved .0	
Priority Pr	Status Resol PPEN Unresol CC-5268 I Can calc Assign I Story Major None None None	Iution Ke Ived CAL 5266 Culate tl	ey Summary C-Test As a us sum of 2 nu ne sum of 2 Start Progress	x ser, I can calculate the ser, I can calculate the series of the series	Test ne E Close Issue Un : v3	Admin - PEN (View Workflow) resolved .0	
Priority Calculator / CAl As a user, dit Commen s : tty: ts Version/s: ponent/s: ls: uirement Status:	Status Resol PPEN Unresol CC-5268 I CAN CAIC Major None None None None	Iution Ke Ived CAL 5269 Culate th More - 3	ey Summary CC- Test As a us sum of 2 nu ne sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test ne I Close Issue Un : v3	Admin - PEN (View Workflow) resolved .0	
Priority Priority Calculator / CAl As a user, dit Commen s : ty: ts Version/s: ponent/s: ls: uirement Status: intion	Status ♦ Resol PPEN Unresol CC-5268 I Can calc t Assign I Story Major None None None	Iution Ke Ived CAL 5265 Culate th More -	ey Summary C-Test As a us sum of 2 nu ne sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test ne E Close Issue	Admin - PEN (View Workflow) resolved .0	
Priority Priority Calculator / CAL As a USEr, dit Commen s : ty: ts Version/s: ponent/s: ls: uirement Status: iption to add description	Status ♥ Resol PPEN Unresol _C-5268 I I Can cald t Assign I Assign I Story	Iution Ke Ived CAL 5269 Culate th More - S	ey Summary CC- Test As a us sum of 2 nu ne sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test ne I Close Issue Un : v3	Admin - PEN (View Workflow) resolved .0	
Priority Pr	Status ♦ Resol PPEN Unresol CC-5268 I Can cale t Assign I Story Major None None None None	Iution Ke Vived CAL 5269 Culate th More - S	ey Summary C- Test As a us sum of 2 nu he sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test ne E Close Issue Ur : v3	Admin - PEN (View Workflow) resolved .0	
Priority Pr	Status ♦ Resol PPEN Unresol CC-5268 I Can calc I Cassign I Story Major None None None None	Iution Ke Ived CAL 5269 Culate th More - S	ey Summary C- Test As a us sum of 2 nu he sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test ne E Close Issue Ur : v3	Admin - PEN (View Workflow) resolved .0	
Priority Pr	Status ♦ Resol PPEN Unresol CC-5268 I Can calc I Cassign I Story Major None None None None	Iution Ke Ived CAL 5266 Culate th More -	ey Summary C- BestAs a us sum of 2 nu ne sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test ne E Close Issue Ur : v3	Test Status FAIL Admin PEN (View Workflow) resolved 0 reate Sub-Test Execution	+ Link ~
Priority Priority Calculator / CAI As a user, dit Commen s : tity: ts Version/s: ponent/s: ls: uirement Status: iption to add description overage	Status ♦ Resol PPEN Unresol CC-5268 I Can calc t Assign I © Story ★ Major None None None None	Iution Ke Ived CAL 5266 Culate th More -	ey Summary C- Sum of 2 nu ne sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test Test Close Issue Ur : v3	Test Status FAIL Admin PEN (View Workflow) resolved 0 reate Sub-Test Execution	+ Link ~
Priority Priority Calculator / CAl Calculator / CAl As a user, dit Commen s :	Status Resol PPEN Unresol CC-5268 I Can Calo I Calo Calo I Calo I Calo I Calo I Calo I	Vived CAL 5269 Culate th More - S	ey Summary CC- Test As a us on sum of 2 nu he sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test Test Close Issue Close Issue Ur v3 te Test C	Admin - PEN (View Workflow) resolved .0 reate Sub-Test Execution	+ Link -
Priority Calculator / CAl Calculator / CAl As a USEr, Commen dit Commen s to act description overage sion None - la T Filter(s)	Status Resol PPEN Unresol I Can calo t Assign I Story Major None None None None None	Vived CAL S269 Culate th More - S	ey Summary	A ser, I can calculate the ser, I can calculate the series of the series	Test Test Close Issue Close Issue Un : v3 te Test C	Admin - PEN (View Workflow) resolved .0 reate Sub-Test Execution	+ Link ~
Priority Pr	Status Resol PPEN Unresol I Can Calc I	Vived CAL 5269 Culate th More - S	ey Summary C- Test As a us sum of 2 nu he sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test ne E Close Issue Ur : v3 the Test C K	Test Status FAIL Admin Test View Workflow) resolved 0 reate Sub-Test Execution	+ Link -
Priority Priority Priority Calculator / CAI As a user, As a user, dit Comment s: :: tity: .: <td>Status Resol PPEN Unresol I Can Calc I C</td> <td>Iution Ke Ived CAL 5269 Culate th More - S</td> <td>ey Summary C- Test As a us a sum of 2 nu he sum of 2 Start Progress</td> <td>A ser, I can calculate the ser, I can calculate the series of the series</td> <td>Test ne E Close Issue Ur : v3 tte Test C K</td> <td>Test Status FAIL Admin Admin PEN (View Workflow) resolved 0 reate Sub-Test Execution Show 10 entries</td> <td>+ Link -</td>	Status Resol PPEN Unresol I Can Calc I C	Iution Ke Ived CAL 5269 Culate th More - S	ey Summary C- Test As a us a sum of 2 nu he sum of 2 Start Progress	A ser, I can calculate the ser, I can calculate the series of the series	Test ne E Close Issue Ur : v3 tte Test C K	Test Status FAIL Admin Admin PEN (View Workflow) resolved 0 reate Sub-Test Execution Show 10 entries	+ Link -

Please check Coverage Analysis to learn more about coverage analysis possibilities.

It is also possible to analyze testing thoroughly considering Test Environments; this analysis can be done using the Traceability Report or the Overall Coverage Report, among others.

The exact behavior upon choosing a specific Test Environment depends on the report itself but, either explicitly or implicitly, Test Runs will be filtered by the selected Test Environment and reports will reflect it.

Traceability Report Switch report -				^r ↓ ^l Export -
Scope: version; Version: None - latest exec	ution; Environment: edge - 🔻 JQL: key = CALC-5258 -	How to read this report		Showing 1 of 1 entries
Quick Filters: OK (1) NOK (0) UN	KNOWN (0) NOTRUN (0) UNCOVERED (0)			
Requirement	Tests	Test Runs	Defects	
CALC-5258 OPEN OK Version: v3.0 As a user, I can calculate the sum of 2 numbers	CALC-5259 OPEN Manual Test As a user, I can calculate the sum of 2 numbers PASS	CALC-5262 CALC-5262 CVerx Details Version: v3.0 Finished On:06/Dec/19 3:03 AM Executed By:admin Tests environments: EDGE WINDOWS Revision:-		
		CALC-5263 ED View Details Version: v3.0 Finished On:06/Dec/19 3:05 AM Executed By:admin Tests environments: EDGE MAC Revision:-		

Traceability Report being used to analyze the results on the "edge" test environment.

Traceability Report Switch re	pport -			F↓F Export →
Scope: version; Version: None - lates	st execution; Environment: chrome \rightarrow $\overline{\forall}$ JQL: key = CALC-52	58 - 📭 How to read this report		Showing 1 of 1 entries
Quick Filters: OK (0) NOK (1)	UNKNOWN (0) NOTRUN (0) UNCOVERED (0)			
Requirement	Tests	Test Runs	Defects	
CALC-5258 OPEN NOK Version: v3.0 As a user, I can calculate the sof 2 numbers	CALC-5259 OPEN Manual Test As a user, I can calculate the sum of 2 numbers FAIL	FAIL CALC-5261 EU View Details Version: v3.0 Finished On:06/Dec/19 3:02 AM Evented Bivacharia		
		Tests environments: CHROME WINDOWS Revision:-		

Traceability Report being used to analyze the results on the "chrome" test environment.

Overall Requirement Coverage Report Switch report -



View Issues					Sea	arch
🔶 Key	🝦 Summary	♦ To Te	tal 🔶 Tests sts Passed	♦ Tests Failed	♦ Tests Unknown	Completeness
CALC-5258	As a user, I can calculate the sum of 2 numbers	1	1	0	0	100%

Analyzing coverage of "requirements" on the "edge" test environment.

Scope: version; Version: None - latest execution; Environment: chrome -▼ JQL: issue = CALC-5258 ▼ ↓ How to read this report Component/s -OK NOK Not Run Unknown Uncovered None 100% (1) 30 40 50 60 0 10 20 70 80 90 100

Overall Requirement Coverage Report switch report -

Requirements with Component/s "None" and Status "NOK"

				See	rch
				Jea	
		♦ Tests Passed	♦ Tests Failed	♦ Tests Unknown	Completeness
As a user, I can calculate the sum of 2 numbers	1	0	1	0	0%
	Summary As a user, I can calculate the sum of 2 numbers	Summary Total Tests As a user, I can calculate the sum of 2 numbers 1	Summary Total Tests Passed As a user, I can calculate the sum of 2 numbers 1 0	Summary Total Tests Tests Passed Tests Failed As a user, I can calculate the sum of 2 numbers 1 0 1	Sea Summary Total Tests Passed Failed Unknown As a user, I can calculate the sum of 2 numbers 1 0 1 0

Analyzing coverage of "requirements" on the "chrome" test environment.

Using multiple environments at the same time

Sometimes, you may have multiple categorizations for a given environment; in theory, you can think as it being something multidimensional.

Consider a very basic example: whenever performing web/UI based testing you will be using a browser and an operating system and you may want to analyze the results per a browser perspective or per an operating system perspective.

The recommended way to deal with environments having multiple dimensions is to treat each dimension (e.g. browser name, operating system name) individually. In other words, add the values of each dimension to the "Test Environments" field separately.

Test Environments	mac × edge ×	•

Whenever you assign "mac" and "edge" to the Test Environments of a given Test Execution, it's equivalent to saying that your Test Run is scheduled for /was run in the "mac" and also in the "edge" environment.

This approach will limit the number of environments to the total number of possible values for each dimension, as opposed to having <*number_of_values_d imension_1>**<*number_of_values_dimension_2>**... environments.

The drawback of this solution is that you won't be able to analyze the results for an environment tagged as "mac" and "edge" at the same time, for example; you can just analyze results from a specific dimension.



One way to deal with these kinds of environments would be to flatten them and treat them as usual, i.e. you could name the environment such as "windows_edge" or "mac_chrome" but...

- You could have a ton of composed environments which wouldn't be manageable at all
- You couldn't analyze coverage just from the perspective of one of those variables (e.g. "mac" or "edge"); you would be restricted to
 analyze it from the perspective of the composed environment

How to use

Assign each environment (e.g. name of operation system, name of browser vendor) as you do for a single environment; in other words, just add the multiple environment names as <u>multiple, distinct labels</u>.

Whenever creating a Test Execution (e.g. from a Test Plan)

Project*	Sep Calculator	
Summary*	Test Execution for Test Plan CALC-5260	
Assignee	Administrator	•
	Choose a user to assign the Test Execution	
Priority	Ø Blocker	•
	Start typing to get a list of possible matches or press down to select.	
Fix Version/s	v3.0 ×	•
	Start typing to get a list of possible matches or press down to select.	
Sprint		•
	Start typing to get a list of possible matches or press down to select.	
Test Environments	mac × edge ×	•
	Start typing to get a list of possible matches or press down to select. Each environment where the Test is to be executed	
Revision		
	The system revision for the test execution	
	Redirect to Test Execution	

Whenever updating an existing Test Execution

Calculator / CALC-5261 Test Execution for Test Plan CALC-5260							
/ Edit		Synchronize Tests from	More -	Close Issue	Reopen Issue	Admin -	
Details							
Type:		Test Execution		Status:	1	RESOLVED (View Workflow)	
Priority:		🖉 Blocker		Resolutio	on: I	Fixed	
Affects Ver	rsion/s:	None		Fix Versi	on/s:	v3.0	
Componer	nt/s:	None					
Labels:		None					
Test Enviro	onments:	chrome × windows ×					-
Test Plan:		CALC-5260					××

Example

Test executed in the context of Test Execution assigned to several environments at the same time

- windows, chrome (fail)
 windows, edge (pass)
 mac, edge (pass)

🔺 Key	♦ Fix Version/s	♦ Executed By	♦ Started	♣ Finished	♦ Test Environments	efects	Status	
CALC- 5261	v3.0	Administrator	06/Dec/19 3:02 AM	06/Dec/19 3:02 AM	chrome windows	I	FAIL	
CALC- 5262	v3.0	Administrator	06/Dec/19 3:03 AM	06/Dec/19 3:03 AM	edge windows	I	PASS	
CALC- 5263	v3.0	Administrator	06/Dec/19 3:05 AM	06/Dec/19 3:05 AM	edge mac	I	PASS	

The calculated status of the test, per Test environment, will be the following.

	Status	Why?
windows	PASS	due to the last result obtained in "windows" environment on CALC- 5262
mac	PASS	due to the last result obtained in the "mac" environment on CALC-5262
edge	FAIL	due to the last result obtained in "chrome" environment on CALC- 5261
chrome	PASS	due to the last result obtained in "edge" environment on CALC-5263
"All Environments" (if analyzing the status of the test without identifying a specific environment)	FAIL	as the last result for one of the environments ("chrome") was FAIL (i. e. on CALC-5261)

Advanced

Test Environments and the TestRunStatus custom field

The "TestRunStatus" custom field is associated with Test issues and can be used to provide information about the latest status of your test; more info here.

This custom field calculates the status of the test for "all environments" (i.e. the consolidated status), giving you a high-level view; it cannot be configured to show the status for a specific environment.

Internally, this field will store the status of the test for all possible scopes, which besides other things includes the information about the status in all different environments.

If you start using Test Environments in your Test Executions, then it's not only your test status calculation that will change (i.e. the one stored in the TestRunStatus custom field). All custom fields that depend on it (e.g., Requirement status, Test Sets status) will change. Consequently, the requirement coverage calculation and all associated charts/gadgets are also affected.

Tips and Recommendations

Do's

(i)

- Use Test Environments only if you want to run the same Test case in different environments and track results per each environment.
- Simplify the names of Test Environments (i.e. lowercase it, shorten it)
 Caracteristic example: macOS => mac
- Evaluate if you really need to assign multiple environments at the same time; using just one is preferable if you can afford that simplicity

(i) Learn more

For advanced Test Environment management capabilities, please check our Integration with Apwide Golive.

Don'ts

- Don't create dozens or hundreds of Test Environments as it will harden their usage and add some performance overhead
 Don't make composed environment names, such as "<os>_
stores
 st will pollute the environment namespace and harden management
- Don't try to do data-driven testing using Test Environments; they're not tailored for that

Please note (i)

Besides other usage issues, if you have a large number of environments (>>10), it will impact the calculations that need to be done and the size of the Lucene index.

Please try to have a limited, restricted and well-defined list of Test Environments.