

Test Plans - REST

You can manage (i.e., create, update, delete) Test Plans directly through [Jira's native REST API](#).

The Xray REST API provides the following endpoints.

Test Plan Tests

- To view the Test associated with a Test Plan, you need to specify the key of the Test Plan you wish to view.
- To associate or remove a Test from a Test Plan, you need to send a JSON with a list of the keys. When associating, these keys can be Test keys or Test Set keys; when removing, they can only be Test keys.
- To remove a Test from a Test Plan, you need to specify the key of the Test you wish to remove.

Returns a JSON object with a list of the test associated with the test plan. Note that this endpoint may be paginated.

Request

PATH PARAMETERS

parameter	type	description
testPlanKey	String	- key of the test plan.

QUERY PARAMETERS

parameter	type	description
limit	Integer	- limits the number of results per page. Should be greater or equal to 0 and lower or equal to the maximum set in the Global Configuration.
page	Integer	-numberof the page to beretuned. Should be greater or equal to 1.



Example Request

```
curl -H "Content-Type: application/json" -X GET -u admin:admin http://yourserver/rest/raven/1.0/api/testplan/TEST-123/test
```

Responses

200 OK : **text/plain** : Successful. Return a json.

Example Output

```
[
  {
    "id":12215,
    "key":"DEMO-12",
    "latestStatus":"PASS"
  },
  {
    "id":13207,
    "key":"DEMO-29",
    "latestStatus":"TODO"
  },
  {
    "id":13602,
    "key":"DEMO-44",
    "latestStatus":"Fail"
  }
]
```

400 BAD_REQUEST : **text/plain** : Returns the error.

401 UNAUTHORIZED : **text/plain** : The Xray for JIRA license is not valid.

500 INTERNAL_SERVER_ERROR : **text/plain** : An internal error occurred getting the tests.

Associate tests with the test plan. Return error messages if there are any.

Request

PATH PARAMETERS

parameter	type	description
testPlanKey	String	- key of the test plan.

Example

Example Input

```
{
  "add": [
    "CALC-14",
    "CALC-29"
  ],
  "remove": [
    "CALC-15",
    "CALC-50"
  ]
}
```



Example Request

```
curl -H "Content-Type: application/json" -X POST -u admin:admin --data @example.json http://yourserver/rest/raven/1.0/api/testplan/TEST-123/test
```

Responses

200 OK : **text/plain** : Successful. Returns error messages if there are any.

Example Output

```
["Test or Test Set with key CALC-29 not found or is not Type Test or Test Set"]
```

400 BAD_REQUEST : **text/plain** : Returns the error.

401 UNAUTHORIZED : **text/plain** : The Xray for JIRA license is not valid.

500 INTERNAL_SERVER_ERROR : **text/plain** : An internal error occurred associating the tests.

Remove test from the test plan.

Request

PATH PARAMETERS

parameter	type	description
testPlanKey	<i>String</i>	- key of the test plan.
testKey	<i>String</i>	- key of the test.



Example Request

```
curl -H "Content-Type: application/json" -X DELETE -u admin:admin http://yourserver/rest/raven/1.0/api/testplan/TEST-123/test/TEST-321
```

Responses

200 OK : **text/plain** : Successful.

400 BAD_REQUEST : **text/plain** : Returns the error.

401 UNAUTHORIZED : **text/plain** : The Xray for JIRA license is not valid.

500 INTERNAL_SERVER_ERROR : **text/plain** : An internal error occurred removing the test .

Test Plan Test Executions

- To view the Test Executions associated with a Test Plan, you need to specify the key of the Test Plan you wish to view.
- To associate or remove a Test Execution from a Test Plan, you need to send a JSON with a list of the Test Execution keys.
- To remove a Test Execution from a Test Plan, you need to specify the key of the Test Execution you wish to remove.

Returns a JSON object with a list of the test executions associated with the test plan.

Request

PATH PARAMETERS

parameter	type	description
testPlanKey	String	- key of the test plan.



Example Request

```
curl -H "Content-Type: application/json" -X GET -u admin:admin http://yourserver/rest/raven/1.0/api/testplan/TEST-123/testexecution
```

Responses

200 OK : **text/plain** : Successful. Return a json.

Example Output

```
[
  {
    "id":12215,
    "key":"DEMO-12",
    "summary":"Test Execution for Test Plan Test-123",
    "self":"http://localhost:5980/testJira/rest/api/2/issue/12215",
    "environments" : [
      "IOS",
      "Android"
    ]
  },
  {
    "id":12315,
    "key":"DEMO-15",
    "summary":"Test Execution for Test Plan Test-123",
    "self":"http://localhost:5980/testJira/rest/api/2/issue/12315",
    "environments" : [
      "IOS",
      "Android"
    ]
  }
]
```

400 BAD_REQUEST : **text/plain** : Returns the error.

401 UNAUTHORIZED : **text/plain** : The Xray for JIRA license is not valid.

500 INTERNAL_SERVER_ERROR : **text/plain** : An internal error occurred getting the test executions.

Associate test executions with the test plan. Return error messages, if there are any.

It's possible to specify if the tests in the test execution should be added to the test plan using the "addTestsToPlan" property in the JSON file. If this setting is empty in the JSON file, the config in the Xray miscellaneous will be used.

Request

PATH PARAMETERS

parameter	type	description
testPlanKey	String	- key of the test plan.

Example

Example Input

```
{
  "addTestsToPlan": false,
  "add": [
    "CALC-14",
    "CALC-29"
  ],
  "remove": [
    "CALC-15",
    "CALC-50"
  ]
}
```



Example Request

```
curl -H "Content-Type: application/json" -X POST -u admin:admin --data @example.json http://yourserver//rest/raven/1.0/api/testplan/TEST-123/testexecution
```

Responses

200 OK : **text/plain** : Successful. Returns error messages if there are any.

Example Output

```
["Issue with key CALC-29 not found or is not of type Test Execution"]
```

400 BAD_REQUEST : **text/plain** : Returns the error.

401 UNAUTHORIZED : **text/plain** : The Xray for JIRA license is not valid.

500 INTERNAL SERVER ERROR : **text/plain** : An internal error occurred associating the test executions.

Remove test execution from the test plan.

Request

PATH PARAMETERS

parameter	type	description
testPlanKey	<i>String</i>	- key of the test plan.
testExecKey	<i>String</i>	- key of the test.



Example Request

```
curl -H "Content-Type: application/json" -X DELETE -u admin:admin http://yourserver//rest/raven/1.0/api/testplan/TEST-123/testexecution/TEST-321
```

Responses

200 OK : **text/plain** : Successful.

400 BAD_REQUEST : **text/plain** : Returns the error.

401 UNAUTHORIZED : **text/plain** : The Xray for JIRA license is not valid.

500 INTERNAL SERVER ERROR : **text/plain** : An internal error occurred removing the test execution.