Xray 3.3.5 Release Notes

14 March 2019

The Xray team announces the bug fix release of **Xray 3.3.5.**

> ⓘ   If installing manually from Atlassian Marketplace, please make sure you install the correct asset for your Jira version (i.e. 7.x, 8.x, datacenter) from the releases page.

JIRA Dashboards ▾ Projects ▾ Issues ▾ Boards ▾ DbConsole Tests ▾ | Create | Search 🔍 📣 ❓▾ ⚙▾

Administration 🔍 Search JIRA admin

Applications Projects Issues **Add-ons** User management Latest upgrade report System

ATLASSIAN MARKETPLACE
Find new add-ons
Manage add-ons

XRAY
Miscellaneous
Custom Fields
Issue Type Mapping
Requirement Coverage
Requirement Projects
Manage Test Statuses
Manage Test Step Statuses
Default Column Layouts
Integrity Checker
License Management

Custom Fields

The default configurations for Xray custom fields.

Test Run Status Custom Field Version
○ No Version
When this option is enabled, the status of the Test is calculated based in the latest TestRun independently on the version it was executed.
● Earliest Unreleased Version
When this option is enabled, the status of the Test is calculated based in the latest TestRun executed on the earliest unreleased Version.
○ First Assigned Version
When this option is enabled, the status of the Test is calculated based in the latest TestRun executed on the first Fix Version explicitly assigned to the Test.

Test Set Status Custom Field Version
○ No Version
When this option is enabled, the status of each Test in the Test Set is calculated based in the latest TestRun independently on the version it was executed.
● Earliest Unreleased Version
When this option is enabled, the status of each Test in the Test Set is calculated based on the earliest unreleased Fix Version.
○ Earliest Unreleased Assigned Version
When this option is enabled, the status of each Test in the Test Set is calculated based on the earliest unreleased Fix Version explicitly assigned to the Test Set.
○ First Assigned Version
When this option is enabled, the status of each Test in the Test Set is calculated based on the first Fix Version explicitly assigned to the Test Set.

Requirement Status Custom Field Versions
○ No Version
When this option is enabled, the status of each Test associated with the Requirement is calculated based in the latest TestRun independently on the version it was executed.
● Earliest Unreleased Version
When this option is enabled, only the earliest unreleased Fix Version is displayed in the Custom Field.
○ Unreleased Versions
When this option is enabled, all unreleased Fix Versions are displayed in the Custom Field.
○ Assigned Versions
When this option is enabled, all explicitly assigned Fix Versions are displayed in the Custom Field.

Save

Maintenance

Recalculate Requirement Status

Refresh   Car

14%

Atlassian JIRA Project Management Software (v7.8.4#78004-sha1:5704c55) · About JIRA · Report a problem

This JIRA site is for demonstration purposes only. Evaluate JIRA - bug tracking software for your team.

⛰ Atlassian

Bug Fixes in this release

Key	Summary	T	Created	P	Status	Resolution
XRAY-3772	The table in the Requirement Projects page has its actions split from the rest of the table	🔴	Feb 27, 2019	⏫	CLOSED	Done
XRAY-3770	Scroll on Test Execution screen goes back to top after changing the status of a step	🔴	Feb 27, 2019	⏫	CLOSED	Done

| XRAY-3764 | Traceability Report not showing all requirements whenever in flat mode | 🔴 | Feb 26, 2019 | » | CLOSED | Done |
| XRAY-3678 | The Pie Chart Gadget doesn't work in 3.3.0 | 🔴 | Jan 31, 2019 | » | CLOSED | Done |

4 issues