# **Test Set**

A Test Set is a collection of Tests. It often contains detailed instructions or goals as well as information on the configuration to be used during testing.

Test Sets are simple, flat lists of Tests that you can use as a basis for creating Test Executions or Test Plans. Since the Tests are grouped in some logical way, such as grouping all Tests related with regression testing or security, or all Tests for a specific component or some high-level feature/business case, a Test can be part of different Test Sets. Test Sets can also be used as a dynamic way to cover requirements.

- Actions
  - ° Create
  - Edit
  - ° Clone
  - Configure Test Columns
    - Restoring Columns to Default Configuration
    - Change Columns Order
  - Add Tests
    - From the Test Set issue view screen
    - From the Test issue view screen
    - From the Create Test screen
  - Remove Tests
    - From the Test Set issue view screen
    - From the Test issue view screen
  - Reorder Tests
    - Drag-and-Drop
    - Change Rank Action
  - Bulk Operations

## Actions

- Create
- Edit
- Clone
- Configure Test Columns
- Add Tests
- Remove Tests
- Reorder Tests
- Bulk Operations

## Create

To create a new Test Set issue:

Step 1: Click the Create Issue at the top of the screen to open the Create Issue dialog / page.

Step 2: Select the Project and on Issue Type, select Test Set.

Step 3: Type a Summary for the Test Set and complete all appropriate fields — at least, the required ones marked by an asterisk.

Step 4: When you are satisfied with the content of your Test Set, click the Create button.

If you selected the **Create another** checkbox (below), a new **Create Issue** dialog appears. This issue is automatically pre-populated with your previous Test Set details, while leaving the **Summary** field blank.

eate Issue		Configur	e Fields
Project*	Scalculator (CALC)		
Issue Type*	S Test Set ▼		
eneral Tests			
Summary*	Division Tests		
Description	Style <b>∨ B I U</b> <u>A</u> <b>v</b> A <sup>°</sup> <b>v</b> <i>P</i> <b>v</b> ⋮≡ ⋮≡ ⊕ <b>v</b> + <b>v</b>		*
	Visual Text	5	.". 
Reporter*		5	
	© QAManualTester Start typing to get a list of possible matches.		
Reporter* Assignee	② QAManualTester         Start typing to get a list of possible matches.         Image: Automatic	•	
	© QAManualTester Start typing to get a list of possible matches.		
Assignee	② QAManualTester         Start typing to get a list of possible matches.         2 Automatic         Assign to me	•	
Assignee	<ul> <li>QAManualTester</li> <li>Start typing to get a list of possible matches.</li> <li>Automatic</li> <li>Assign to me</li> <li>v1.0 ×</li> </ul>	•	

## Edit

To edit an existing Test Set issue:

Step 1: Locate the Test Set you want to edit.

**Step 2**: Click the **Edit** button (at the top-left of the 'view issue' page) to open the **Edit Issue** dialog box. Alternatively, hover over a field and click the pencil icon to edit it inline.

	alculator / CALC								
🖋 Edit	<b>Q</b> Comment	Assign	More 🗸	Start Progress	Resolve Issue	Close Issue	Admin 🗸		~
Details     Type:     Priority:     Affects		S Test Set ↑ High None		Status: Resolution Fix Version	n: U	OPEN (View W Inresolved 1.0	orkflow)	<ul> <li>People</li> <li>Assignee:</li> <li>Reporter:</li> </ul>	O Unassigned Assign to me
Compor Labels:	nent/s:	None None						Votes: Watchers:	QAManual1     O Vote for thi     Stop watchi
<ul> <li>Descript</li> <li>Contain:</li> <li>Tests</li> </ul>	tion s the Tests for the	"Division" o	peration.					Dates     Created:     Updated:	5 minutes ago 2 minutes ago
<b>,                                    </b>						eate Test	Add Tests Columns <del>-</del>		ions discuss this issue? Conr :miss
	Key			Summary					
Showing	1 CALC-			Test As a user I car		irst Previous	1 Next Last		
<ul> <li>Attachm</li> </ul>	nents						•••		
			🖓 Drop fi	les to attach, or bi	rowse.				

Activity

Step 3: Modify your Test Set's details in the appropriate fields of the Edit Issue view.

Step 4: Click the Update button to save your changes.

## Edit Issue : CALC-1975

Ö	Config	ure Fiel	lds 🔻
---	--------	----------	-------

Summary*	Division Tests		
Description	Style • B I U A • ↔ • & · · :≡ i≡	⊜ - + -	\$
	Contains the Tests for the "Division" operation.		
	Visual Text		# 5 2
Reporter*	<ul> <li>QAManualTester</li> </ul>		
	Start typing to get a list of possible matches.		
Assignee	Unassigned		•
	Assign to me		
Fix Version/s	v1.0 ×		•
	Start typing to get a list of possible matches or press down to select.		
Priority	↑ High		
Component/s			-
	Start typing to get a list of possible matches or press down to select.		

## Clone

When cloning a Test Set issue, all the Test issue associations will also be cloned. Also:

- If the test set contains links to other issue(s), you can select whether or not to include the links in the new clone test set.
- If the test set contains sub-tasks, you can select whether or not to create the sub-tasks in the new clone test set.
- If the test set contains attachments, you can select whether or not to include the attachments in the new clone test set.

To clone an existing Test Set issue:

Step 1: Open the Test Set you wish to clone.

Step 2: Select More > Clone. The Clone Issue screen will appear.

	liculator / CALC										
💉 Edit	Q Comment	Assign	More 🗸	Start Progre	ss Resol	ve Issue	Close Issue	e Admin 🗸	•		
✓ Details			Log work							<ul> <li>People</li> </ul>	
Type:		Test Set	Attach files	5			OPEN (View \	Workflow)		Assignee:	🤊 U
Priority: Affects V	lorgion /g	↑ High None	Add vote		ution: rsion/s:	-	Inresolved 1.0				Assign
Compon		None	Voters		151011/5.	v	1.0			Reporter:	Q
Labels:		None	Stop watch	ning						Votes: Watchers:	0 V(
			Watchers							wateriers.	<b>1</b> 3t
<ul> <li>Descript</li> </ul>			Create sub	-task						<ul> <li>Dates</li> </ul>	
Contains	the Tests for th	e "Division" o	Convert to	sub-task						Created:	8 minu
✓ Tests			Create link							Updated:	5 minu
			Move	ed issue							
			Link			Cr	eate Test	Add Tests		<ul> <li>HipChat disc</li> <li>Do you want</li> </ul>	t to discuss this is:
<b>;</b> ×		- E	Clone		•	Show 1	) • entries	Columns	-		Dismiss
	Key		Labels							Connect	Dismiss
		0-1965	Delete		I can sum			_	•••		
Showing	1 to 1 of 1 entrie	s	Export to (	Cucumber		F	irst Previou	s 1 Next L	.ast		
✓ Attachm	ents								••••		
			🖓 Drop fi	les to attach, c	or browse.						

Step 3: Edit the clone Test Set's Summary if you wish.

Step 4: Click Create.

🖌 Edit 🛛 Q Commen	t Assign	More 🗸	Start Progress	Resolve Issue	Close Issue	Admin 🗸	
Details							✓ Peopl
Type: Priority:	S Test Set ↑ High		Status: Resolutio	_	DPEN (View Wo nresolved	rkflow)	Assig
Affects Version/s:	None		Fix Versio	n/s: v	1.0		Repo
Component/s: Labels:	Clone is	sue: CAL	C-1975				Votes Watch
Description     Contains the Tests for t		Summary*	CLONE - Division	n Tests			Dates     Create
<ul> <li>Tests</li> </ul>					Create	Cancel	Upda
				Cr	eate Test A	dd Tests	MipCl
<b>"</b> ·				Show 10	) 🔻 entries	Columns 🗸	Do yo
Ke	,		Summary				

## **Configure Test Columns**

Xray provides the ability to configure columns for the Tests table. This configuration is specific to each user and can be restored to the default configuration defined in the Global Preferences page in the Xray app administration.

The first column (Test Rank) is fixed and cannot be removed from the table.

To configure columns for the Tests table,

Step 1: Open the Test Set issue.

Step 2: Click on Columns ,select the dropdown that appears in the Tests section above the table in the top-right corner. A list of the current configure columns and all available columns appears.

Step 3: Add or remove columns by clicking the checkboxes next to each field.

Step 4: Click the Done button when finished or Cancel to abort this operation. The table refreshes with the configured columns.

### **Restoring Columns to Default Configuration**

To restore columns in the Tests table to the default configuration,

Step 1: Open the Test Set issue.

Step 2: Click on Columns, select the dropdown that appears in the Tests section, above the table in the top-right corner. A list of the current configure columns and all available columns appears.

Step 3: Click the Restore Columns link above the columns list. The table refreshes with the default configured columns.

#### **Change Columns Order**

To reorder columns in the Tests table,

Step 1: Open the Test Set issue.

Step 2: Hover over the desired column header.

Step 3: Click in the column header and drag it to the desired position.

	Columns -		
	Columns		
_	Restore Defaults		<b>^</b>
	🗷 Key		
1	Summary		
	Affects Version/s		
	Begin Date		
	Component/s		
	Conditions		
	Created		-
		Done	Cancel

## Add Tests

Tests can be added to Test Set issues:

- From the Test Set issue view screenFrom the Test issue view screen
- From the Create Test screen

## From the Test Set issue view screen

To associate Tests with a Test Set from the Test Set issue view screen:

Step 1: Open the Test Set you wish to associate a Test with.

Step 2: Click the Add Tests button (under the Tests tab on the view page) to open the Issue Picker Dialog.

💠 Jira Software	🗧 Dashboards 🛩 Proj	ects 🗸 Issues 🖌 Boards 🖌 DbCo	onsole Tests 🛩 Create	Search
Calculator / Calcu				
🖋 Edit 🛛 📿 Comme	ent Assign More 🗸	Start Progress Resolve Issue	Close Issue Admin 🐱	
Details				✓ People
Type:	Test Set	Status:	OPEN (View Workflow)	Assignee:
Priority:	🕈 Major	Resolution:	Unresolved	As
Affects Version/s:	None	Fix Version/s:	v1.0, v2.0	Reporter:
Component/s:	None			Votes: 0
Labels:	None			Watchers: 0
' Tests			Create Test Add Tests	Updated: 10 <ul> <li>HipChat discussions</li> </ul>
₽~			Show 10  rentries Columns	Connect Dismiss
ŀ	(ey	Summary		
📗 1 C	ALC-10	Divide two numbers		•••
Showing 1 to 1 of 1 en	tries		First Previous 1 Next La	ast
<ul> <li>Attachments</li> </ul>				

Step 3: Open the Search tab.

(i) How to use de Issue Picker Dialog

This is an example of how to add tests, using some of the features available in the Search tab.

For more information, please visit the Issue Picker Dialog detailed overview.

#### Step 4: Configure the search.

-Use the Filters dropdown button to include extra fields in the search criteria.

-Fill in the filters values.

-Press the search button.

💠 Jira Soft	tware Dashboards 🕶 Projects 🛩 Issues	🛩 Boards 🛩 DbCor				o o 🔬
Calc Di	Add Tests to Test Set CALC-11					1 of 1 🔺 💌 urn to search
🖋 Edit	Select Search JQL					🚹 Export 🗸
<ul> <li>Details</li> <li>Type:</li> </ul>	Filter(s) -				Columns *	
Priority: Affects Ve	Calculator (CALC) ×	📄 🍦 Issue Type	Key	\$ Summary	Test Type	
Componei	Test Type		CALC-1975	Acceptance Test - Story 1	Manual	
Labels:			CALC-1965	Test As a user I can sum	Manual	
<ul> <li>Descriptio</li> </ul>	Choose the Test Type Contains text		CALC-1964	Test As a user I can sum	Manual	
Contains t			CALC-1957	Test As a user, I can calculate the sum of 2 numbers	Manual	
✓ Tests			CALC-1956	CanAddNumbers	Generic	
			CALC-1945	manual empty	Manual	
<b>•</b> •			CALC-1938	Test As a user i can use the calculator	Manual	
			CALC-1936	dasdasd	Cucumber	
			CALC-1930	Cucumber Test as a user, I can calculate the sum of two numbers	Cucumber	
			CALC-1928	Test as a user, I can calculate the sum of two numbers	Manual	
Showing 1	× .	Showing 1 to 10 of 55	7 entries	First Previous 1 2 3	4 5 Next Last	
✓ Attachmei	Clear Q Search					
				Add selected	Add all (557) Cancel	
<ul> <li>Activity</li> </ul>						

Step 5: Select and Add tests.

- Once the results are obtained you can order, add/remove columns to the results list (the columns selection is saved as a preference).

- Check the tests you wish to add from the listed results.

Step 6: Add tests by pressing "Add selected".

#### From the Test issue view screen

To associate Tests with a Test Set from the Test issue view screen:

Step 1: Open the Test you wish to associate a Test Set with.

Step 2: Click the Associate Test Sets button (under the Test Sets tab on the view page) to open the Issue Picker Dialog.

Calculator / C Accepta	nce Test - Story 1				
🖋 Edit 🛛 Q Comm	ent Assign More 🗸	Start Progress Resolve Issue	Close Issue Admin 👻		
<ul> <li>Details</li> </ul>				✓ People	
Type:	Test	Status:	OPEN (View Workflow)	Assignee:	🕥 Un
Priority:	↓ Lowest	Resolution:	Unresolved		Assign
Affects Version/s:	None	Fix Version/s:	None	Reporter:	5 QA
Component/s:	None			Votes:	0
Labels:	None			Watchers:	Sto
TestRunStatus:	v3.0 - PASS				
Description				✓ Dates	
Description				Created:	3 days
Test Details				Updated:	1 hour
Pre-Conditions				<ul> <li>HipChat discuss</li> </ul>	ions
			~	Do you want to	discuss this iss
				Connect Dis	

#### From the Create Test screen

To associate Test Sets with a Test from the Create/Edit issue screen:

Step 1: On a Test Issue Type of Create Issue dialog / page, click on the Test Sets tab

Step 2: In order to select the Tests Sets to be associated you can:

- Input the desired Test Set Issue Key on the Tests Sets field.
- Click on the Down Arrow on the Tests Sets field and select the Test Set from its History Search list.
- Click on the + button which will prompt an Issue Selector Pop-Up.

#### Step 3: Click Add.

Ireate Issu	e					Configure I	ields
I	Project* 🏼 🎯 Calcu	lator (CALC)	•				
lssu	e Type <sup>*</sup> 🖸 Test		• ?				
General Te	st Details Test S	Sets Pre-Conditions	s Test Plans	Link Issues			
1	est Sets					- +	
	Start typir with this 1	ng to get a list of possible Test	e matches or press	s down to select fr	om a list of existin	ig Test Sets to asso	ociate

#### **Remove Tests**

Tests can be removed from Test Set issues:

- From the Test Set issue view screen
- From the Test issue view screen

#### From the Test Set issue view screen

To remove Tests from a Test Set from the Test Set issue view screen:

Step 1: Open the Test Set you wish to remove a Test.

Step 2: On the Tests table, hover over the desired Test row and click on the Trash button that appears at the end of the row. You will be prompted with a confirmation dialog.

#### From the Test issue view screen

To remove a Test Set association from the Test issue view screen:

Step 1: Open the Test you wish to remove the Test Set association.

Step 2: On the Tests Sets table, hover over the desired Test Set row and click on the Trash button that appears at the end of the row. You will be prompted with a confirmation dialog.

#### Reorder Tests

There are two ways of changing the order of Tests within a Test Set:

#### **Drag-and-Drop**

To reorder Tests,

Step 1: Open the Test Set issue.

Step 2: Hover over the desired Test row (under the Tests section on the view page) and the drag handle column.

Step 3: Click the drag handle and move the Test up or down in the current page.

## **Change Rank Action**

This action allows users to change the Rank of a Test between pages.

To change the rank of a Test,

Step 1: Open the Test Set issue.

Step 2: Hover over the desired Test (under the Tests section on the view page)

Step 3: Click the gear that appears in the last column. The actions menu should pop up with the available actions.

Step 4: Click the Move To action. The change rank dialog appears.

Step 5: Enter the desired index number (1-based) and click OK.

		Pec
CALC-1 - Change Rank		A
er iller i er ianger tannt		R
		V
New rank value 1		W
	·	
	OK Cancel	Dat
		С

## **Bulk Operations**

Xray provides the following bulk operations on the Tests table:


• Remove - Deletes all the selected Tests associations with a Test Set.

To execute these bulk actions:

Step 1: Open the Test Set issue.

Step 2: Click on the Bulk button (under the Tests section on the view page) to select current page.

Step 3: Click the bulk actions button and choose one of the available actions.



#### Export to Cucumber

Cucumber Test Sets in Jira can be exported to feature files ready to be executed in Cucumber. The generated feature files follow the rules defined in Export Cucumber Features and take into account the context of the Jira Test Set issue.

A single Cucumber **feature** file should be generated and prompted to be downloaded for the Automated[Cucumber] Test contained on the Test Set, unless the target Test Set contains multiple Automated[Cucumber] Tests or the Automated[Cucumber] Test is associated with multiple **Requirements**. In this case, a **FeatureBundle** zip file will be generated containing a single Cucumber feature file for every Requirement associated with the target Automated [Cucumber] Test contained on the Test Set.

To export a Test Set issue containing Cucumber Tests to feature files,

Step 1: Open the Test Set issue view page.

Step 2: Select More > Export to Cucumber. The file will be downloaded from the browser.

Tests

♦ Jira Software Dashboards	✓ Projects ✓ Issues ✓	Boards 🖌 Db	oConsole Tests 🗸	Creat	e		
Calculator	Calculator / C/ Division						
<b>小</b> ● Summary	🖋 Edit 🛛 Q Comme	ent Assign	More 🗸 Start P	rogress	Resolve Issue	Close Issue	Admin
Issues	✓ Details		Log work				
Reports	Type:	Test Set	Attach files		OPEN (	View Workflov	v)
🔀 Components	Priority: Affects Version/s:	↑ Major None	Add vote Voters	: /s:	Unresolv v1.0, v2.0		
🖗 Xray Reports	Component/s:	None	Watch issue				
미요 Xray Test Repository	Labels:	None	Watchers				
Xray Test Plan Board	> Description		Create sub-task Convert to sub-task	c			
Divident Automated Steps Library	✓ Tests		Create linked issue				
> Add-ons			Move Link		Create Test	Add Tests	
PROJECT SHORTCUTS			Clone Labels	s	how 10 🔻 entries	Columr	ns 🔻
Add a link to useful information for your whole team to see.			Delete				
	ĸ	Cey Sum		_			
+ Add link	📗 🔲 1 🖸	ALC-1965 Test	Export to Cucumbe	r			
	📗 🗆 2 C	ALC-1957 Test	As a user, I can calculat	e the sum	of 2 numbers		•••