

# Jira Cloud Migration Guide

This page describes the migration path you can follow to migrate Xray data from Jira Server/Data Center **to Jira Cloud**. If you have any questions about which approach best suits your organization, please contact our support team directly.

- [Server/DC vs Cloud - Product Comparison](#)
- [Jira Cloud Migration Assistant](#)
  - [Migrating Xray data through Jira Cloud Migration Assistant](#)
  - [Known Limitations](#)
    - [Issue History and Test Run Activity](#)
    - [Migration drift not supported](#)
    - [Automated Step Library](#)
    - [Cucumber settings](#)
    - [Gadget Configuration](#)
    - [Archived Issues](#)
  - [Steps to a successful migration](#)
    - [Licensing](#)
    - [Jira migration stage must be successful](#)
    - [Edit Issue Type Names](#)
    - [Edit Requirement Test Link](#)
    - [Some Xray custom fields must be visible](#)
    - [Check Issue Security Levels](#)
    - [Preflight Checks](#)
    - [Migrate all users](#)
  - [The Migration Process](#)
  - [Unsuccessful Migrations](#)



## Required steps to migrate

Before migrating from Xray Server/DC to Cloud be sure you've completed the steps recommended at "[Steps to a successful migration](#)":

- Have a valid License for Xray
- Issue Types names are the same both on Server and Cloud
- Requirement Test Link must match both on Server and Cloud
- Review Issue Security applied to Xray Issues.
- Xray Custom Fields must be visible on Test Execution Issue Screens Scheme
- Run the pre-flight checks

Ready for a Checklist? Make Sure you do not forget any step and download our [Xray Migration from Server to Cloud Checklist](#).

[Download Checklist](#)

Learn more at "[Steps to a successful migration](#)".

Also make sure you are aware of the differences between [Xray Server](#) and [Xray Cloud](#).

Be also sure, that if you select the Xray Cloud Standard you are [aware of the storage limit](#). If the storage offered by Xray Standard is not enough, you might consider upgrading to [Xray Enterprise](#).

## Server/DC vs Cloud - Product Comparison

If you are looking to migrate from Jira Server/DC to Jira Cloud, you need to consider the differences between Xray Server/DC and Xray Cloud. These differences might affect how your users work and interact with Xray.

The ideas, goals, and major features are the same. However, while there is great similarity between them, there are a few subtle differences between the two versions. This is mainly due to:

- **Jira architecture** - The way apps work in Server and Cloud is completely different. In Server, apps can integrate with many aspects of Jira, while on Cloud, there are a lot of integration points missing, e.g. JQL functions, Project Templates, calculated fields at agile boards (like requirement status), etc.
- **Product Age** - Xray Cloud is a newer product. Therefore, some of the features are not yet present (e.g. Automated Step Library, Historic Test Coverage report), although we plan to include these features in future releases. Also, we took the opportunity to improve some features (e.g. Project Level Settings).

For a full comparison between the Server/DC and Cloud versions of Xray, please refer to [Xray Server and Xray Cloud](#).

## Jira Cloud Migration Assistant

Atlassian provides the [Jira Cloud Migration Assistant](#) to help Jira users assess and migrate from an on-premise Jira instance (Server or Data Center) to Jira Cloud.

Our team has worked with Atlassian to make Xray available within the official [Migration Assistant](#) tool and we hope Atlassian will launch this expanded version of the Migration Assistant.

Before going any further, check the official Atlassian documentation and procedure:

<https://support.atlassian.com/migration/docs/use-the-jira-cloud-migration-assistant-to-migrate/>

<https://support.atlassian.com/migration/docs/jira-pre-migration-checklist/>

### Migrating Xray data through Jira Cloud Migration Assistant

Any Xray related projects that are somehow connected, must be migrated together within the same migration, otherwise, any Xray link between the projects will not be present in the cloud after the migration.

E.g., all the Tests in the Test Plans of Project A must be part of the migrated Projects.



Avoid data change during the migration, otherwise the migration might fail.

## Known Limitations

### Issue History and Test Run Activity

Due to the textual nature of the data in the activity logs, the entries are mostly copied directly. The language, phrases and markups may differ from server to cloud.

### Migration drift not supported

All the linked data must be migrated together so data integrity can be guaranteed on the cloud.

### Automated Step Library

Not supported by Xray Cloud and will not be migrated.

### Cucumber settings

Will not be migrated to cloud. (Miscellaneous settings section)

### Gadget Configuration

Configuration of Xray gadgets will not be migrated.

### Xray Notifications

Xray Notifications (events) will not be migrated. Xray Cloud does not provide this feature.

### Archived Issues

Xray data belonging to the archived issues are not migrated.


In the past we've seen migrations failing due to archived projects. Xray does not have visibility/permissions into these projects so please check if you are trying to migrate archived projects.

Document Generator

Templates migrated from the Server must be revised once there are some differences between the server and cloud version.

Steps to a successful migration

Licensing



A valid Xray app license is required to migrate Xray data, otherwise, Xray data won't be migrated to the cloud.

Jira migration stage must be successful


Before the Xray migration stage is executed, all issues and Jira entities are migrated by Atlassian's JCMA. In order to guarantee that Xray migration is successful, all these Jira entities must be 100% migrated, without warnings. If you encounter problems in Jira's migration stage, please contact the Atlassian support team.

Edit Issue Type Names

The name of the issue types needs to be the same on both server and cloud before starting the migration.

The Issue Type Precondition/Pre-Condition may have to be changed as it is named differently in the server and cloud versions of Xray.














<https://support.atlassian.com/jira-cloud-administration/docs/add-edit-and-delete-an-issue-type/>



Due to the way the "Migrate all data at once" option works on JCMA, when choosing this option a few additional steps must be taken to ensure compatibility with the Xray migration. So if you are using the "Migrate all data at once" option, please follow the steps below:

- On the Server side, rename all Xray issue types like this (avoid spaces before and after):
  - Pre-Condition Xray Precondition
  - Test Xray Test
  - Test Execution Xray Test Execution
  - Test Plan Xray Test Plan
  - Test Set Xray Test Set
  - Sub Test Execution Xray Sub Test Execution
- Still on the Server side, and only after the Xray types are renamed, create 6 dummy issue types like the list below:
  - Precondition
  - Test
  - Test Execution
  - Test Plan
  - Test Set
  - Sub Test Execution

After carrying out the previous operations, the issue types on the Server should look like this:

|   |          |  |   |
|---|----------|--|---|
|  <b>Precondition</b>   | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li></ul>  | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Story</b><br><small>Created by Jira Software - do not edit or delete. Issue type for a user story.</small> | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li><li>• TEST: Xray Issue Type Scheme</li><li>• TEST2: Xray Issue Type Scheme</li></ul> | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Sub Test Execution</b>   | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li></ul>  | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Test</b>   | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li></ul>  | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Test Execution</b>   | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li></ul>  | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Test Plan</b>  | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li></ul>  | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Test Set</b>   | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li></ul>  | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Xray Precondition</b><br><small>Represents a Pre-Condition</small>   | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li><li>• TEST: Xray Issue Type Scheme</li><li>• TEST2: Xray Issue Type Scheme</li></ul> | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Xray Test</b><br><small>Represents a Test</small>  | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li><li>• TEST: Xray Issue Type Scheme</li><li>• TEST2: Xray Issue Type Scheme</li></ul> | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Xray Test Execution</b><br><small>Represents a Test Execution</small>                                      | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li><li>• TEST: Xray Issue Type Scheme</li><li>• TEST2: Xray Issue Type Scheme</li></ul> | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Xray Test Plan</b><br><small>Represents a Test Plan</small>  | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li><li>• TEST: Xray Issue Type Scheme</li><li>• TEST2: Xray Issue Type Scheme</li></ul> | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Xray Test Set</b><br><small>Represents a Test Set</small>  | Standard | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li><li>• TEST: Xray Issue Type Scheme</li><li>• TEST2: Xray Issue Type Scheme</li></ul> | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |
|  <b>Xray Sub Test Execution</b><br><small>Represents a Sub Test Execution</small>                              | Sub-Task | <ul style="list-style-type: none"><li>• Default Issue Type Scheme</li><li>• TEST: Xray Issue Type Scheme</li><li>• TEST2: Xray Issue Type Scheme</li></ul> | <a href="#">Edit</a> <a href="#">Delete</a> <a href="#">Transla</a> |

After the migration is completed, the dummy issue types created with this purpose can be deleted, and the Xray issue types can be renamed back to their original names.



Sometimes when migrating with the "Migrate all data at once" option, the issue type avatars can be broken on the Cloud side after the migration (i.e., the migration is successful but the icons of the Xray issue types are missing). If that happens, the icons can be downloaded and updated manually on the Cloud following the procedure described [here](#).



This procedure is only applicable when using the option "Migrate all data at once" from JCMA. If the migration is carried out using the "Choose what to migrate" option (i.e., choosing the specific projects to migrate), the extra steps described above should be disregarded.

## Edit Requirement Test Link

The Issue Link used for Requirement Coverage is slightly different between Xray Cloud and Xray Server/DC. To ensure that Xray Cloud will recognise these links, the Issue Link type must be edited on Server/DC to match the link used by Xray Cloud:

- Name: Test
- Outward Description: tests
- Inward Description: is tested by

This step must be done manually prior to migrating since the Issue Links are migrated by Jira instead of Xray.

The configuration can be found in MY\_JIRA\_SERVER\_URL/secure/admin/ViewLinkTypes!default.jspa

## Some Xray custom fields must be visible

Make sure that the following Xray-created custom fields are added to the Test Execution issue screen and are visible to all users in all projects that you are migrating.

- [Begin Date](#)
- [End Date](#)
- [Revision](#)

## Check Issue Security Levels

The Issue Security Scheme may restrict Xray's access to issues during the migration.

If you are [using Security Levels for Xray Issues](#) ( Test, Test Set, Test Plan, Test Execution, Sub-Test Execution and Pre-Condition) - you'll have to temporarily add "Any Logged in user" to all the security levels used by Xray Issue Types or remove all the Security Schemes/Levels from those issues.

## Preflight Checks

These checks are meant to help you plan your migration by taking into consideration Xray related constraints. The checks will let you know if:

- the group of Projects that you are migrating contains any Xray links to data outside of these Projects.

If there are any such links, Xray will let you know which projects should be added to the migration to avoid ending up with missing links in the Cloud instance. This check should be done before any migration begins.







The preflight checks are available when the Jira Cloud Migration Assistant is installed and a version of Xray supporting the migration to Cloud is also installed. The page can be found in the Administration Manage Apps Xray Cloud Migration. Here you see a table with all the instance projects listed, select all the projects for your migration and then press Validate. If there are no errors, you can leave this page and proceed with your migration through the Jira Migration Assistant. If there are any errors you can see the details and steps to fix the issues.

Search for name, key or lead

Q

All Types

All Categories

| <input type="checkbox"/>            | Name  | Key   | Lead       | Issues | Attach | Last Updated  | Est time |
|-------------------------------------|---|-------|------------|--------|--------|---------------|----------|
| <input type="checkbox"/>            |  Xray Dev Project  | XDP   | admin pamp | 1      | 0 KB   | 2 minutes ago | < 1 min  |
| <input checked="" type="checkbox"/> |  Xray Test Project | XTP   | admin pamp | 1      | 0 KB   | 1 minute ago  | < 1 min  |
| <input type="checkbox"/>            |  XRAY1             | XRAY1 | admin pamp | 1      | 0 KB   | last month    | < 1 min  |
| <input type="checkbox"/>            |  XRAY2             | XRAY2 | admin pamp | 0      | 0 KB   | -             | < 1 min  |
| <input type="checkbox"/>            |  XRAY3             | XRAY3 | admin pamp | 0      | 0 KB   | -             | < 1 min  |
| <input type="checkbox"/>            |  XRAY4             | XRAY4 | admin pamp | 0      | 0 KB   | -             | < 1 min  |

<

1

>


Rows per page







10


Selected 1 of 6 projects

Validate

Example: Project Xray Test Project was selected for migration. The preflight checks found that there is a link to another project that is not part of the migration (Xray Dev Test).

 **Errors found for the specified projects**  
We recommend that you add the missing projects to the migration.  
Please review the details below.

- >  **Test Plan Tests**
- >  **Test Preconditions**
- >  **Test Execution Test Plans**
- >  **Test Set Tests**
- >  **Test Runs Defects**
- >  **Test Runs**

 **Test Call Test**

1 Test(s) - e.g. XTP-1 - have called Tests that belong to not migrated project(s):  
 (XDP) Xray Dev Project

We'll select the missing projects for the preflight checks and validate.

Search for name, key or lead

All Types

All Categories

| <input type="checkbox"/>            | Name  | Key   | Lead       | Issues | Attch | Last Updated  | Est time |
|-------------------------------------|---|-------|------------|--------|-------|---------------|----------|
| <input checked="" type="checkbox"/> |  Xray Dev Project  | XDP   | admin pamp | 1      | 0 KB  | 6 minutes ago | < 1 min  |
| <input checked="" type="checkbox"/> |  Xray Test Project | XTP   | admin pamp | 1      | 0 KB  | 5 minutes ago | < 1 min  |
| <input type="checkbox"/>            |  XRAY1             | XRAY1 | admin pamp | 1      | 0 KB  | last month    | < 1 min  |
| <input type="checkbox"/>            |  XRAY2             | XRAY2 | admin pamp | 0      | 0 KB  | -             | < 1 min  |
| <input type="checkbox"/>            |  XRAY3             | XRAY3 | admin pamp | 0      | 0 KB  | -             | < 1 min  |
| <input type="checkbox"/>            |  XRAY4             | XRAY4 | admin pamp | 0      | 0 KB  | -             | < 1 min  |

Rows per page 10

Selected 2 of 6 projects

Validate

 **No errors found**

You may proceed with the migration.

There are no more errors, meaning that the projects can be migrated together safely. We can now go back to the Jira Migration Assistant and plan our migration with both projects.


Migrate all users

It is recommended that you select the option "All users and groups from the Jira directory" when choosing which users to migrate in the Jira Migration Assistant. This is due to the way that Jira checks which users are related to a project which will not consider users assigned to Test Runs.

## Which users and groups would you like to migrate

Select all the user and group types that you need. We will not send any emails to users when they are migrated to cloud. Learn more about [migrating users and groups](#).

### Users and groups

- ☒ All users and groups from the Jira directory  More info
- ☐ Only users and groups related to the selected projects

### Group membership <sup>\*</sup>

Choose how you would like to migrate group membership. Preserving group membership will give your users access to the projects they need after migration. Learn more about [how we migrate groups](#).

Select...



More info



### External identity providers

If you use an external identity provider you will need to connect Atlassian Access. Follow our guidance on [migrating your users with an external identity provider](#).

## The Migration Process

The Xray migration starts right after the Jira migration. While Xray is migrating projects, the Xray app screens/actions will be disabled until the end of the migration. Those screens will show a warning and an action to allow the user to see the current progress of the migration. This progress shows details about what is being done.

### Tests

...



### Migration in progress

Xray features in this project are blocked until the migration process is finished.

[Check status](#)

Xray Cloud also provides a page on the app administration section with all the migration plans in progress and done. Here the Jira administrator could see the history of migration and the ongoing migration plans. Learn more about this [here](#).

### Migration Status

- ✓ Receiving files from Jira Server
- ✓ Migrate settings (1/1)
- ✓ Migrate tests (1/1)
- ✓ Migrate test sets (0/0)
- ✓ Migrate preconditions (1/1)
- ✓ Migrate test plans (0/0)
- ⤿ Migrate test executions (0/704)

0%
- 🕒 Migrate test repositories and test plan boards (0/0)
- 🕒 Migrate test runs (0/704)
- 🕒 Migrate test run activities (0/708)
- 🕒 Migrate issue history (0/7)
- 🕒 Migrate document generator templates (0/0)

Close


## Unsuccessful Migrations

If the Xray migration is not successful during the Jira cloud migration plan, we highly recommend trying it again. Before trying again, make sure the cloud project is removed. If the issue persists, please contact our [support](#) in order to get help.



### Do you want to learn more about Migrating from Xray Server to Cloud?

To learn more about migration from Xray Server to Xray Cloud you might want to take our dedicated course available for free at Xray Academy: [Migration from Xray Server to Xray Cloud](#)



## Migration from Xray Server to Xray Cloud

Ready to move to Xray Cloud? With this course you will learn how to get ready and how to migrate from Xray Server to Xray Cloud.

Add ▾

↑ Reorder

Edit course

View as Learner

...

📄 Welcome [🔗](#)

🖥️ Introduction

🖥️ Differences between Xray Server and Xray Cloud

### PREPARE YOUR MIGRATION

🖥️ Prepare your migration from Server to Cloud

🖥️ Prepare your Xray for migration

🎥 How to run the pre-migration checks?

🖥️ Prepare your instance for migration

🎥 How to assess your Xray App?

### MIGRATION

🖥️ It's showtime - migration

🎥 How to access JMCA and start the migration?

🖥️ Limitations

🖥️ Learn more & Thanks

🖥️ What's next - Learning Path

☑️ Survey