

# Project Settings: Parameter value lists

- [Add/Import a global Parameter value list](#)
- [Create a project Parameter value list](#)
- [Modify a project Parameter value list](#)
- [Delete a project Parameter value list](#)

As a Project administrator, you can define which Parameter value lists are available to your project. These lists can be used to define the available values for list parameters and also to define [datasets](#) columns.

Project parameter value lists can be either imported to a project from the globally available Parameter value lists (defined in Xray section of Jira settings detailed in [Global Settings: Parameter value lists](#)) or created directly in the project.

However, Parameter value lists are managed within the scope of a project. Those are the ones that will be seen by your project.

By default, no Parameter value list will be automatically added to your project, they always have to be added explicitly.

The screenshot shows the Jira Software interface. The top navigation bar includes 'Jira Software', 'Your work', 'Projects', 'Filters', 'Dashboards', 'People', 'Apps', and a 'Create' button. A search bar is on the right. The left sidebar shows 'Book Store Software project' and a 'Back to project' button. Below this is a list of settings categories: Versions, Components, Opsgenie, Permissions, Issue security, Notifications, Development tools, Issue collectors, Slack integration, and Xray Settings (which is highlighted). The 'Xray Settings' section is expanded, showing a list of settings: Summary, Miscellaneous, Test Coverage, Defect Mapping, Test Types, Test Environments, Document Generator, Test Step Fields, Test Run Custom Fields, **Parameter value lists** (highlighted), Default Column Layouts, and Re-Indexing. The main content area is titled 'Parameter value lists'. It contains an introductory text: 'In this page you can define generic lists of values that can be referenced in datasets. These lists can be used to define the available values for list parameters and also to define datasets columns. It is also possible to toggle global lists (defined by Jira administrators). If the same list is shared by multiple projects, you can create a global list instead and enable it here for this project.' Below the text are two buttons: 'Add Global List' and 'Create List'. There is also a dropdown menu set to '10' and a search bar. A table lists the existing parameter value lists:


Name	Scope	Values	Actions
Roles	PROJECT	admin, guest, user, developer	...
Location	GLOBAL	Portugal, France, Germany, Spain	...
Password	PROJECT	password123, jira123, jiraPassword123	...
Username	GLOBAL	Paul, Robert, Karen	...

At the bottom of the table, there are 'Prev', '1', and 'Next' links.

If the same list is shared by multiple projects, you can create a global list instead and enable it for the projects where you want to use the list.

## Add/Import a global Parameter value list

1. Click **Add Global List**.



2. Search the globally available Parameter value lists, either by using the dropdown picker or by using autocomplete.

### Add global list

Select parameter value list

PARAMETER VALUE LISTS (SHOWING 2 OF 2 MATCHING LISTS)2

Username
Location

**Add** Cancel

3. Select the list you want and click **Add**.

### Add global list

Username

Values

Paul

Robert

Karen

**Add** Cancel

## Create a project Parameter value list

To create a new project Parameter value list, click **Create List**, fill out the following fields, and press **Create**:

- **Name:** the name for the list (a string of maximum length of 64 characters);
- **Values:** to enter and add each of the values for the list (a string of maximum length of 64 characters).

## Create parameter list

Name \*

Values \*

Add

Create

Cancel

## Create parameter list

Name \*

Password

Values \*

Add

password123	×
jira123	×
jiraPassword123	×

Create

Cancel

## Modify a project Parameter value list

Existing Global Parameter value lists can be modified. You just need to:

1. Click "... " button and then **Edit** button on the table entry corresponding to the list.

### Parameter value lists

In this page you can define generic lists of values that can be referenced in datasets. These lists can be used to define the available values for list parameters and also to define datasets columns.

It is also possible to toggle global lists (defined by Jira administrators). If the same list is shared by multiple projects, you can create a global list instead and enable it here for this project.

Add Global List

Create List

10

Search

Name	Scope	Values	Actions
Roles	PROJECT	admin, guest, user, developer	...
Location	GLOBAL	Portugal, France, Germany, Spain	...
Password	PROJECT	password123, jira123, jiraPassword123	...
Username	GLOBAL	Paul, Robert, Karen	<div>Edit</div> <div>Delete</div>

Prev 1 Next

2. You can change the values, reorder them or change the list name and once you're done, click on **Save**.

## Edit parameter list

Name \*

Values \*

Add

password123	×
jira123	×
jiraPassword123	×

**Save** Cancel



### Please note

In Xray project settings you can only edit a project scoped parameter value list, to learn how to edit a global scoped parameter value list go to: [Global Settings: Parameter value lists](#).

## Delete a project Parameter value list

Project Parameter value lists can be deleted from Xray.

1. Click "... " button and then **Delete** button on the table entry corresponding to the list.

### Parameter value lists

In this page you can define generic lists of values that can be referenced in datasets. These lists can be used to define the available values for list parameters and also to define datasets columns.

It is also possible to toggle global lists (defined by Jira administrators). If the same list is shared by multiple projects, you can create a global list instead and enable it here for this project.

Add Global List Create List


10 ▼

Name	Scope	Values	Actions
Roles	PROJECT	admin, guest, user, developer	...
Location	GLOBAL	Portugal, France, Germany, Spain	...
Password	PROJECT	password123, jira123, jiraPassword123	...
Username	GLOBAL	Paul, Robert, Karen	<div><span>Edit</span> <span>Delete</span></div>

Prev 1 Next

2. Confirm by clicking **Delete** (if there are any issues using the parameter value list to be deleted, then it will show you a warning).

## Delete parameter list

 There are **1 issues(s)** using this parameter value list as a parameter.  
Dataset parameters using this list will be converted to text parameters and their values will remain unchanged.

Are you sure you want to delete parameter value list **Password**?

Delete

Cancel



### Please note

In Xray project settings when you delete a Global list, it will only be deleted from that project, it will not affect the global list itself or other projects. To learn how to delete a global scoped parameter value list, go to: [Global Settings: Parameter value lists](#).