Importing / Migrating data from Zephyr for Jira

Since v3.3, Xray provides a built-in importer for Zephyr for Jira.

As of Xray v3.3, the importer only performs inline migration of data (i.e. Zephyr's Test issues are "moved" to Xray's Test issues).

- Before using the Zephyr Import tool
 - Versions compatibility
 - Requirements before proceeding
 Features and Limitations
- How it works
- Mapping of information
- How to use
 - Performing the migration
 - After doing the migration

Before using the Zephyr Import tool

Please check, beforehand, the below versions compatibility between the Import tool and Zephyr, the necessary requirements and also the existing features and its limitations.

Versions compatibility

Xray Version	Supported Zephyr Version
v3.3.0 - v3.6.X	v4.X.X
From v4.0.0	v4.0.0 - v5.5.X
From v4.2.0	v4.0.0 - v5.6.X
From v5.1.0	v4.0.0 - v6.2.X

Requirements before proceeding

- Zephyr and Xray should be both installed
- Project, where migration is being done, must have Xray issue types (at least the Tests, Test Executions and Test Plans)
 You may use the "Add Xray Issue Types" action shortcut available in the project settings page
- Requirement issue types used in Zephyr must be configured in Xray
 All the different issue types that Zephyr Tests cover should be configured in Xray's Issue Type Mapping settings
- Defect issue types used in Zephyr must be configured in Xray
- All the different issue types are being used as defects in Zephyr should be configured in Xray's Issue Type Mapping settings.
- Create similar Test Statuses and Test Step Statuses in Xray; this is not mandatory but may ease the process, which will always ask you to make the mapping between Zephyr statuses and Xray counterparts
- Make sure Zephyr is using different issue links between Test<=>Defect and Test<=>Requirement, by going into Zephyr's configuration settings
- Do not change, create or delete any issue in the Project while the importation is running
- The only mandatory field in Xray's Test, Test Execution and Test Plan should be the issue Summary and issue Reporter
- Make sure that the Jira workflow states, that are being used by "Zephyr Test" issue type, are editable. Click here for the official Jira documentation on this subject.
- We strongly recommend you to make a backup of your Jira instance before migrating the data

Please note

The current process performs an inline migration, i.e. Tests and data is migrated to Xray and the original entities are "lost".

Thus, we recommend to backup your Jira instance before performing the migration.

Also, as the amount of data to migrate may be considerable large, we advise you to perform this on non-working hours. Please also make sure that users are not changing data on the project while the migration is being done.

Features and Limitations

Below, please find a list of the support features and current limitations.

Most information will be migrated seamlessly but please check the following table in more detail.

Supported Features	Unsupported					
Inline migration (not cloning) of: Test and Test steps Test and Test step attachments Links between Tests and Defects/Requirements Cycle oincluding Cycle folders* Executions defects (global and step level) attachments (global and step level) result (global and step level) comments (global and step level) assignee	 All Zephyr executions from the Ad-hoc cycle; only the last Execution is migrated Custom fields in Test steps and on the Execution Activity information Test Statuses and Test Step Statuses configurations Cycle folders as such* 					
(*) Cycle folders will be migrated to Test Executions, since the semantics on Xray are a bit different in terms of entities/organization.						

How it works

Within this section you're able to find the exact mapping of entities from Zephyr to Xray.

Mapping of information

Zephyr entity	Xray entity	Notes
Test • steps • attac hmen ts	Test steps attachments 	 if empty, the "Step" column will be filled with "<undefined>"</undefined>
Cycle	 Test Plan (optional) Summary: <version> - <cycle's name=""></cycle's></version> fixVersion: version assigned to Cycle Test Execution, linked to the previous Test Plan Summary: <version> - <cycle's name=""> Execution</cycle's></version> fixVersion: version assigned to Cycle 	 The Test Execution created here will contain the Executions assigned directly to the Cycle, since in Zephyr you can have Executions at that level besides on each folder. Please note that if the Cycle contains multiple Executions for the same Test, only the last Execution will be migrated
Cycle's folder	Test Execution, linked to the Test Plan created earlier from the Cycle • Summary: <version> - <cycle's name> - <folder name=""> Execution • fixVersion: version assigned to Cycle</folder></cycle's </version>	

Ad-hoc Cycle	 Test Plan (optional) Summary: <version> - Ah Hoc</version> fixVersion: version assigned to Cycle Test Execution, linked to the previous Test Plan Summary: <version> - Ad Hoc Execution</version> fixVersion: version assigned to Cycle 	
Execution global com ment global defec ts global status step results step com ments step defec ts step step defec ts step status step defec ts step step step step defec ts step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step step	Test Run • global comment • global defects • global status • step results • step comments • step defects • step status	

Please note

All issues will be created in the project where the migration is being performed.

How to use

Performing the migration is easy; however, it is currently limited to Jira administrators.

The migration follows a wizard like interface; after going through the steps, some additional tasks required to ensure consistency of data.

Performing the migration

Suppose you have a project that you wish to migrate from Zephyr for Jira to Xray and that the requirements mentioned above are met.

To start the importation process:

- 1. Log in with an administrator account;
- Go to System > Import and Export > External System Import;
- 3. Select Xray's Zephyr for Jira Importer.

Administration Q Search JIRA admin							
Applications Projects Issues Add-ons User r	management System Structure						
General configuration JIRA import wizard							
TROUBLESHOOTING AND SUPPORT System info	To get started, click the product you want	to import your projects from.					
Instrumentation Database monitoring Integrity checker	Test Case Importer	HP QC/ALM Importer	Zephyr for Jira Importer				
Logging and profiling Scheduler details Support Tools	CSV	Microsoft® Excel®	Bitbucket				
Audit Log							

If you see the following error message, then it's because Zephyr is using the same issue link types between Test<=>Defect and Requirement<=>Test.

Welc	ome to Xray Zephyr Importer	
!	Please Change the LinkType for the Zephyr Requirement> Test or the Test> Defect.	
By usin	g this importer, you can easily migrate your existing Zephyr for Jira data to Xray.	

Xray needs have different relations, so that is able to understand the different cases. Thus, you need to change the "Linktype for Test Relation" to something different from the value "LinkType for Requirement Test". For example, you can leave "LinkType for Requirement Test" with "Relates" and change the "Linktype for Test Relation" to "Defect".

These relations are configurable in Add-ons > Zephyr for Jira > General Configuration > Issue and Remote Links Configuration.

Settings					
All changes will be saved automatically					
General Configuration Issue and Remote Links Configura	tion Re-Index	Cleanup Cycles	Zephyr Test Menu	Execution Workflow	
Link issues to tests on Execution Defect mapping		۲			
Remote link issues to test executions on Execution Defect	napping	۲			
Link issues to tests on Step Execution Defect mapping					
Remote link issues to test executions on Step Execution De	fect mapping				
Inverse issue links directionality					
Configure LinkType for Test> Defect relation			Note: This may	take a while as all links	must be recreated.
		De	fect le Links are recreate	Rese d successfully in 0 sec	t conds
Configure LinkType for Requirement> Test			Note: Issue Link the Requiremen Requirement ->	k Relation used when Ze ats. This change will only Test.	ephyr Tests are created from within y reflect future relation for
		Re	lates	Requirement ResultSet Initiative Capability	0

After ensuring that the link types are configured with distinct values, you may proceed once again with the migration process.

The importer will show you some brief information, that we advise you to read carefully.

Xray Zephyr (for Jira) Importer	Welcome to Xray Zephyr Importer	Project	Test Statuses Mapping	Test Step Statuses Mapping	Confirmation
Welcome to Xray Zephyr Impo	orter				
By using this importer, you can easily migra	ate your existing Ze	ephyr for Jira o	lata to Xray.		
Data that can be migrated:					
Test cases specification, including thCycles and related Executions	neir steps and attac	hments			
Data that will not be migrated:					
 Test Step and Execution custom fiel Reports related information Test Cycle folders 	ds				
 This migration will be performed importer, we advise you to: Perform a backup of this J Click here for more details 	in runtime without i ira instance regarding recomm	rollback. Befor nendations, fea	e proceeding with t	the use of this	
Begin Import Back					

Then, you need to choose the project where to perform the migration; this will be same where the Xray entities will be created in.

You may fine-tune the process by (un)checking some flags:

- · Links between requirements and tests to respective Xray Issue Link Type used for requirement coverage: creates the link Xray uses for tracking coverage between Tests and requirements; by default Xray used the "tests" issue link type
 Zephyr Cycles to Xray Test Plans: creates Test Plans based on Zephyr Cycles
- Zephyr Ad Hoc Cycles to Xray Test Plans: creates Test Plans based on Zephyr Ad Hoc Cycles

If Zephyr Cycles to Xray Test Plans and Zephyr Ad Hoc Cycles to Xray Test Plans are unchecked then no Test Plans will be created; nevertheless, Test Executions will always be created if Zephyr Executions exist.

Map projects	Welcome to Xray Zephyr Importer	Project	Test Statuses Mapping	Test Step Statuses Mapping	Confirmation
Project					
Import to Project [*] Associate elements	Calculator Calculator Curverage Zephyr Cycles to Xray T Zephyr Ad Hoc Cycles to	ents and tests t est Plans o Xray Test Plan	o respective Xray issu ns	e Link Type used	for requirement
	Next Back				

You need to map Zephyr's Test Statuses to Xray counterparts.

lap Statuses	Welcome to Xray Zephyr Importer	Project	Test Statuses Mapping	Test Step Statuses Mapping	Confirmation
Test Statuses Map	pping				
Zephyr Test Statuse	s	\rightarrow	Xray Test Statuse	S	
PASS Test was executed and p	assed successfully.		PASS The test run has passe	ed	•
FAIL Test was executed and fa	iled.		FAIL The test run has failed		•
WIP Test execution is a work-	in-progress.		EXECUTING The test run is current	ly being executed	•
BLOCKED The test execution of this	test was blocked for some r	eason.	ABORTED The test run was abort	ted	•
UNEXECUTED The test has not yet been	n executed.		TODO The test run has not st	tarted	•
Next Back					
Dack					

Likewise, you also need to map Zephyr's Test Step Statuses.

Map Step Statuses	Welcome to Xray Zephyr Importer	Project	Test Statuses Mapping	Test Step Statuses Mapping	Confirmation
Test Step Status	es Mapping				
Zephyr Test Step	Statuses	\rightarrow	Xray Test Step Stat	tuses	
PASS Test step was execute	d and passed successfully		PASS The test step has passe	əd	•
FAIL Test step was execute	d and failed.		FAIL The test step has failed		•
WIP Test step execution is	a work-in-progress.		EXECUTING The test step is current	y being executed	•
BLOCKED The Test step execution reason.	on of this test was blocked for som	e	TODO The test step has not st	arted	•
UNEXECUTED The Test step has not	yet been executed.		TODO The test step has not st	arted	•
Next Back					

A final confirmation dialog presents information about the total number of Xray entities that will be created.

	•	•	•	•	•
Confirmation	Welcome to Xray Zephyr Importer	Project	Test Statuses Mapping	Test Step Statuses Mapping	Confirmation
Confirmation					
This import will convert 7	Zephyr Test issues to Xra	y Test issues ar	nd will create 11 Test F	Plans and 14 Test	Executions.
Begin Import Back					

At the end, a brief summary is shown mentioning the total number of Xray issues created and any warnings that occurred during the process.



Please have a look at the following section for some additional steps before concluding the migration process.

After doing the migration

After migrating data from Zephyr to Xray you will need to perform some additional operations to recalculate the status of Tests and the coverage of the related requirements.

- 1. reset the "TestRunStatus" custom field of the migrated Tests
 - a. you can use the link provided in the final screen mentioned earlier for quickly obtaining the created Tests; you will be redirected to the Issues search page

ashbo	ards 🗸	Projects 🖌 Issu	es ❤ B	oards 🛩	Tests 🛩	DbConsole	Tests 🛩	Create							Search	۹
Se	arch	Save as													< Share	🗄 Exp
0	abels = z	ephyr_importation	1_60048	and issuet	type = Tes	t								⑦ Sear	ch Basic	
1–1 c	of 1🗘															
т	Key	Summary					Ast	signee	Reporter	Р	Status	Resolution	Created	Updated	Due	Developi
٥	TP-123	test SF					Un	assigned	Bruce Wayne	÷	TO DO	Unresolved	21/Dec/18	21/Dec/1	8	

b. save this search as a filter (you will need it afterwards)

Search Save as						
Solution and issuetype = Test						
1–1 of 1(2						
T Key Summary		Assignee	Reporter	Р	Status	Reso
TP-123 test SF		Unassigned	Bruce Wayne	Ŷ	TO DO	Unre
1–1 of 1ζ∑	Save filter					
	You can save a	copy of this filter bu	t you cannot moo	dify the orig	nal.	
	Filter Na	me [*] migrated_test	s			
		Enter a name for	this Filter			
				Sev	Can	
				Sav	Canc	Jei
do a bulk change operation on the Test issue	S				-	
S	Search	Q	4 [€] (9 Ö		
	쑥 Share	🖸 Exp	oort 🗸	🗘 То	ols 🗸	
		Bulk	Change:			
⑦ Searc	h Basic	all 1 is	sue(s)			

Columns 🗸

all 1 issue(s)

Created	Updated	Due	Development
21/Dec/18	21/Dec/18		

d. reset the TestRunStatus custom field

Bull	k Opera	ation

c.

Choose Issues Selected 1 issues from 1 project(s)	Step 2 of 4: Choose Operation Choose the operation you wish to perform on the selected 1 issue(s).							
Choose Operation Operation Details	۲	Edit Issues	Edit field values of issues					
Confirmation	0	Move Issues	Move issues to new projects and issue types					
	0	Transition issues Transition issues through workflow Delete issues Permanently delete issues from Jira						
	۲							
	0	Watch Issues	Watch all the selected issues. You will receive notifications when any of these issues are updated. Stop watching all the selected issues. You will no longer receive notifications when any of these issues are updated.					
	0	Stop Watching Issues						
	N/A	Export Notebook of Tests	NOTE: You cannot export the selected issues because the Xporter app is not enabled or installed.					
	۲	Reset Xray Test Run Status Custom Fields	Recalculates the Xray Test Run Status custom fields for all selected Test issues					

reset the "Requirement Status" custom field of the requirements linked to the migrated Tests

 use the testRequirements JQL function using use the name of the previously saved filter as argument

migrated_tests - Edited Save - Details +								
issue in testRequirements("migrated_tests")								
Р	Status	Created	Compc					
*	OPEN	08/Jan/19						
	P	P Status	P Status Created ★ OPEN 08/Jan/19					

b. do a bulk change operation on the requirement issues

Search	ଦ 🦛 😗 🗘 😝
Share	🖞 Export 🖌 🗘 Tools 🗸
	Bulk Change:
⑦ Search Basic	all 1 issue(s)
L	

Columns 🗸

Created	Updated	Due	Development
21/Dec/18	21/Dec/18		

c. reset the Requirement Status custom field

Step 2 of 4: Choose Operation Choose the operation you wish to perform on the selected 1 issue(s). Edit lissues Edit field values of issues

\odot	Edit Issues	Edit field values of issues
0	Move Issues	Move issues to new projects and issue types
0	Transition Issues	Transition issues through workflow
	Delete Issues	Permanently delete issues from JIRA
0	Watch Issues	Watch all the selected issues. You will receive notifications when any of these issues are updated.
0	Stop Watching Issues	Stop watching all the selected issues. You will no longer receive notifications when any of these issues are updated.
	Clone Issues	Clone issues in the same project or in a different project.
0	Export Issues (Xporter)	Export issues using Xporter
0	Export Notebook of Tests	Export issues using Xporter filtering duplicated Test issues also included in Test Sets.
N/A	Reset Xray Test Run Status Custom Fields	Cant reset Test Run Status custom field because not all issues are Tests
۲	Reset Xray Requirement Status Custom Fields	Recalculates the Xray Requirement Status custom fields for all selected Requirement issues