

Global Settings: BDD Step Libraries

- [Creating a BDD Step Library](#)
- [Modify a BDD Step Library](#)
- [Delete a BDD Step Library](#)



As an Xray administrator, you can define BDD Step Libraries that can be shared across projects.

BDD Step Libraries

In this page you can define and manage BDD global libraries that can be used and shared by different projects.

Create Library

10 Search

Name	Projects	Options	Permissions	Actions
global one		NUMBERS ENUMS	ADMINISTRATORS ATLASSIAN-ADDONS-ADMIN JIRA-ADMINISTRATORS	...
global two	 	QUOTED NUMBERS ENUMS		...

Prev 1 Next



Please note

BDD Step Libraries are managed at project level. By default, a project will have its own library which is not shared with other projects. In the project settings you'll be able to select whether a given project will use the default library or one of the globally defined libraries

Please see: [Project Settings: BDD Step Library](#).

Creating a BDD Step Library

To create a new library, click on **Create Library**, fill out the following fields and then press **Create**:

- **Name:** the name for the library;
- **Step Index Heuristics:** parsing rules for the BDD steps.
- **Permissions:** User Groups that will be allowed to edit the library steps. Leave empty if you want all users to be able to edit the steps.

Edit BDD Library

Name *

global two

Step index heuristics

- ☒ Quoted strings e.g. "red", "blue"
- ☒ Numbers e.g. 355, 2.3
- ☒ Enums e.g. LEFT, RIGHT, CENTER

Permissions

Choose groups

Choose groups that can edit this library, e.g. Adding/editing/deleting steps, or configuring labels, the description and if a step is deprecated.
No groups means all users can edit library steps.

Save Cancel

Modify a BDD Step Library

Existing Global Libraries can be edited. You just need to:

1. Click "... " button and then **Edit** button on the table entry corresponding to the library.

Edit BDD Library

Indexing required
This library is associated with projects. Changes to this library settings will trigger a reindex on the BDD steps.
Dismiss

Name *

global two

Step index heuristics

- ☒ Quoted strings e.g. "red", "blue"
- ☒ Numbers e.g. 355, 2.3
- ☒ Enums e.g. LEFT, RIGHT, CENTER

Permissions

Save Cancel

- If the heuristics are changed, the library will be reindexed to parse the steps with the new definition.

Delete a BDD Step Library

Global Libraries can be deleted from Xray as long as they are not being shared at that time, i.e. there are no projects:

1. Click "... " button and then **Delete** button on the table entry corresponding to the library.

Name	Projects	Options	Permissions	Actions
global one		NUMBERS ENUMS	ADMINISTRATORS ATLASSIAN-ADDONS-ADMIN JIRA-ADMINISTRATORS	<div>...</div> <div>Edit</div> <div>Delete</div>
global two	CGSO CALC	QUOTED NUMBERS ENUMS		

Prev1Next