Testing using the Robot Framework and xUnit reports

Overview

In this tutorial, we will execute some tests using the Robot Framework.

Please note

This tutorial explores the integration using the JUnit XML report that the Robot Framework is capable of generating.

However, the Robot Framework native XML format is supported by Xray. Thus, it is the preferable way of importing tests/results from Robot test cases. When integrating through Robot's specific XML format, you have access to more features than the ones that are available if you use JUnit's XML format, since the latter is more generic.

Requirements

- Robot Framework
- Java (if using the Java variant of the "robot framework")

Description

This and more examples are found in Robot Framework's robotdemo repository.

calculator.py

```
class Calculator(object):
   BUTTONS = '1234567890+-*/C='
   def __init__(self):
       self._expression = ''
   def push(self, button):
       if button not in self.BUTTONS:
           raise CalculationError("Invalid button '%s'." % button)
       if button == '=':
           self._expression = self._calculate(self._expression)
       elif button == 'C':
           self._expression = ''
       elif button == '/':
           self._expression += '//' # Integer division also in Python 3
       else:
           self._expression += button
       return self._expression
   def _calculate(self, expression):
       try:
           return str(eval(expression))
       except SyntaxError:
           raise CalculationError('Invalid expression.')
       except ZeroDivisionError:
           raise CalculationError('Division by zero.')
class CalculationError(Exception):
   pass
```

This is the Robot test.

keyword_driven.robot	
*** Settings ***	
Documentation	Example test cases using the keyword-driven testing approach
	All tests contain a workflow constructed from keywords in
	``CalculatorLibrary.py``. Creating new tests or editing
	existing is easy even for people without programming skills.
•••	
•••	The _keyword-driven_ appoach works well for normal test
•••	automation, but the _gherkin_ style might be even better
	if also business people need to understand tests. If the
	same workflow needs to repeated multiple times, it is best
••••	to use to the _data-driven_ approach.
Library	CalculatorLibrary.py
*** Test Cases ***	ζ
Push button	
Push button	1
Result should	be 1
Push multiple butt	lons
Push button	1
Push button	2
Result should	be 12
Simple calculation	1
Push button	1
Push button	+
Push button	2
Push button	=
Result should	be 3
Longer calculation	1
Push buttons	5 + 4 - 3 * 2 / 1 =
Result should	be 3
Clear	
Push button	1
Push button	
Result should	<pre>be \${EMPTY} # \${EMPTY} is a built-in variable</pre>

After running the tests and generating the JUnit XML report (e.g., robot.xml), it can be imported to Xray (either by the REST API or through the Import Execution Results action within the Test Execution).

If you're using Python,

robot -x robot.xml keyword_driven.robot

Or if you're using Java,

java -jar robotframework-3.0.jar -x robot.xml keyword_driven.robot

JUnit's Test Case is mapped to a Generic Test in Jira, and the **Generic Test Definition** field contains the friendly name of the Robot script concatenated with the alias of the test case.

	1	CALC- 128	Push multiple buttons	Generic	0	0	PASS		•••
1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	2	CALC- 127	Push button	Generic	0	0	PASS	•	•••
	3	CALC- 129	Simple calculation	Generic	0	0	PASS		•••
	4	CALC- 131	Clear	Generic	0	0	PASS		•••
	5	CALC- 130	Longer calculation	Generic	0	0	PASS		•••
Show	ving	1 to 5 of	5 entries				First Previous 1 Nex	d I	Last

Test Type #Req #Def Test Sets Assignee

The Execution Details of the Generic Test contains information about the Test Suite, which in this case corresponds to the friendly name of the Robot script (i.e., "Keyword Driven").

Status

cription			
est Details			
Fest Type:	Generic		
Definition:	Keyword Driven.Push multiple buttons		
lesults			
Context	Error Message	Duration	Status
TestSuite Keyw	vord Driven -	0 millisec	PASS

References

Key

Summary

- http://robotframework.org/
 https://bitbucket.org/robotframework/robotdemo/src
 https://github.com/robotframework/robotframework/blob/master/INSTALL.rst